# A Small Satellite Design for Deep Space Network Testing and Training

Testing and Training Per Safet Safet

Mockingbird Designs

The University of Texas at Austin Department of Aerospace Engineering

### Final Design Report

# A SMALL SATELLITE DESIGN FOR DEEP SPACE NETWORK TESTING AND TRAINING

#### Submitted to

Dr. George W. Botbyl
USRA Design Professor
The Department of Aerospace and
Engineering Mechanics
The University of Texas at Austin

by

# The Mockingbird Design Team

Dennis McWilliams - Program Manager Clint Slatton - Chief Engineer Cassidy Norman - Chief Administrative Officer

Subsystem Leaders:

Joe Araiza
Jason Jones
Mark Tedesco

**Engineers:** 

Michael Wortman John Opiela Pat Lett Michael Clavenna

May 8, 1993

#### **Abstract**

With the continuing exploration of the Solar System and the reemphasis on Earth focused missions, the need for faster data transmission rates has grown. Ka-Band could allow a higher data delivery rate over the current X-Band, however the adverse effects of the Earth's atmosphere on Ka are as yet unknown. The Deep Space Network and Jet Propulsion Lab have proposed to launch a small satellite that would simultaneously transmit X and Ka signals to test the viability of switching to Ka-Band. The Mockingbird Design Team at the University of Texas at Austin applied small satellite design principles to achieve this objective. The Mockingbird design, named BATSAT, incorporates simple, low-cost systems designed for university production and testing. The BATSAT satellite is a 0.64 m diameter, spherical panelled satellite, mounted with solar cells and omnidirectional antennae. The antennae configuration negates the need for active attitude control or spin stabilization. The space-frame truss structure was designed for 11 g launch loads while allowing for easy construction and solar-panel mounting. The communication system transmits at 1 mW by carrying the required Ka and X-Band transmitters, as well as an S band transmitter used for DSN training. The power system provides the 8.6 W maximum power requirements via silicon solar arrays and nickel-cadmium batteries. The BATSAT satellite will be lofted into an 1163 km, 70° orbit by the Pegasus launch system. This orbit fulfills DSN dish slew rate requirements while keeping the satellite out of the heaviest regions of the Van Allen radiation belts. Each of the three DSN stations capable of receiving Ka-Band (Goldstone, Canberra, and Madrid) will have an average of 85 minutes of view-time per day over the satellites ten year design life. Mockingbird Designs hopes that its small satellite design will not only be applicable to this specific mission scenario, but that it could easily be modified for instrument capability for university, government, and/or commercial research.

# TABLE OF CONTENTS

List of Figuresi				
		bles		
Ack	nowle	dgments	iii	
		Summary		
1.0	Introd	luctionluction	5	
	1.1	Background and Mission Statement	5	
	1.2	Project Scope and Goals	6	
	1.3	Spacecraft Requirements	7	
	1.4	Mockingbird Performance Goals	8	
		Concerns		
2.0		tures		
	2.1	Introduction		
	2.2	Structural Design		
	2.3	Initial Structural Modeling		
	2.4	Structural Integration		
	2.5	Spacecraft Overview		
		Recommendations		
3.0		nunication and Power Design		
		Introduction		
		Communication Design		
		Antenna Design		
	3.4	Power System		
		3.4.1 Electric Power Generation		
		3.4.2 Power Distribution		
		3.4.3 Energy Storage		
	3.5	Thermal Control		
	3.6	Command System		
		Recommendations		
4.0		Determination		
		Requirements and Constraints		
		Orbital Parameters		
		Groundtrack Characteristics		
		Future Work		
5.0		h Selection		
	5.1	Primary Launch Scenario		
		5.1.1 Launch Performance		
		5.1.2 Payload Integration	51	
		5.1.3 Launch Constraints		
	5.2	Secondary Launch Options		
		5.2.1 Piggyback	.55	

	5.2.2 Scout Launch Option	56
	5.2.3 Military Options	
	5.2.4 Shared Launch	
6.0 Manag	gement and Cost	59
	Management Goals	
	Program Organization	
	Communication Aids	
6.4	Program Control and Schedule	63
	Project Integration	
	Production Cost Estimates	
	Project Costs	
	nmendations and Conclusions	
Contacts		75
	A	
Appendix	В	B1
Appendix	C	C1
	D	
11		

# LIST OF FIGURES

Figure 1.1	Atmospheric Signal Interference	5
Figure 2.1	Bell's Telstar satellite	
Figure 2.2	CAD Drawing of frame	
Figure 2.3	Picture of truss structure	
Figure 2.4	Z - axis of satellite structure with component disk	17
Figure 2.5	Color contour plot	
Figure 2.6	Side view of NASTRAN plot	
Figure 2.7	Top view of NASTRAN plot	
Figure 2.8	Welded structure built as production model	22
Figure 3.1	Antenna mounting schematic	
Figure 3.2	S band antenna radiation interference pattern	28
Figure 3.3	Typical solar cell cross-section	30
Figure 3.4	Series "string" and parallel-connected strings	31
Figure 3.5	Diagram of BATSAT power system	
Figure 3.6	Maximum design use of spacecraft NiCd batteries	
Figure 3.7	BATSAT's thermal environment	36
Figure 3.8	BATSAT command system	40
Figure 4.1	Groundstation Slew Rate vs. Satellite Altitude	42
Figure 4.2	Van Allen Radiation Belt intensity vs. altitude	43
Figure 4.3	Orbital debris density vs. altitude	43
Figure 4.4	Orbital decay rate	44
Figure 4.5	Groundtrack plot of BATSAT for one day	
Figure 5.1	Pegasus Space Booster under the wing of B-52	
Figure 5.2	Exploded-view of Pegasus booster	48
Figure 5.3	Pegasus lifting capability to circular polar orbits	51
Figure 5.4	Orbital injection accuracy for Pegasus	51
Figure 5.5	Payload fairing dimensions for Pegasus	
Figure 5.6	Separable payload interface	53
Figure 5.7	ORBCOMM satellites.	58
Figure 6.1	Organization Chart	61
Figure 6.2	PERT Chart for BATSAT project	66
Figure 6.3	Gantt Chart for BATSAT project	67
Figure 6.4	Cost of BATSAT Design	70

# LIST OF TABLES

Table 2.1	NASTRAN Model Simplifications	15
Table 2.2	Mass Budget	
Table 2.3	Moments of Inertia	
Table 3.1	Communication Subsystem Characteristics	
Table 3.2	DSN Station Coordinates	
Table 3.3	BATSAT's Thermal Model Spread Sheet	37
Table 3.4	Allowable temperature ranges	
Table 3.5	BATSAT cold biased thermal environment	
Table 3.6	Allowable temperature ranges	
Table 6.1	Project Milestone Schedule	
	- 10 july 1.1114510116 Dulle Bulletin 111111111111111111111111111111111111	

#### ACKNOWLEDGMENTS

The Mockingbird Design team would like to thank the countless people who aided us in our design. Mockingbird would specifically like to thank:

Dr. George Botbyl, our project mentor at U.T., for giving us the freedom to attack the design problem with our own methods, while keeping us on a tight schedule. We would also like to thank Dr. Botbyl for taking this "hands off" approach to the senior design course; we all learned more from practicing the team concept than any class or book could teach us.

Dr. Paul Robinson at JPL for answering all of our questions concerning the mission's objectives and the mission background. We would also like to thank Dr. Robinson for his friendliness and genuine concern for the success of our project.

Dr. Wallace Fowler for helping The University of Texas get this mission as a senior design project, and for helping us out with countless design points concerning small satellite design.

Tony Economopolous, our graduate student project advisor, for his reminders and tough questions that made us really have to understand our design.

The Mockingbird Design team would like to thank these and all of the other people who helped us in our design by answering technical questions, offering advice, and reviewing our design.

#### **EXECUTIVE SUMMARY**

Mankind's quest for knowledge of space has led scientists to loft expensive, complex space probes that gather a multitude a data. Current spacecraft can gather more data than their communication system can transmit during limited transmit times. In order to increase efficiency as well as the amount of data a satellite can retrieve, faster data transmission methods must be found. The fastest data transmission rates now occur over X-band. However, a debate by scientists currently focuses on whether NASA should switch to another radio frequency, like Ka-Band, or if they should move on to a more advanced scheme such as laser communication. Mockingbird Designs hopes to aid the debate by studying Ka transmissions. Although the Ka-Band could offer higher data transmission rates, the effect of the atmosphere on the signal is unknown. Therefore Mockingbird designed and plans to produce a small satellite, named BATSAT, that will transmit a test signal over both Ka and X bands to study atmospheric signal attenuations.

The BATSAT satellite incorporates small satellite design principles to provide a simple, low-cost design ideal for university production and testing. The satellite is an 0.64 m diameter space-frame truss structure built of 6061-T6 aluminum truss members. The skin panels will be built of a honeycomb sandwich material, which will be mounted the outer truss structure using locking bolts. In lieu of an axial strut to support launch loads, an inner strut configuration will provide stiffness. The inner strut design also provides more space inside the spacecraft for component placement. The components will be placed in an insulated disk that will be isolated from the structure using nylon cords. Using a NASTRAN

structural model, Mockingbird found that the spacecraft has a large structural design margin while maintaining a low mass. This could be very beneficial if one wished to increase the component mass by adding scientific instruments.

The communication system includes Ka and X-Band transmitters that are used to carry the test signal. Mockingbird also plans to include an S band transmitter that will be used to help train DSN personnel. By purposely turning certain antennae off, DSN trainees could determine the attitude motion of the satellite via blinking techniques. The spacecraft will transmit the 1 mW test signal over four omni-directional antennae provided for each band. The increase in signal interference due to these antennae can be compensated for using filter techniques available at DSN, but most importantly these effects are distinguishable from atmospheric effects. Commands will be up-linked via an X-Band transponder and a step logic circuit will change the spacecraft configuration for different subsystems. Also, to insure that the satellite can always be in a known state, a reset command was designed to return the satellite to an initial state.

Thermal control is often a problem for small satellites. To compensate, Mockingbird Designs cold biased the BATSAT satellite. The outer surface will be covered with solar arrays, and all remaining surfaces will be painted white. This prevents the satellite from exceeding hot temperature limits. To prevent certain satellite components from getting to cold, small thermal strip heaters with a thermostat will be used to heat up components. Since all components will be placed in a circular disk, components can also be warmed via thermal blankets. Also, the circular disk can be radiation hardened to increase satellite reliability.

When the satellite is transmitting over both X and Ka-Bands with heaters on, it will need 8.6 W of power. This maximum power requirement will be fulfilled using silicon solar arrays and nickel-cadmium batteries. The solar arrays will be surface mounted to the honeycomb skin structure to offer omni-directional solar flux coverage. A peak power tracker will be used to smooth out the power from the arrays. Both the solar arrays and the batteries are designed for a 10 year lifetime. Four batteries will be used: one for the first five years, one for the second five years, and two redundant batteries.

The BATSAT satellite will be lofted into an 1163 km, 70° orbit by the Pegasus launch system. This orbit fulfills the DSN dish slew rate requirement of .4 deg/s while also keeping the satellite out of the heaviest regions of the Van Allen radiation belts. Currently, only the Goldstone, California DSN dish can receive in Ka-Band, but the Canberra, Australia and the Madrid, Spain dishes will soon be upgraded. Each of the three DSN stations capable of receiving Ka-Band (Goldstone, Canberra, and Madrid) will have an average of 85 minutes of view-time per day. A seven day repeating groundtrack will allow for easy planning and view time estimates. The Pegasus launch system by Orbital Sciences Corporation will provide the launch services for BATSAT. Pegasus offers the lowest priced commercial launch option while providing many performance options that decrease satellite complexity. While the Pegasus system is relatively cheap (around \$9 million), Mockingbird Designs is researching cheaper options such as shared launch and military surplus.

The current BATSAT design offers an excellent spaced-based platform for testing the merits of Ka-Band transmissions. The satellite fulfills the mission goals while keeping complexity and costs down.

However, the most important aspect of the BATSAT satellite is its receptiveness to university design. By using students to design, fabricate, and test the satellite structure, costs can be kept to a bare minimum. Many of the electronic components have been built by other university groups and can be adapted to the BATSAT design. Even though this satellite was designed specifically for the DSN/JPL testing project, the small satellite can easily be modified to carry scientific instruments. Mockingbird hopes that other missions will wish to use the BATSAT design for their small satellite applications.

#### 1.0 Introduction

## 1.1 Background and Mission Statement

In the search for higher data transmission rates for spacecraft, the Deep Space Network (DSN) and Jet Propulsion Laboratory (JPL) are investigating the use of alternate radio-frequency bands for satellite communication. The fastest data transmission rates currently available are through X-band, and most space probes communicate over this band. Ka-




Figure 1.1: Atmospheric effects on radio transmissions.

band allows for a faster transmission rate, but is more susceptible to atmospheric interference than X-band (see Figure 1.1). However, the precise

effects of the atmosphere (i.e. clouds, rain, air) on Ka transmissions have not yet been characterized, and DSN must study whether the advantage of faster communication through Ka will be offset by signal degradation due to the atmosphere. In order to study this problem, DSN and JPL have proposed deploying a small satellite that would transmit an identical signal over both X and Ka-Bands. Mockingbird Designs has named the satellite project BATSAT. Reflecting on the goals of the DSN and JPL project, the mission statement for the BATSAT is:

• To provide simultaneous X and Ka-Band transmissions to the three 34-meter, high-efficiency DSN receivers to study the effects of the atmosphere on Ka-Band.

With simultaneous X and Ka-Band transmission, the atmospheric interference could be characterized by studying the comparative variations in the signals.

A secondary goal for the satellite is to aid in training new DSN personnel. By adding an S-Band transmitter, ground station trainees could use Doppler shift and blinking techniques on S-Band to determine the attitude and motion of the satellite. With 1 mW transmission power, BATSAT would look like a deep space probe and trainees could practice acquisition and attitude determination skills.

# 1.2 Project Scope and Goals

At the start of the project, the Mockingbird Design team set several goals to define the scope of the project. Mockingbird Designs is not the first design team to look at this mission. The Student Undergraduate Research Fellowship (SURF) presented their mission design in the SURFSAT project at California Institute of Technology. Mockingbird did not want to repeat or replace the work done by SURFSAT, but wanted to improve the design and offer different insight into the problem.

The primary goal of the project was to design the best space-based platform for studying Ka transmissions through the atmosphere. Other non-space based methods may be cheaper, but would not provide the wealth

of data that a space platform will yield. Mockingbird also wanted to design a simple spacecraft using existing technology. Since the mission is very simple, there is no need for complex equipment or new technology. Both of these goals lead to the last, and perhaps most important goal: To design a spacecraft simple enough for college production. Throughout the design process, every decision was subject to this last consideration. The main focus of the team was to ensure that the design was simple enough for production in student materials labs and testing in university labs.

# 1.3 Spacecraft Requirements

Due to the scientific nature of the mission, the spacecraft must fulfill specific requirements. JPL established several requirements to guarantee that the scientific goals are satisfied. These requirements are as follows:

- Simultaneous transmission of X and Ka-Band
- 2-year minimum lifetime to characterize long term weather effects
- Low-cost, simple design.

In addition, the Deep Space Network also set several requirements to support its project objectives and limitations. These criteria include the following:

- A maximum dish slew rate of 0.4°/sec
- Signal power of 1 mW radiated by antenna
- S transmissions for training and research.

The BATSAT satellite must satisfy these criteria in order to fulfill its mission goals.

### 1.4 Mockingbird Performance Goals

Although JPL and the DSN set performance goals to ensure mission success, Mockingbird established its own performance criteria to improve the mission while incurring negligible cost increases. Specifically, Mockingbird designed the BATSAT spacecraft around several performance characteristics:

- A ten-year lifetime constrained by solar array degradation and nickel cadmium battery lifetime
- A seven-day repeating ground track, with an average view time of about 85 minutes per day per station
- Attitude determination using antennae interference patterns and blinking techniques.

Mockingbird has designed BATSAT to exceed JPL and DSN requirements, and to provide the best science data possible.

Mockingbird has also designed BATSAT to provide several enhanced performance options to accommodate JPL and DSN project modifications. Specifically, these optional design features are as follows:

- Passive instrument capability
- Options for multiple satellite launch to provide redundancy and to reduce mission costs
- A gravity gradient optional design for laser communication testing.

Mockingbird hopes that these options will allow JPL and DSN to vary the design as the need arises for greater scientific return at a lower cost. Also, if this design is built by university production, these options could easily be added.

#### 1.5 Concerns

Currently, Mockingbird's biggest concern is reducing launch costs. Options include using a multiple launch system on a booster such as Ariane or Pegasus. A multiple launch would likely involve sharing the booster with one or two other small satellite payloads. The ORBCOMM satellites being launched into constellation by the Pegasus system could offer an attractive option. Since the orbit of BATSAT is critical to the mission design, these other satellites on a shared launch would need to have orbits above 1095 km altitude to satisfy the slew rate constraint. Another major design concern is satellite radiation hardening. Even though BATSAT's orbit will be well below the intense inner Van Allen Radiation Belt, some

hardening will probably be needed to increase satellite lifetime. Radiation hardening analysis will be performed upon receipt of electronics hardware specifications.

The current satellite design is vulnerable to single point hardware failures that would destroy the mission. However, redundancy in hardware increases production costs and control complexity. Therefore redundancy will be accomplished through multiple satellites instead of multiple subsystems.

The current BATSAT design satisfies all criteria and requirements for the mission. Mockingbird Designs has confronted many technical hurdles to keep the design as inexpensive and reliable as possible.

Mockingbird believes that the BATSAT project also fulfills the project goals of being simple and inexpensive. The design team feels that the University of Texas possesses all of the tools necessary to construct and test the satellite, and should continue design and construction.

#### 2.0 STRUCTURES

#### 2.1 Introduction

To design an appropriate structure for the BATSAT mission, three broad requirements were specified. The first requirement that the BATSAT structure must fulfill is to provide a physical platform for the payload. This requires that the structure fit inside the payload envelope of the Pegasus launch vehicle, provide enough volume to hold the internal components, and provide external mounts for solar cell arrays and antennae.

The second requirement is that the structure be able to survive the Pegasus launch environment. The structure will experience significant accelerations along both the rocket center-line and normal to the center-line. In addition, the BATSAT structure must have a fundamental frequency large enough so as not to resonate at launch vibration frequencies.

Finally, the BATSAT structure must have a suitable mass distribution. The launch vehicle manufacturer has constraints on the center of gravity location and how far it can move from its original position on the rocket center-line. Any structural deflections must be small enough not to violate the constraints on the center of gravity. Also, since BATSAT will be spin stabilized, the maximum moment of inertia must occur about the spin axis.

#### 2.2 Structural Design

Because BATSAT should have a simple structure, a spherical design was chosen for the spacecraft. A spherical design allows for the uniform placement of antennae and solar cells over the surface, avoiding the need for active attitude control. In an effort to avoid potential pitfalls in the structural design process, the designs of similar spacecraft were studied.

The design of BATSAT's structure was an iterative process. During the conceptual design phase, a gravity gradient design was weighed against the spherical structure. Mockingbird decided that the gravity gradient design was overly complex, thus reducing mission reliability and increasing development costs. However, Mockingbird has kept the gravity gradient design as an alternative if a satellite pointing became a necessity. Once the spherical structure was selected as the primary design choice, study of the internal support structure began. The first design considered was similar to that of the Philco Corporation's Courier satellite [Courier]. This design consisted of a central axial member that was connected via pinned rods to a large equatorial support ring. Mockingbird concluded that such a design would not provide adequate support to the solar-cell-covered skin, possibly leading to local buckling of the skin during launch. The central axial member design was discarded in favor of a faceted-sphere frame design similar to that of AT&T Bell Laboratory's Telstar 1 [Brown: 245, 295], as shown in Figure 2.1. The faceted-sphere structure was selected as the primary BATSAT structural design. It provides well-supported mounting locations for the skin panels, and provides an internal cavity in which an instrument package can be placed. This design allows for easy mounting of solar panels, which greatly simplifies the construction process.




Figure 2.1: Bell's Telstar satellite.

The final BATSAT structural design is a variant of the Telstar 1 structure. The internal support is provided by an aluminum 6061-T6 space frame shown in Figure 2.2. The frame consists of twelve sections placed at 30° increments about the structure center-line (see Figure 2.2). The frame consists of 0.25" x 1.00" channel members welded together. Each frame section is connected to adjacent sections by circumferencial support members (Figure 2.3). The circumferencial members are aluminum 6061-T6 members with solid 0.125" x 1.00" cross sections. There are two sets of these members at each bend in the outer frame, and a single set at the launch ring interface.




Figure 2.2: CAD Drawing of frame.




Figure 2.3: Picture of truss structure.

The structure has an overall diameter of 0.64 meters. Once the frame is constructed, skin panels, consisting of honeycomb material sandwiched between aluminum 6061-T6 plates, are attached to the frame via locking bolts. The use of locking bolts ensures that skin panels can be removed during assembly if necessary, but that thermal cycling will not cause slop once BATSAT is in orbit. Compliant washers will be placed between the frame and the skin panels to protect the solar cells from the launch vibrations. The truss structure will be built in two hemispherical sections to allow easy access to components during construction.

#### 2.3 Initial Structural Modeling

To verify the BATSAT structural design, a NASTRAN computer model was developed (see Appendix A for a selected listing of the NASTRAN model). Table 2.1 lists the simplifications to the actual BATSAT design that were used to create the NASTRAN model.

Table 2.1: NASTRAN Model Simplifications

Item	BATSAT Structure	NASTRAN Model
Frame element	0.25" x 1.00"	0.25" x 0.25"
cross sections	channel	solid
Circumferencial	0.125" x 1.00" solid	0.25" x 1.00" solid
element cross sections	two sets at each bend	one set at each bend
Skin panels	Honeycomb and	Single aluminum sheets
	aluminum sheets	0.12" thick

The NASTRAN model was used to determine the structure's fundamental frequency and its response to the maximum launch accelerations. A FORTRAN program named MODIFY was written to generate the grid points for the NASTRAN model (see Appendix A for program listing). Both the NASTRAN code and MODIFY program assume fundamental SI units. The frame and circumferencial members were modeled using BAR elements, and the skin panels were modeled using QUAD4 and TRIA3 elements. Translational motion was constrained at the grid points where the launch ring would attach; no other grid points were constrained. The constrained grid points correspond to a launch ring with a 0.315 meter diameter. The actual ring turned out to be 0.245 meters in diameter, but the NASTRAN results should be approximately correct. The fundamental frequency of the BATSAT structure was found by running a separate, but linked NASTRAN program. The structural model was subjected to an 11 g acceleration in the direction of the Pegasus center-line, and a 3.5 g acceleration normal to the center-line. Figure 2.4 shows the spacecraft's zaxis, as well as the component containment structure mounted inside.

After running the NASTRAN model of the BATSAT structure, it was apparent that the structure would satisfy all constraints by several orders of magnitude. The maximum normal stress contours in the skin panels are plotted in Figure 2.5. No detailed analysis on skin panels was carried out due to time constraints. The contour plot was generated to help future Mockingbird engineers focus on high stress areas.




Figure 2.4: Z - axis of satellite structure along with component disk.




Figure 2.5: Color contour plot showing the relative stresses in the skin elements.

While the yield stress for 6061-T6 aluminum is 2.7E8 Pa [Gere and Timoshenko: 31], the maximum compressive and tensile axial stresses encountered were only 1.1E6 Pa and 2.69E5 Pa respectively. The critical buckling load for the longest members was 4.1E5 N, while the maximum compressive axial load encountered was 4.5E1 N. For the Pegasus, the fundamental frequency was constrained to be greater than 20 Hz. The fundamental frequency of the BATSAT structure was found to be 181 Hz. Figures 2.6 and 2.7 show views of the NASTRAN model's exterior.




Figure 2.6: Side view of NASTRAN plot.




Figure 2.7: Top view of NASTRAN plot.

# 2.4 Structural Integration

To fulfill the BATSAT mission, the structural design was integrated with the communication, power, and spin stabilization requirements. For thermal control reasons, it is desirable to consolidate the electronic instruments into a single instrument package inside the BATSAT frame. Approximately 0.6 m³ volume is needed to house the electronic communication and power equipment. Using this volume as a design constraint, the final design provides approximately 0.63 m³ of volume for the electronic equipment. Figure 2.4 shows the component disk mounted inside the spacecraft structure. Once the instrument package is completed, it is mounted onto the structure via nylon cords, which will absorb much of the launch vibrations.

# 2.5 Spacecraft Overview

The mass budget for the final design is given in Table 2.2.

Table 2.2: Mass Budget

No. Element	Comments, Heritage	Unit Mass To	tal Mass
Communication			4.85 kg
1 Ka Transmitter	SURFSAT, pre-tested	1.00 kg	1.00 kg
1 X Transmitter	SURFSAT, pre-tested	0.70 kg	0.70 kg
1 S Transmitter	SURFSAT, pre-tested	0.42 kg	0.42 kg
8 X Antenna	SURFSAT, pre-tested	0.06 kg	0.48 kg
8 Ka Antenna	SURFSAT, pre-tested	0.08  kg	0.64 kg
8 S Antenna	SURFSAT, pre-tested	0.08 kg	0.64 kg
0 Ku Antenna	SURFSAT, pre-tested	0.10 kg	0.00 kg
Cables		0.97 kg	0.97 kg
Power			8.07 kg
1 Peak Power trkr.	Off the shelf, space qual	3.00 kg	3.00 kg
1 Solar Array	Lockheed space qual. Si	1.95 kg	1.95 kg
2 Ni-Cad Batteries		1.40 kg	2.80 kg
Cables		0.32 kg	0.32 kg
Thermal & Radi	ation		8.20 kg
1 Blankets		3.00 kg	3.00 kg
2 Strip Heaters	Minco	0.10 <b>kg</b>	0.20 kg
1 Shielding		5.00 kg	5.00 kg
Command Sys			2.60 kg
1 X Receiver	SURFSAT, pre-tested	0.60 kg	0.60 kg
1 Logic Circuits		2.0 kg	2.00 kg
Structure	NASTRAN Model		16.60 kg
Payload			0.00 kg
0 Grav Meter		10.00 kg	0.00 kg
0 Radiation Meter		10.00 kg	0.00 kg
0 Voltage Meter		3.00 kg	0.00 kg
No.		20%	
Margin		. 20%	
S/C Dry Weight		48.4 kg	
Launch Adapter		17.0 kg	
Boosted Weight		65.4 kg	
Total Launch Ma	ass =	65.4 kg	

The masses of the electrical equipment were provided by the SURFSAT team at JPL, and the structure mass was computed by NASTRAN. After adding a 20% contingency factor and accounting for the launch adapter ring, the estimated total boosted mass is 65.4 kg. This mass is well below the Pegasus mass-to-orbit constraint for the BATSAT orbit.

Once the total BATSAT mass was determined, the distribution of that mass had to be specified. Orbital Sciences Corporation (OSC) requires that the payload center-of-gravity not move along the Pegasus' center-line more than 13 mm from its original position, and not more than 6.4 mm normal to the Pegasus' center-line [Pegasus User Guide, 5-10]. The NASTRAN model revealed a maximum structural deflection of 3.3E-5 meters. It is reasonable to conclude that even with relatively flexible nylon attachments, the center of gravity will remain within OSC's constraints.

To ensure stable spin, the maximum moment of inertia must occur about the z-spin axis (Figure 2.4). The maximum moment of inertia of the structure does not occur about the spin axis, but by placing the instruments in disk shaped packages, the maximum moment of inertia was made to occur about the spin axis. These moments of inertia are listed in Table 2.3.

Table 2.3 Moments of Inertia (kg\*m<sup>2</sup>)

	I <sub>spin axis</sub>	Ilateral axis 1	I <sub>lateral</sub> axis 2
Structure	1.028	1.118	1.118
Instrumentation	0.979	0.559	0.559
TOTAL	2.01	1.68	1.68

During production, the electronic components could be arranged such that  $I_{lateral\ axis\ 1} \neq I_{lateral\ axis\ 2}$  so that a marginally stable condition is avoided.

A full-scale segment of the BATSAT structure was manufactured to study possible production methods (see Figure 2.8). Based on this prototype, each of the twelve segments seen in Figure 2.2 will be constructed by welding individual members. A jig would then be constructed to hold these segments while they were joined together by welding the circumferencial members to the frame joints. In this manner, two hemispheres would be built. These two hemispheres would remain separate until the final stages of production to preserve accessibility to the instrument package. Once the hemispheres are joined, the skin panels are bolted onto the frame with locking bolts and compliant washers.




Figure 2.8: Welded structure built as production model.

#### 2.6 Recommendations

Mockingbird Designs offers several recommendations can be made for continued work on the BATSAT structure:

- Replace the NASTRAN approximations for member cross sections and skin panel material with the actual final design values (see Table 2.1)
- Study skin panel stresses to check for local buckling and deflections great enough to break the glass covered solar cells mounted on the skin panels
- Model launch vibrations in a dynamic NASTRAN program
- Study manufacturing techniques to improve the manufacturability of the structure.

By continuing on these recommendations, Mockingbird feels that the BATSAT satellite will be an excellent generic small satellite, offering ease of production and low cost.

#### 3.0 COMMUNICATION AND POWER DESIGN

#### 3.1 Introduction

The communication hardware is the scientific payload for BATSAT. The communication power requirements determine the sizing of the power subsystem. If a passive sensor is added to the design, the increase in the power requirement will be minimal. All sizing numbers include a 20% contingency factor. Some of the communication and power hardware require active thermal control, which slightly increased BATSAT's power requirements through small thermal heaters.

#### 3.2 Communication Design

The communication subsystem is described by its hardware and its operation modes. The hardware consists of electronic components, such as transmitters, receivers, and antennae. The operation modes determine which transmitters are on and which antennae are transmitting the signal.

An undergraduate research group at the California Institute of Technology has worked on this project before in the SURFSAT program. They bought and/or made the communication equipment that BATSAT will need. Mockingbird wants to integrate this equipment into the BATSAT design to reduce production costs.

BATSAT can transmit on three radio-frequency bands, Ka, X, and S. Table 3.1 details the communication equipment. The signal-to-noise ratio for all of the communication links is well within tolerance levels. The X-Band command receiver handles the instructions from ground stations.

 Table 3.1: Communication Subsystem Characteristics

	Downlink	Uplink Frequency (GHz)	Emitted Power (mW)	Signal to Noise Ratio
Transmitters		Trequency (Griz)	TOWER (IIIV)	rano
Ka-Band	31.9096	-	1	42
X-Band	8.451	•	1	43
S-Band	2.2895	•	1	44
Command Receiver	-	7.19	-	28

[Source: SURFSAT PDR]

There are four satellite operation modes. In the primary mode, BATSAT will transmit on both X-Band and Ka-Band, using four antennae for each band. There are two S band operation modes. In training mode, BATSAT will transmit in S band with all four antennae. In attitude determination mode, BATSAT will transmit with only one antenna. This will allow DSN personnel to determine the attitude motion of the satellite by measuring the blinking signal. During off mode, the collected solar power will be dedicated to battery recharge and heaters.

# 3.3 Antenna Design

BATSAT wishes to use the antennae built and tested by the SURFSAT design group. This decision was made to minimize development costs and simplify the design procedure. These antennae meet the mission requirements and are easily integrated into the BATSAT design.

Illustrations of two (S and Ka) of the SURFSAT antennae are shown in Appendix B.

BATSAT does not have attitude control therefore it will be subject to perturbations that may cause it to tumble. Consequently, the placement of

the antennae must be such that the signal will be omni-directional. To meet this requirement, BATSAT will need four antennae for each transmitter. These antennae will be placed on the surface of BATSAT, equidistant from one another. The antennae will be mounted at the nodes of intersecting satellite panels. This configuration is illustrated in Figure 3.1. BATSAT has a set of redundant antennas for each transmitter, for a total of 28 antennas on the satellite, including the four X-Band receiving antennae.




Figure 3.1: Antenna mounting schematic

An example of the radiation pattern for the omni-directional antenna is seen in Figure 3.2. Because four antennae will be transmitting at the same frequency at once, they will create an interference pattern. The interference pattern can be characterized, allowing an interference filter to be developed [Lundberg]. It is important to note that the interference effects on the signal are distinguishable from the attenuation effects of the atmosphere. Once the filter is designed, the atmospheric effects can be

separated and analyzed from the normal signal variations due to the satellite itself.

Currently, the only DSN antenna that can handle Ka-Band is located in Goldstone, California. However, DSN intends to upgrade the stations in Madrid, Spain and Canberra, Australia to provide Ka-Band capability. All three of these high efficiency antennae are 34 m in diameter and have a slew rate of 0.4° per second. The precise locations of the DSN stations are shown in Table 3.2. These antennae are currently used to communicate with deep space probes, such as Ulysses and Galileo, using X-Band frequencies.

Table 3.2: DSN Station Coordinates

DSN Station	Latitude	Longitude
Canberra	35.0 ° S	149.1 ° E
Goldstone	35.4 ° N	116.8 ° W
Madrid	39.5 ° N	3.5 ° W

In order to determine the attitude of the satellite, BATSAT can be commanded to enter attitude determination mode. During this mode, three of the S band antennae will switch off. By analyzing the blinking signal of the single S band transmission, the attitude of the satellite can be determined [Kinmam]. This option will also be useful for training operations at the DSN stations.




Figure 3.2: S band antenna radiation interference pattern [Source: SURFSAT PDR]

# 3.4 Power System

The electrical power subsystem comprises three major parts: power generation, distribution, and storage. This subsystem must provide the capability to generate 8.6 W at the end of BATSAT's 10 year lifetime. It will also include the capability to operate during eclipse cycles.

#### 3.4.1 Electric Power Generation

Since the design lifetime of BATSAT is ten years, the satellite will need to generate its own electric power during the mission. Primary, or non-rechargeable, batteries are not a suitable energy source, since the loads would drain the batteries before the end of the mission [Wertz and Larson:402]. Longer-lived sources of electricity include photovoltaic (solar) cells, thermodynamic-cycle engines, radioisotope thermoelectric generators (RTGs), and nuclear reactors. Considering safety, complexity, cost, and power requirements, photovoltaic cells are the most logical choice to provide power for BATSAT.

The primary constraint in sizing a solar array is the power required by the satellite. BATSAT must be able to transmit in one of two modes: X and Ka simultaneously, and S only. Maximum power consumption of the satellite is 8.6W. The solar array is therefore sized to provide 8.6W of power at the end of a ten-year lifetime.

For power collection, BATSAT will have surface-mounted, omnidirectional solar arrays. Flight-qualified solar cells are made from either silicon (Si) or gallium-arsenide (GaAs). Si cells are inexpensive and have been used in space for nearly thirty years. These cells convert about 14% of the incident solar radiation into electricity. GaAs cells are more efficient (18% conversion) and more radiation-resistant than Si cells, but GaAs cells have not been flown extensively. GaAs cells also cost about seven times as much as Si cells [Wertz and Larson:354]. Therefore Silicon cells were chosen as the most cost-effective cell type for the BATSAT mission. Figure 3.3 shows a cross-section of a typical body-mounted solar

cell. (Note that the layers of material in front of and behind the solar cell act as radiation shielding.)

#### ARRAY DESIGN




Figure 3.3: Typical solar cell cross-section [Rauschenbach:141].

The solar cell array is designed to generate certain voltage and current levels. The satellite's bus voltage is determined by the number of series-connected cells, or "strings" (see Figure 3.4). The bus current is determined by the number of parallel-connected strings [Wertz and Larson:399]. Parallel strings prevent total power loss if a single string fails. Isolation diodes between a string's cells prevent energy from lit cells from damaging shadowed cells. These design techniques lower the overall efficiency of the array, but are necessary for it to operate properly [Wertz and Larson:400].




Figure 3.4: Series "string" and parallel-connected strings.

The approximate solar array area was found by using an algorithm from *Space Mission Analysis and Design* [Wertz and Larson:356-58]. The various parameters and assumptions used in the spreadsheet calculations may be found in Appendix B, along with the generated data. The sizing yielded an area of 0.687 m<sup>2</sup> for an omni-directional (spherical) array of silicon solar cells. This area corresponds to a sphere of radius equal to 0.24 m. BATSAT is larger than this ideal size, since it requires extra volume for the instrument package (see Section 2.4). Stabilized, Sun pointing arrays could be built with less surface area, but such complexity is not necessary for BATSAT. The body-mounted silicon array will provide the 8.6W maximum required power for up to ten years.

#### 3.4.2 Power Distribution

The power output of the solar array will vary as BATSAT rotates in the sunlight. A steady power level can be provided by either direct energy transfer or peak-power tracking. Electrical power must then be controlled and distributed to the various loads. Direct energy transfer (DET) uses shunt resistors to dissipate power not being used by the satellite's systems. The DET method is simpler than most methods, but produces waste heat. The peak-power tracker (PPT) "tracks" the solar array's peak-power point to match the satellite's power demands [Wertz and Larson:407], as shown in Figure 3.5. The more efficient PPT is the design choice for BATSAT power regulation.




Figure 3.5: Diagram of BATSAT power system.

In addition to a power converter, BATSAT requires a command receiver, relays, wiring, and fuses. The receiver and relays allow ground operators to control the various transmitters. Fuses protect the electronic subsystems in the event of a short circuit.

The loads (payload and battery recharging) require specific voltages from the power source. Since voltage regulators produce electromagnetic interference when used with peak-power trackers, BATSAT will have an unregulated power subsystem. Because the power is unregulated, the load bus voltage must be the same as the voltage of the batteries [Wertz and Larson:407]. Some loads may require further DC-DC conversion to overcome this voltage limitation.

## 3.4.3 Energy Storage

BATSAT will be equipped with rechargeable batteries in order to operate continuously throughout its mission. The voltage of a battery is determined by the number of series-connected cells in the battery; bus current is determined by the number of batteries in parallel. BATSAT will use nickel-cadmium (NiCd) batteries. NiCd batteries have low energy density, but they are used extensively and are currently the only non-experimental batteries qualified for low Earth orbit [Wertz and Larson:403].

The life cycle of a battery system is the number of times the satellite may switch between charging and discharging of the batteries, and is the primary constraint when sizing the batteries. The longer the cycle life, the less the batteries may be discharged in any one cycle. For a battery lifetime of five years in low Earth orbit, experience shows that the maximum depth of battery discharge is about 20%, as shown in Figure 3.6.




Figure 3.6: Maximum design use of spacecraft NiCd batteries [Source: Chetty:158].

The batteries must have a capacity of 2.06 Amp-hours (see Appendix B for the battery sizing approximation). General Electric manufactures a NiCd cell with a capacity of 3A-h. Connecting twelve of these 1.25V cells in series would provide BATSAT's 15V bus voltage. Normally satellites have a 27.5 V bus voltage, but most of the communication equipment designed by SURFSAT utilizes 15V. One 3A-h cell has a mass of 0.155 kg and a volume of about 70 cm<sup>3</sup>, so the twelve-cell battery is about 1.86 kg and 840 cm<sup>3</sup>. Additional batteries will provide extra capacity and redundancy. More batteries of lower capacity could provide the same initial capacity and partial redundancy. The lower-capacity batteries, however, would have a larger total mass and volume than the higher-capacity batteries [Chetty: 159]. BATSAT will have two 3A-h batteries operating at any given time. A second set of two batteries will be activated

once the first set degrades below an acceptable level. This second set of batteries will allow nighttime operation over the entire ten-year lifetime of BATSAT.

The batteries will be recharged by the solar cells during the lit cycle. Since BATSAT's batteries are not designed to operate more than five years, a simple and inexpensive parallel charging system will be used. Parallel charging does not permit control of the charging current in individual batteries, and can increase battery degradation [Wertz and Larson:409]. Considering BATSAT's size, mass, and lifetime constraints, however, the parallel charger is the best choice.

Rechargeable nickel-cadmium batteries, charging in parallel, are the simplest and most reliable method of storing energy for BATSAT. NiCd batteries work best between temperatures of 5°C and 20°C [Wertz and Larson:318]; the BATSAT thermal environment should be maintained in this range. Also, the batteries will degrade over time, and will not perform well after five years. Therefore the satellite is designed to switch to a second set of batteries after the first set degrades.

#### 3.5 Thermal Control

Figure 3.7 shows BATSAT's thermal environment. Table 3.3 shows the EXCEL spreadsheet used to calculate the thermal flux experienced by BATSAT and the maximum and minimum temperatures experienced. Table 3.4 contains the maximum and minimum allowable temperatures. The table also shows whether BATSAT violates these temperatures. As shown in the tables, both the communications equipment and the batteries

violate the minimum allowable temperatures, while only the batteries violate the maximum temperature constraint.




Figure 3.7: BATSAT's thermal environment

BATSAT must employ both active and passive thermal control in order to meet both of the temperature constraints. The exterior of BATSAT will be cold biased by painting the surface not covered by solar cells with white paint. This will ensure that none of the maximum allowable temperatures are reached. Some of the components will now require heating in order to remain above the minimum temperatures. To accomplish this, the batteries and communication equipment will be insulated with a thermal blanket, and strip heaters will be attached to the individual components. These heaters will be connected to a thermostat which will turn them on and off as required. Tables 3.5 and 3.6 show the cold biased thermal environment of BATSAT.

Table 3.3: BATSAT's Thermal Model Spread Sheet

quantity	symbol	value	units	comments
solar constant	Gs			worst case hot (wch)
		1353	W/m^2	worst case cold (wcc)
Earth IR emission	qi	258	W/m^2	wch
Latti III omoston		216	W/m^2	wcc
albedo	la	0.35	none	35% multiplier of solar
4.5000	1	ļ.		constant wch
		0.25	none	25% multiplier of solar
		ļ		constant wch
electric pow. dissapt'n	C)W	0.52	Watts	assumed value of 5% of
				peak power (10.4 W) wch
		_	Watts	everything off wcc
Stefan-Boltzman const	s	5.7E-08	W/(m^2•K^4)	
solar absorptivity	a	0.805		100% solar array surface
, ,		•		
IR emissivity	e	0.825		100% solar array surface
angular radius of Earth	r	1.00844	radians	derived from
		l	_	arcsin[RE/(h+RE)]
Earth radius	RE	6378000	1	
altitude	h	1161000	l .	accounts for collimated solar
Sun -Earth factor	Ka	0.98296	Inone	
	İ			energy off of spherical Earth
1				Ka=.664+.521(rho)-
1				.203(rho)^2 reasonable value
solar array efficiency	h -		none	reasonable value
diameter of sphere S/C	D	<u> </u>	meters	
Worst Case Hot Ter			33.55638455	
Worst Case Cold Temp (Tmin) = -90.9764684 degrees C (source: Wertz & Larson, pg. 423-425)				

(source: Wertz & Larson pg. 423-425)

Table 3.4: Allowable temperature ranges

Component	Temp Range (deg C)	hot limit exceeded	cold limit exceeded
electronics	0 to 40	no	yes
batteries	5 to 20	yes	yes
solar arrays	(-100) to 100	no	no
structures	(-45) to 65	no	yes

(source: Wertz & Larson pg. 410)

Table 3.5: BATSAT cold biased thermal environment

Quantity	symbol	value	units	comments
solar constant	Geh	1363	W/m^2	worst case hot (wch)
	Gec	1353	W/m^2	worst case cold (wcc)
Earth IR emission	qlh	258	W/m^2	wch
	qlc	216	W/m^2	wcc
albedo	ah	0.35	none	35% multiplier of solar
				constant wch
	ac	0.25	none	25% multiplier of solar
				constant wch
electric pow. dissapt'n	Qwh	1.1334	Watts	assumed value of 15% of
Joseph Permananananananananananananananananananan				peak power wch
	Qwc	0	Watts	everything off wcc
Stefan-Boltzman const	σ	6E-08	W/(m^2•K	(^4)
solar absorptivity	alpha	0.68		for 80% solar and 20% wt. paint
IR emissivity	ε	0.863		for 80% solar and 20% wt. paint
angular radius of Earth	ρ	1.008	radians	derived from arcsin[RE/(h+RE)]
altitude	h	1163.1	meters	
Sun -Earth factor	Ка	0.9829	none	accounts for collimated solar
				energy off of spherical Earth
				Ka=.664+.521(rho)-
			Ì	.203(rho)^2
diameter of sperical S/C	D	0.47	meters	
Worst Case Hot Temp (Tmax) = 19.6 °C				
Worst Case Cold Temp (Tmin) = -91.3 °C				

Table 3.6: Allowable temperature ranges

Component	Temp Range (deg C)	hot limit exceeded	cold limit exceeded
electronics	0,40	П	у
baterries	5,20	n	у
solar arrays	(-100),100	n	n
structures	(-45),65	n_	у

# 3.6 Command System

BATSAT uses a 4 pulse-cyclic command system for each of the four major sections: power, transmitters, redundant antennae, and sensor. The ground station sends individual pulses to the satellite, and the command system cycles through the modes of a particular system until the desired mode is reached. One of the problems of this type of command system is that the ground station is not always able to determine the command state of the satellite. Therefore, BATSAT's command system has a reset option, which will return the system to an origin state, and then commanding can begin. If a pulse is sent to nodes on the individual logic circuits, the cyclic logic circuits will all reset to an initial state.

The power system will also have an automatic toggle to the solar arrays if the batteries fail during operation. This toggle ability allows the satellite to provide power for the command receiver when the satellite comes out of an eclipse period. Figure 3.8 is a simplified block diagram of the command system.

The communication-system commands allow BATSAT to transmit over the operational modes discussed earlier. The antenna commands provide the capability to switch from the primary to the redundant set of antennas. This switch can be performed for two sets of antennas. The first set is the X and Ka-Band antennas. Since BATSAT will always be transmitting over these two bands simultaneously, BATSAT will switch both sets from primary to redundant at the same time. BATSAT also has the ability to switch from primary to redundant antennas for the S band system.




Figure 3.8: Simplified BATSAT command system and system block diagram.

### 3.7 Recommendations

Future groups that work on this project will need to characterize the interference patterns generated by the multiple antennae. This will entail building a mock satellite, placing the antennae as they will be on BATSAT, and then transmitting and characterizing the signal received. This process will help generate the filter for operations. Also, the SURFSAT communication equipment needs to be better integrated into the BATSAT design. Finally, future groups will need to generate more detailed

schematics of the power system. Mockingbird's work in this area has basically been at a block diagram level. If the satellite is to be produced at UT, a detailed wiring schematic will need to be made. The University plans to use student design courses in the Electrical Engineering Department to design, build, and test the extra electronics hardware needed by BATSAT.

#### 4.0 ORBIT DETERMINATION

# 4.1 Requirements and Constraints

In order to determine the most appropriate orbit for BATSAT, the requirements and constraints imposed by the mission goals were considered. The maximum slew rate of the 34-meter DSN dishes that will be used to observe the satellite is  $0.4^{\circ}/\text{sec}$ . Figure 4.1 is a plot of the necessary dish slew rate as a function of altitude; it shows that the minimum possible altitude that fulfills this constraint is 1095 km. On the upper end of the altitude scale, the Van Allen Radiation Belts become a problem. The intensity of the Van Allen belts increases considerably beyond an altitude of 1276 km (see Figure 4.2). These two constraints limit the orbit altitude to a range of less than 200 km. Fortunately, there also happens to be a lower concentration of space debris in this altitude range (Figure 4.3). The final constraint on the BATSAT orbit is the locations of the DSN dishes. A minimum orbit inclination of  $40^{\circ}$  is required to pass over each of the three DSN dishes at Goldstone, Canberra, and Madrid.




Figure 4.1: Groundstation Slew Rate vs. Satellite Altitude




Figure 4.2: Van Allen Radiation Belt intensity vs. altitude [Source: NASA, 1989]




Figure 4.3: Orbital debris density vs. altitude. [Source: Wertz and Larson]

### 4.2 Orbital Parameters

The orbital parameters chosen for this mission are based upon a seven-day repeat groundtrack cycle. The altitude of the orbit is 1163 km, with a corresponding semi-major axis of 7541 km. The orbit eccentricity is zero and the inclination is 70°. This orbit has a 1.81 hour orbital period with a corresponding slew rate of 0.375°/sec. The decay rate of this orbit, shown in Figure 4.4, is approximately 0.25 km/yr.




Figure 4.4: Orbital decay rate. [Source: Wertz and Larson]

### 4.3 Groundtrack Characteristics

A seven-day repeat groundtrack was chosen in order to make it easier to predict the viewing time for the DSN dishes, and to simplify tracking schedules. BATSAT will make 92 revolutions every 7 days. Figure 4.5 is a 1-day plot of the groundtracks for the orbit selected. The three DSN dishes will each receive an average of 85 minutes of data per day for a total of about 28 hours of data per week.

#### 4.4 Future Work

Several questions must be addressed prior to the BATSAT launch. In order to avoid the risk of colliding with other satellites, the availability of the 1163 altitude for BATSAT must be checked. Also, more information about the groundstation viewing capabilities is needed to confirm the current time estimates. In addition, the eclipse periods for the orbit need to be compared to groundstation viewtimes so that the BATSAT battery requirements can be better determined.




Figure 4.5: Groundtrack plot of BATSAT for one day.

#### 5.0 LAUNCH SELECTION

Many factors were involved in determining the best launch choice for the BATSAT mission. Clearly, the launch vehicle must be capable of lifting the required mass to the requisite altitude with the appropriate inclination. The vehicle must also be able to accommodate the size and shape of its payload. Other considerations include:

- Reliability, availability, and cost of launch vehicle
- Environmental conditions during launch
- Attitude control and spin stabilization
- Orbital injection accuracy
- Launch integration flexibility.

Because of the superiority of the Pegasus launch vehicle in all of the decision factors, Mockingbird Designs has chosen the Pegasus as the primary launch choice for the BATSAT mission (see Figure 5.1).




Figure 5.1: Pegasus Space Booster under the wing of B-52

# 5.1 Primary Launch Scenario

Pegasus is a three-stage, solid propellant space booster that uses inertial guidance. The booster is made entirely of composites, and unlike other launch vehicles, it has a wing as shown in Figure 5.2. The rocket is mounted to a modified Lockheed L-1011 carrier operating out of the west coast integration site at Edwards Air Force Base, California. Prior to ignition, the aircraft approaches level flight at about 41,000 ft and Mach 0.8, at any location in the Western Test Range. Appendix D contains an example launch profile timeline for a Pegasus mission.




Figure 5.2: Exploded-view of Pegasus booster.

After release from the aircraft and ignition of its first stage motor, Pegasus' autonomous guidance and flight control system controls all of the maneuvers necessary to insert payloads into a wide range of orbital configurations. Advanced propulsion, structural and avionics technologies, and an optimized, lift-assisted trajectory give Pegasus roughly twice the lifting capability of other small launch vehicles, with superior performance and cost efficiency [Isakowitz: p218]. In addition to the technical advantages of the Pegasus launch vehicle, its parent company, Orbital Sciences Corporation (OSC), provides full engineering and management support, including mission planning, structural integration, and a full range of standard and optional mission services [Pegasus User's Guide:2-1].

The cost of Pegasus is estimated between \$7-\$12 million (1990\$), making it one of the least expensive small launch vehicles [Isakowitz:p219]. The reason for the wide variation in cost is because of the highly flexible nature of the Pegasus launch vehicle. Since BATSAT will use the optional Hydrazine Auxiliary Propulsion Stage (at an extra cost of about \$1.5 million), OSC estimates a \$9 million launch cost for the BATSAT mission [OSC fax].

#### 5.1.1 Launch Performance

The most important characteristic of a launch vehicle is its lifting capacity. Figure 5.2 is a plot of Pegasus lift capability to polar orbit [Pegasus User's Guide:3-4]. For an orbit of 1200 km altitude and 70° inclination, the basic three-stage Pegasus configuration can lift about 70 kg payload mass, sufficient for BATSAT mission requirements. With the standard configuration, Pegasus injection accuracy (for 3 normal standard deviations) into low Earth orbit is roughly  $\pm 50$  km altitude and  $\pm 0.5$ ° inclination [Pegasus User's Guide:3-6]. In addition, for launches in 1993 and later, Pegasus will be using production lot 2 motors that will improve

payload performance by 8% to 20% above that for lot 1 motors (the ones that the data describe) [Pegasus User's Guide:3-3].

For the BATSAT mission, Pegasus will be configured with the optional Hydrazine Auxiliary Propulsion System (HAPS). HAPS improves injection accuracy by a factor of ten and increases payload capability to higher orbits (see Figures 5.3 and 5.4). HAPS consists of a hydrazine propulsion subsystem and a Stage 3 separation subsystem, and is mounted inside the Pegasus avionics structure. After burn-out and separation of the Stage 3 motor, the HAPS thrusters are used to provide additional velocity and to perform precise orbit injection with an accuracy better than  $\pm 0.5^{\circ}$  for spin axis pointing [Pegasus User's Guide:2-8].

Either an inertial-fixed or spin-stabilized attitude can be chosen, with a maximum spin rate of approximately 160 rpm. The actual maximum spin rate and rotation accuracy depends on the moment of inertia of the payload and the amount of the HAPS propulsion budget needed for other attitude control maneuvers [Pegasus User's Guide:3-6]. Mockingbird must determine the optimal satellite spin rate based upon thermal and communication constraints.




Figure 5.3: Pegasus lifting capability to circular polar orbits.

3σ variation	Standard	with HAPS
Altitude	$\pm$ 50 km	± 5.6 km
<b>Inclination</b>	± .5°	±.05°

Figure 5.4: Orbital injection accuracy for Pegasus.

# 5.1.2 Payload Integration

The Pegasus payload fairing provides ample room for BATSAT. In fact, there is enough excess space to allow a second (and perhaps a third) payload to share a launch using the HAPS. Figure 5.5 shows the rough dimensions of the Pegasus payload fairing [Pegasus User's Guide:5-4].




Figure 5.5: Payload fairing dimensions for Pegasus

OSC provides all hardware and integration services necessary to attach BATSAT to Pegasus [Pegasus User's Guide:5-2]. OSC offers a standard mechanical separation interface and will provide an adapter and all necessary attachment hardware and will perform all integration functions [Pegasus User's Guide:5-6]. The interface is a Marmon clamp design with a 24.5 cm diameter bolt circle (see Figure 5.6)




Figure 5.6: Separable payload interface.

Since BATSAT uses the standard Pegasus payload separation system, OSC will control the entire spacecraft separation process. At the time of separation, redundant bolt cutters sever the connections to the avionics subsystem, and the payload is ejected by four push-off springs supplying an initial force of 334 N (75 lbf) each, with sufficient energy to give BATSAT a separation velocity of more than 3 m/s [Pegasus User's Guide:5-7]. HAPS then performs a collision and contamination avoidance maneuver to avoid damaging the separated payload [Pegasus User's Guide:3-6].

## 5.1.3 Launch Constraints

The Pegasus Payload User's Guide provides extensive detail on the payload environment during L-1011 captive carry and launch, as well as structural design constraints on the payload. The User's Guide details the payload structural safety factors required by OSC; Appendix D contains a

table summarizing these requirements [Pegasus User's Guide:4-1].

Constraints caused by launch availability are minimal due to the open launch manifest and flexibility of the Pegasus.

The payload acceleration environment during ground operations and captive carry is mild and does not exceed 1.5 g's. The static axial accelerations for the end of Stage 2 and Stage 3 burns vary with payload mass, and have a maximum of 11 g's acceleration for a mass of 50 kg [Pegasus User's Guide:4-3]; since BATSAT will have a mass in this range, this was taken as the design constraint. In addition, launch accelerations in the lateral directions can reach 3 g's [Pegasus User's Guide: 4-3]. Appendix D, contains plots describing the acceleration, acoustic, shock, and vibration environments [Pegasus User's Guide].

The payload thermal environment is maintained between 64°F and 84°F, with less than 50% humidity, through ground operations and captive flight. The L-1011 provides filtered air-conditioning during captive flight through an A/C port in the Pegasus payload fairing [Pegasus User's Guide:4-6]. OSC has a comprehensive contamination control program to minimize the payload's exposure to contamination through orbital insertion and separation; the primary means of protection are through passive barriers in the payload fairing [Pegasus User's Guide:4-7].

Payload radio-frequency transmissions are not permitted prior to separation of the payload for standard services [Pegasus User's Guide:5-11]. Fortunately, BATSAT will not require any communication prior to separation.

There are few structural constraints that BATSAT must meet to use the Pegasus launch vehicle. To satisfy bending and buckling load constraints on the avionics and HAPS structures, BATSAT's center of mass is required to be within 2.5 cm of the vehicle centerline [Pegasus User's Guide:5-10]. In addition, strict mass property measurement tolerances must be adhered to; these are tabulated in Appendix D. Most important for the BATSAT preliminary design is the constraint on payload stiffness. To avoid dynamic coupling of the payload modes with the 12 Hz natural frequency of the Pegasus vehicle, BATSAT must be designed with a structural stiffness that will ensure that the fundamental frequency in the transverse direction is greater than 20 Hz [Pegasus User's Guide:5-11].

Section 2.0 of this report details how the BATSAT structural design deals with the Pegasus payload constraints. With the current design, BATSAT satisfies the mass center-line, acceleration, and frequency constraints by large margins of safety.

# 5.2 Secondary Launch Options

# 5.2.1 Piggyback

Early in the BATSAT design, the option of attaching to another satellite or its spent rocket booster was considered as a possible method of reducing launch costs. The SURFSAT preliminary design choice involves a piggyback on the booster stage used to deploy the LAGEOS satellite. There are several major problems with this option that resulted in its rejection by Mockingbird.

If BATSAT were attached to another object without attitude control, BATSAT's antennae would often be shielded from the Earth, resulting in signal blinking that would interfere with data acquisition by the DSN dishes. Mockingbird prefers consistent, continuous data transmission to

satisfy the mission goals. Also, the large booster stage could shadow the solar cells, causing irregular and unpredictable power.

Another serious constraint imposed by a piggyback option is that BATSAT would be dependent upon the orbit and launch choices made by the primary payload. This would result in unacceptable interference with Mockingbird's design efforts and project autonomy. In addition, integration would be complicated and could not be handled satisfactorily during preliminary design.

# 5.2.2 Scout Launch Option

The Solid Controlled Orbital Utility Test (SCOUT) launch vehicle is a four-stage space booster capable of lifting over 100 kg to the BATSAT primary orbit choice (1163 km altitude, 70° inclination) [Isakowitz:238]. SCOUT has an open loop inertial guidance system located on the third stage. The fourth stage is spin stabilized and the optional fifth stage has an attitude control system [Isakowitz:234]. Several different payload fairing sizes are available, the largest of which is slightly smaller than the Pegasus fairing [Isakowitz:236]. SCOUT has estimated launch costs of \$10-\$12 million (1990\$); this price is more than the \$9 million estimated launch costs for Pegasus. The SCOUT vehicle fulfills the requirements of a launch vehicle for BATSAT, but since it offers no advantages over the Pegasus, and is in some ways inferior to it, Mockingbird has rejected it as a launch option.

### 5.2.3 Military Options

One alluring option available to Mockingbird is the use of military surplus to loft BATSAT into orbit. With an increasing surplus of conventional and nuclear rockets, the U.S. Government has hinted that these rockets could be used for peaceful space applications. Since BATSAT will be a university sponsored project, the government may be more willing to allow this option. A very promising rocket is the SPARTAN, which has been successfully used to launch payloads to orbit. However, built as an interceptor, the SPARTAN's launch loads approach an imposing 22 g's. Mockingbird plans to research this possible option, along with other military surplus possibilities.

#### 5.2.4 Shared Launch

Another promising possibility for reducing the launch costs for BATSAT is to share a launch vehicle with other small payloads that require a similar orbital altitude. Possible launch vehicles being investigated for this option include Ariane, Pegasus, and OSC's new Taurus booster. In order to preserve the design choices that have already been made, the focus has been on the Pegasus shared launch option.

Pegasus payload interfaces can accommodate multiple payloads on a single flight. To date, as many as seven independently deployed spacecraft have been manifested on a single mission [User's Guide:5-10]. OSC maintains a manifest of future missions whose volume and performance requirements offer a margin for additional payloads. An example of a

possible shared launch option is launching BATSAT in conjunction with one or two high inclination ORBCOMM satellites (see Figure 5.7). ORBCOMM is a global communications network that consists of a constellation of 26 small satellites to be launched over the next two years [Thompson:15].



Figure 5.7: ORBCOMM satellites.

Since BATSAT's current design volume is less than half the size of the Pegasus payload fairing, it is possible that a secondary payload could be found to share the launch vehicle. Both Stage 3 Reaction Control and the HAPS propulsion subsystem have the capability to incrementally orient the final stage for the deployment of multiple spacecraft with independent attitude requirements [User's Guide:3-6]. For additional cost, OSC will provide structures for mounting, pointing, and/or independently deploying multiple payloads [User's Guide:5-10].

#### 6.0 MANAGEMENT AND COST

### 6.1 Management Goals

Due to limited time and a complex project, efficient management of the BATSAT program was essential. The Mockingbird management team implemented a dynamic program plan to fulfill the BATSAT Mission Statement. The management goal was to promote efficient work in the group, evenly distribute work to the entire team, prevent communication bottlenecks, and to identify and remedy potential problems before they happened. The primary method of achieving this goal is to promote good communication of information and problems between individual subsystem groups as well as with management. Therefore a strong communication hierarchy was established by Mockingbird management at the beginning of the project.

# 6.2 Program Organization

The upper management remained constant throughout the program lifetime, which is essential to program efficiency and organization. Figure 6.1 shows the Mockingbird organizational structure at the end of the project. The three major management positions were the Program Manager, Chief Engineer, and the Chief Administrative Officer. Dennis McWilliams, Mockingbird's Program Manager, served as Mockingbird's primary point of contact throughout the project. He kept the contract monitor informed of major organizational changes, work progress, and any major problems. The Program Manager set project goals, defined project milestones, assigned workloads, and adjusted manpower. The

Program Manager also assigned initial action items for individual groups until the groups became more self-sufficient.

The Chief Engineer (CE) for the project was Clint Slatton. Mr. Slatton managed the technical problems of the project by serving as liaison between Mockingbird and technical contacts in industry. The CE took the milestones and project goals from the Program Manager and turned them into precise technical action items. The Chief Engineer also served as the bridge between subsystem leaders and management. Therefore the CE was a major communication link between the engineering level and management level.

The Chief Administrative Officer (CAO), Cassidy Norman, was in charge of organizing all project records, analyzing personnel reports, computing program costs, and maintaining the project notebook. The CAO also kept track of the completion of action items, and established a Gantt Chart showing different non-technical due dates for the project.

The remaining organizational structure was broken down into several subsystem groups that were modified throughout the project to meet project needs. Each subsystem group was headed by a subsystem leader who assigned work to subordinate engineers. Prior to Preliminary Design Review 1, the subsystems were CPS (Communication, Power, and Structure), Orbits, and Launch Systems. After PDR1, the Launch Systems group and Orbits group saw a decrease in man-hours, while the CPS group saw an increase in man-hours. Therefore the CPS group was split into a Communication and Power group and a Structures group. Engineers were transferred from the Launch Systems and Orbit Groups to fill workload requirements with no loss in efficiency or organization. This change is reflected in the organizational chart shown in Figure 6.1.




Figure 6.1: Project organization after PDR 1.

#### 6.3 Communication Aids

Several techniques were used to maintain a strong communication link throughout the team. To keep project complexity and salary costs low, only ten people were assigned to this project. Since the team size was small, the team members could be involved in several different groups to intertwine the organizational structure. In order to increase the effective strength of our team as well as improve communication, all members served in two positions in the program. Upper managers (PM, CE, and CAO) served as engineers in the Subsystem Groups, and subsystem leaders served as engineers in other subsystem groups if possible. All other personnel served as engineers in two different subsystem groups. During the course of the project, the engineers could easily be switched from one subsystem group to another without serious loss in efficiency. This could be accomplished because all subsystem design choices were discussed during team meetings, and therefore all team members knew the technical concerns of other systems.

The organizational chart reveals the quick access managers had to the engineers. Broad project goals were set at the upper management level, and these goals were transformed into specific tasks, or action items, by the Program Manager and Chief Engineer. The action items were given numbers specific to the subsystem group they pertained to. The actions were assigned via memos and recorded on a list to provide a written record. Upon completion of an item it was checked complete and left on the list for record. The action item method provided good communication between management and engineers, and kept the group on schedule. It also allowed managers to study the work load in each department and see if

more manpower was needed in a certain area. Engineers also had an easy and short communication link to upper management. Engineers could relay problems to their subsystem leader, who in turn gave the message to management. During critical times in a subsystem's design, each subsystem group contained one upper-level manager working as an engineer. Therefore these manager-engineers could directly see the problems and successes of a group. Finally, all team members attended the Mockingbird Team meeting every Monday, Wednesday, and Friday (and more if needed). During these meetings all members could bring up problems and questions concerning engineering, scheduling, or management.

## 6.4 Program Control and Schedule

The BATSAT Project required a well planned schedule and control scheme. Due to the nature of designing a satellite system, many subsystem design tasks depend on the choice for another subsystem. Thus certain subsystem work had to be completed before other work could begin. Also, these requirements had to be completed before certain critical dates such as Preliminary Design Reviews 1 and 2, Final Review, Final Report, etc.

These constraints made a PERT chart invaluable for the effective management of the project. The overall PERT chart used for the Mockingbird BATSAT Project is given in Figure 6.2. This PERT chart lists the major project milestones along the critical path, and shows which project tasks had to be completed before others could begin. The dates given in boldface were critical dates and for the most part remained constant. They provided bounds on the other subsystem tasks that had to be completed beforehand. The PERT Chart also provided the basis for a

program Gantt chart given in Figure 6.3. The Gantt chart was posted in the Mockingbird office and was reviewed during the daily meetings. These tools provided a basis for a tight work schedule and let management foresee any problems should a specific milestone date slip. Table 6.1 shows certain project milestones, their estimated start and stop times, and the actual start and stop times. For the most part the project did stay on its tight schedule, which is one reason it was so successful.

Table 6.1: Project Milestone Schedule

BATSAT Design Project Task	Sched. Start	Actual Start	Sched. Finish	Actual Finish
Conceptual Design Review	1/19	1/19	2/12	2/12
Proposal	2/12	2/12	3/1	3/1
Orbit Choice	2/14	2/14	3/2	3/2
Launch System Choice	2/14	2/14	3/3	3/3
Preliminary Structure Design	2/14	2/14	3/5	3/5
Main Power Design	2/14	2/14	3/3	3/3
Transponder Integration	3/4	3/4	3/4	3/4
Antenna Design	3/4	3/4	3/4	3/4
PDR1 Oral Report	3/19	3/23	3/19	3/23
PDR1 Written Report	3/12	3/12	3/29	4/2
Payload Integration	3/10	3/10	4/16	4/16
Structure Integration	3/10	3/10	4/16	4/16
Model Construction	3/24	3/24	4/24	5/6
Spacecraft Integration	4/19	4/19	4/24	4/19
PDR2 Oral Report	4/26	4/26	4/26	4/26
PDR2 Written Report	4/26	4/26	5/3	5/11
NASA/USRA Presentation	5/3	5/7	5/3	5/7

NOTE: The tasks and dates in bold font represent changes to the original project schedule.




Figure 6.2: Pert Chart for BATSAT Project.




Figure 6.3: Gantt Chart for BATSAT project.

#### 6.5 Project Integration

The integration scheme for the BATSAT was different from previous projects. Due to the strong communication link between subsystems, BATSAT could be designed with integration in mind. From the beginning of the design of a subsystem, a subsystem leader would consult with other subsystem leaders who would give constraints based on their subsystem. Therefore the satellite was integrated throughout the design. However, an integration period was still required to provide a final check to the design to make sure all subsystems were compatible with each other. This was performed during integration meetings during the time period shown on the PERT chart. All team members would attend the integration meetings. The Program Manager identified components and systems that had common bonds, and the subsystem leaders would check compatibility.

#### 6.6 Production Cost Estimates

Mockingbird Designs had originally planned to do a detailed cost analysis using cost estimation relationship models. These models can be used to estimate subsystem costs through an equation based upon a certain parameter. For example, satellite structure costs are computed by using an equation that relates structure mass to cost. These equations, or CER's, are based on historical data collected over many different satellite projects and cover all subsystems, development and personnel costs, and even software and mission-ops costs. Parametric cost equations are usually exponential curve fits based on this historical data.

Mockingbird conducted an initial cost estimate using a cost analysis model found in Wertz and Larson [Ch. 20]. This model was based on the USAF Unmanned Spacecraft Model [Wertz and Larson, 663] historical data. However, the results of the model did not offer a realistic estimate of BATSAT's cost. This happened for several reasons. First, most BATSAT subsystems did not fall in the applicable range of the parametric equations, or CER's. Also, the cost model assumed normal commercial production and purchasing guidelines. Since BATSAT will be produced using student design and testing with university support, costs will be much lower. Finally, the cost model used was based upon large, complex satellite systems and does not take into account the simplicity and small size of the BATSAT satellite. A more accurate cost model would have used CER's based upon small satellite systems.

In order to get a feel of the satellite production costs, Mockingbird studied several other small satellite programs. Several universities have built small satellite systems at low costs. The OSCAR, GLOMR, and Microsat were all developed using student support and had production costs (not including ground segment costs) of under \$300,000 [Wertz and Larson:732]. Since most of the communications hardware needed by BATSAT has been designed by Caltech, and the structure will be built and tested by a university, Mockingbird believes that the total satellite production and testing costs (excluding launch) will fall well below \$200,000. By seeking off the shelf, outdated components for donation, the cost of the program could again be decreased significantly. Using student design courses for production, management, and testing will also greatly reduce personnel costs.

#### 6.7 Project Costs

Figure 6.4 plots the total estimated and actual project costs throughout the project. Figures 6.5 and 6.6 show the associated personnel costs and material costs, respectively. The project costs varied above and below the straight line projected costs shown in the cost plot. The increase in weekly costs were usually associated with due dates throughout the design. As shown by the plot, the total project cost is \$22,714. Most of this cost is estimated personnel costs based on the GS pay scale. However, since the personnel were students the actual cost of this project primarily included material costs of around \$300.




Figure 6.4: Cost of BATSAT Design




Figure 6.5: Personnel costs of BATSAT design




Figure 6.6: Material costs for BATSAT project.

#### 7.0 RECOMMENDATIONS AND CONCLUSIONS

Mockingbird Designs' main goal is to have the BATSAT satellite built by a university design team. Mockingbird feels that the Aerospace Labs at the University of Texas at Austin offer an excellent environment for satellite construction. The Mockingbird team hopes that the BATSAT design process will continue in the classroom and move into the structures laboratory. By combining the USRA Spacecraft design course with the Structural Testing course, the BATSAT satellite could easily be built by the University using undergraduate design. Mockingbird has already spoken to the head of the Structural Design and Testing lab, and the BATSAT satellite may become a senior design topic in the course.

Mockingbird feels that the first step in continuing the satellite project is to begin acquiring and building satellite components and the satellite structure. Members of the USRA have offered to help the University obtain satellite components from excess NASA inventory. Mockingbird hopes to initially secure a peak power tracker, thermal heaters, and silicon solar cells from NASA surplus. As mentioned previously, the SURFSAT design team has already built much of the communication hardware. Mockingbird hopes to begin dialogue with Caltech to try and integrate different aspects of the SURFSAT design with the BATSAT design.

As stated earlier, Mockingbird has already built part of the truss structure as a proof of concept exercise. Mockingbird hopes to simplify production of the satellite by modifying the design. By consulting with the Mechanical Engineering Department at the University, Mockingbird hopes to improve the manufacturability of the spacecraft. By making the structure as generic as possible, other missions could more easily be

adapted to the BATSAT design. Mockingbird hopes that these recommendations are acted upon quickly so that the current design team can help in the transition.

The current strain on satellite transmission speeds makes increasing data transmission rates for satellites an important mission. Whether Ka-Band transmissions will offer the needed speed is still unknown, but Mockingbird is confident that BATSAT will provide a wealth of information to help answer this question. Mockingbird Designs feels that the future of the space industry lies in small satellites. The BATSAT design, although designed for a specific mission, reveals many of the benefits of small satellites. By making space applications economically viable for more commercial enterprises, more uses will be exploited and mankind will move more quickly to the skies.

#### REFERENCES

- Brown, M. P., Compendium of Communication and Broadcast Satellites: 1958 to 1980. New York: IEEE Press. 1981.
- Chetty, P.R.K., Satellite Technology and Its Applications. 2nd edition. Blue Ridge Summit, PA: TAB Professional and Reference Books. 1991.
- Courier Satellite for Global Communications, Electrical Engineering, November 1960, vol. 79, pgs 948-949.
- Gere, J. M. and Timoshenko, S. P., Mechanics of Materials. Boston: PWS KENT. 3rd ed. 1990.
- Isakowitz, Steven J., with the AIAA Space Transportation Systems
  Technical Committee. *International Guide to Space Launch Systems*.
  Washington, DC: AIAA Publishing. 1991.
- Kinman, Peter. Jet Propulsion Laboratory. Telecommunications Division. Interview on April 7, 1993.
- Lundberg, Dr. John. Department of Aerospace Engineering, University of Texas at Autsin. Interview in March, 1993.
- MSC/NASTRAN User's Manual, MacNeal-Schwendler Corp., Los Angeles, 1989, vol. 1 & 2.
- Mislinski, Phil. Orbital Sciences Corporation. Fairfax, VA. Fax sheet received March 28, 1993.
- Pegasus User's Guide. Orbital Sciences Corporation. Fairfax, VA.
- Rauschenbach, Hans S., Solar Cell Array Design Handbook. (Van Nostrand Reinhold Co., New York, 1980).
- Wertz James R., and Wiley J. Larson, ed. Space Mission Analysis and Design. (Klewer Academic Publishers, Boston, 1991).

#### **CONTACTS**

- Vit Babushka, Department of Aerospace Engineering, University of Texas at Austin.
- Greg Barton, Draper Laboratory, Exploration Programs Office, NASA Johnson Space Center.

Dave Bergeron, Space Industries Inc.

Bret Drake, Exploration Programs Office, NASA Johnson Space Center.

Dr. Wallace Fowler, Department of Aerospace Engineering, University of Texas at Austin.

Peter Kinman, Jet Propulsion Lab, Telecommunications.

Professor Hao Ling, Department of Electrical Engineering, University of Texas at Austin.

Hum Mandell, Exploration Programs Office, NASA Johnson Space Center.

Dr. Hans Mark, Department of Aerospace Engineering, University of Texas at Austin.

Phil Mislinski, Orbital Sciences Corporation.

Dr. Paul Robinson, Jet Propulsion Lab.

Dr. Rex Ridenoux, Jet Propulsion Lab.

## Appendix A

FORTRAN Program MODIFY

```
program modify
 This program creates a NASTRAN input file for the BATSAT structure
 given the parameters:
       L
                        Primary length of circumferential element
       r
                        Inner center element length
                        distance from L to r
       d
 (Written by Michael J. Wortman, 4-20-93)
        double precision L,r,d,theta,grid,g,x,a
        dimension grid(110,3),g(18,3),x(18,3)
        open(11, file='mod8.dat', status='unknown')
* Write preliminary NASTRAN data
       write(11,*)'NASTRAN SYSTEM(5)=39'
       write(11,*)'ID STATICS, TEST'
       write(11,*)'SOL 24'
       write(11,*)'TIME 3'
       write(11,*)'CEND'
       write(11,*)'TITLE=ASE274 - MODEL 1'
       write(11,*)'SUBTITLE=MODEL 1 STATIC'
       write(11,*)'DISP=ALL'
       write(11,*)'ELFORCE=ALL'
       write(11,*)'ELSTRESS=ALL'
       write(11, *)'LOAD=500'
       write(11, *)'OLOAD=ALL'
       write(11,*)'SUBCASE 1'
       write(11,*)'SPC=102'
       write(11,*)'OUTPUT(PLOT)'
       write(11, *)'PLOTTER NAST'
       write(11, *)'SET 1=ALL'
       write(11, *)'AXES X, Y, Z'
       write(11,*)'VIEW 0.,0.,0.'
       write(11,*)'FIND SCALE, ORIGIN 1, SET 1'
       write(11,*)'PLOT SET 1, ORIGIN 1, LABEL BOTH'
       write(11,*)'PLOT STATIC DEFORMATION 0, SET 1, ORIGIN 1, LABEL
    +BOTH'
       write(11,*)'$L=',L
       write(11,*)'$r=',r
       write(11,*)'$d=',d
       write(11,*)'$theta=',theta
        write(11, *)'BEGIN BULK'
        write(11,*)'$1.....2.....3......4......5......6......7.
     +.....9.....10'
       write(11,120) 1,10,13,1,0.0,0.0,1.0
        write(11,120) 2,10,16,6,0.0,0.0,1.0
        write(11,120) 3,10,6,10,0.0,0.0,1.0
        write(11,120) 4,10,10,20,0.0,0.0,1.0
        write(11,120) 5,10,20,24,0.0,0.0,1.0
        write(11,120) 6,10,24,28,0.0,0.0,1.0
        write(11,120) 7,10,28,30,0.0,0.0,1.0
        write(11,120) 8,10,14,5,0.0,0.0,1.0
        write(11,120) 9,10,5,9,0.0,0.0,1.0
        write(11,120) 10,10,9,18,0.0,0.0,1.0
        write(11,120) 11,10,18,22,0.0,0.0,1.0
        write(11,120) 12,10,22,26,0.0,0.0,1.0
        write(11,120) 13,10,26,30,0.0,0.0,1.0
        write(11,120) 14,10,13,2,0.0,0.0,1.0
        write(11,120) 15,10,17,7,1.0,0.0,0.0
```

write(11,120) 16,10,7,11,1.0,0.0,0.0

```
write(11,120) 17,10,11,21,1.0,0.0,0.0
      write(11,120) 18,10,21,25,1.0,0.0,0.0
      write(11,120) 19,10,25,29,1.0,0.0,0.0
      write(11,120) 20,10,29,30,1.0,0.0,0.0
      write(11,120) 21,10,15,8,1.0,0.0,0.0
      write(11,120) 22,10,8,12,1.0,0.0,0.0
      write(11,120) 23,10,12,19,1.0,0.0,0.0
      write(11,120) 24,10,19,23,1.0,0.0,0.0
      write(11,120) 25,10,23,27,1.0,0.0,0.0
      write(11,120) 26,10,27,30,1.0,0.0,0.0
      write(11,120) 27,10,1,14,0.0,0.0,1.0
      write(11,120) 28,10,3,15,0.0,0.0,1.0
      write(11,120) 29,10,2,16,0.0,0.0,1.0
      write(11,120) 30,10,4,17,1.0,0.0,0.0
      write(11,120) 31,10,1,31,0.0,0.0,1.0
      write(11,120) 32,10,31,35,0.0,0.0,1.0
      write(11,120) 33,10,35,26,0.0,0.0,1.0
      write(11,120) 34,10,31,9,0.0,0.0,1.0
      write(11,120) 35,10,35,18,0.0,0.0,1.0
      write(11,120) 36,10,3,32,1.0,0.0,0.0
      write(11,120) 37,10,32,36,1.0,0.0,0.0
      write(11,120) 38,10,36,27,1.0,0.0,0.0
      write(11,120) 39,10,32,12,1.0,0.0,0.0
      write(11,120) 40,10,36,19,1.0,0.0,0.0
      write(11,120) 41,10,2,33,0.0,0.0,1.0
      write(11,120) 42,10,33,37,0.0,0.0,1.0
      write(11,120) 43,10,37,28,0.0,0.0,1.0
      write(11,120) 44,10,33,10,0.0,0.0,1.0
      write(11,120) 45,10,37,20,0.0,0.0,1.0
      write(11,120) 46,10,4,34,1.0,0.0,0.0
      write(11,120) 47,10,34,38,1.0,0.0,0.0
      write(11,120) 48,10,38,29,1.0,0.0,0.0
      write(11,120) 49,10,34,11,1.0,0.0,0.0
      write(11,120) 50,10,38,21,1.0,0.0,0.0
      write(11,120) 51,10,13,3,1.0,0.0,0.0
      write(11,120) 52,10,13,4,1.0,0.0,0.0
      write(11,*)'$'
                                                       0.0
      write(11,*)'GRAV
                          100
                                      83.3
                                               0.0
      -1.0'
                                                       0.0
      write(11, *)'GRAV
                          200
                                      34.3
                                               1.0
      0.0'
      write(11,*)'$'
      write(11,*)'$1.....3.....4.....5.....6.....7.
   +.....8.....9......10'
Determine grid points
      print*,'Primary length (L) = '
      read*,L
      print*,'Inner Length (R) = '
      read*,r
      print*,'Distance between L and R = '
      read*,d
      a=2*acos(-1.)/12
      g(1,1)=L/2.
      g(1,3)=0.
      g(2,1)=L/2+L/2*cos(a)
      g(2,3)=L/2*sin(a)
      g(3,1)=L/2+L*cos(a)
      g(3,3)=L*sin(a)
      g(4,1)=g(3,1)+L*cos(2*a)
      g(4,3)=g(3,3)+L*sin(2*a)
      g(5,1)=g(4,1)
      g(5,3)=g(4,3)+L
```

```
g(6,1)=g(3,1)
       g(6,3)=g(5,3)+L*cos(a)
       g(7,1)=g(1,1)
       g(7,3)=g(6,3)+L*cos(2*a)
       g(8,1)=g(5,1)-d
       g(8,3)=g(7,3)/2+r/2
       g(9,1)=g(4,1)-d
       g(9,3)=g(7,3)/2-r/2
       do 10 i=10,18
           g(i,1) = -g(i-9,1)
           g(i,3)=g(i-9,3)
10
       continue
       do 15 i=1,18
           g(i,2)=0.
15
       continue
       do 20 i=1,18
           grid(i,1)=g(i,1)
           grid(i,2)=g(i,2)
           grid(i,3)=g(i,3)
20
       continue
Rotation loop
       j=0
       theta=0.
100
       j=j+1
       theta=theta+acos(-1.)/6
       call rotate(g,theta,x)
       do 25 i=1,18
           grid(i+18*j,1)=x(i,1)
           grid(i+18*j,2)=x(i,2)
           grid(i+18*j,3)=x(i,3)
25
       continue
       if(j.ne.5)go to 100
Write results.
       do 30 i=1,108
           write(11,130) i,grid(i,1),grid(i,2),grid(i,3)
30
       continue
       write(11,130) 109,0.,0.,0.
       write(11,130) 110,0.,0.,grid(7,3)
Finish final section of file.
       write(11,*)'$'
       write(11,*)'$1.....2.....3.....4.....5.....6.....7.
    +.....8.....9......10'
       write(11,*) '$'
       write(11,*)'LOAD
                                                    100'
                            500
                                    1.0
                                            1.0
       write(11, *)'MAT1
                            20
                                    70.0E9
                                            26.0E9 0.33
                                                             2700.0 23
    +.0E-6'
                                    20
                                            7.07E-4 3.98E-8 3.98E-8 7.
       write(11,*)'PBAR
                            10
    +95E-8'
       write(11,*)'SPC1
                            102′
       write(11,*)'PARAM
                            COUPMASS1'
       write(11,*)'PARAM
                            GRDPNT 0'
       write(11,*)'PARAM
                            USETPRT 1'
       write(11, *)'ENDDATA'
                                                                 Α4
```

Α4

```
120
       format(1x,'CBAR',t10,i2,t18,i2,t26,i2,t34,i2,t42,f3.1,t50,f3.1,t58,
                   f3.1)
130
       format(1x,'GRID',t10,i3,t25,f8.4,t33,f8.4,t41,f8.4)
       stop
       end
       subroutine rotate(p,beta,q)
       double precision beta,p,q
       dimension p(18,3), q(18,3)
This subroutine computes a plane of grid points by rotating a given
set of points in the x-z plane by the angle beta.
       do 10 i=1,18
           q(i,1)=p(i,1)*cos(beta)+p(i,2)*sin(beta)
           q(i,2) = -p(i,1) * sin(beta) + p(i,2) * cos(beta)
           q(i,3)=p(i,3)
10
       continue
       return
       end
```

## Appendix A, cont.

NASTRAN Static Model Listing

```
NASTRAN
  ID STATICS, TEST
  SOL 101
  TIME 3
  CEND
  TITLE=BATSAT STRUCTURE
  SUBTITLE=SIDE VIEW PANEL STRESSES (MOD14)
  DISPEALL
  ELFORCE=ALL
  ELSTRESS=ALL
  LOAD=500
  OLOAD=ALL
  SUBCASE 1
   SPC=102
  OUTPUT (PLOT)
   PLOTTER NAST
   SET 1=QUAD4, TRIA3
  AXES MY, X, Z
  VIEW 0.,0.,0.
  FIND SCALE, ORIGIN 1, SET 1
  CONTOUR MAJPRIN, EVEN 6, MAX, COMMON
   PLOT SET 1, ORIGIN 1, LABEL BOTH
  PLOT CONTOUR, SET 1, SHAPE
  BEGIN BULK
   $1....2...3...4...5....6.....7....8.....8

CBAR 1 10 1 2 0.0000 1.0000 0.0000

CBAR 2 10 2 3 0.0000 1.0000 0.0000

CBAR 3 10 3 4 0.0000 1.0000 0.0000

CBAR 4 10 4 5 0.0000 1.0000 0.0000

CBAR 5 10 5 6 0.0000 1.0000 0.0000

CBAR 6 10 6 7 0.0000 1.0000 0.0000

CBAR 7 10 7 8 0.0000 1.0000 0.0000

CBAR 8 10 8 9 0.0000 1.0000 0.0000

CBAR 9 10 9 1 0.0000 1.0000 0.0000

CBAR 10 10 8 5 0.0000 1.0000 0.0000

CBAR 11 10 9 4 0.0000 1.0000 0.0000

CBAR 12 10 10 11 0.0000 1.0000 0.0000

CBAR 13 10 11 12 0.0000 1.0000 0.0000

CBAR 14 10 12 13 0.0000 1.0000 0.0000

CBAR 15 10 13 14 0.0000 1.0000 0.0000

CBAR 16 10 14 15 0.0000 1.0000 0.0000

CBAR 17 10 15 16 0.0000 1.0000 0.0000

CBAR 18 10 16 17 0.0000 1.0000 0.0000

CBAR 19 10 17 18 0.0000 1.0000 0.0000

CBAR 19 10 17 18 0.0000 1.0000 0.0000

CBAR 20 10 18 10 0.0000 1.0000 0.0000

CBAR 21 10 10 17 14 0.0000 1.0000 0.0000

CBAR 22 10 10 18 10 0.0000 1.0000 0.0000

CBAR 23 10 1 0 19 10 0.0000 1.0000 0.0000

CBAR 24 10 10 17 18 0.0000 1.0000 0.0000

CBAR 25 10 7 11 0.0000 1.0000 0.0000

CBAR 27 10 19 20 -0.5000 0.8660 0.0000

CBAR 28 10 20 21 -0.5000 0.8660 0.0000

CBAR 31 10 22 23 -0.5000 0.8660 0.0000

CBAR 33 10 25 26 -0.5000 0.8660 0.0000

CBAR 36 10 26 23 -0.5000 0.8660 0.0000

CBAR 37 10 27 22 -0.5000 0.8660 0.0000

CBAR 38 10 28 29 -0.5000 0.8660 0.0000
```

CBAR	40	10	30	31		0.8660	0.0000
CBAR	41	10	31	32		0.8660	0.0000
CBAR	42	10	32	33		0.8660	0.0000
CBAR	43	10	33	34	-0.5000	0.8660	0.0000
CBAR	44	10	34	35		0.8660	0.0000
CBAR	45	10	35	36		0.8660	0.0000
CBAR	46	10	36	28		0.8660	0.0000
CBAR	47	10	35	32		0.8660	0.0000
CBAR	48	10	36	31		0.8660	0.0000
CBAR	49	10	19	109		0.8660	0.0000
CBAR	50	10	28	109		0.8660	0.0000
CBAR	51	10	25	110	-0.5000	0.8660	0.0000
CBAR	52	10	34	110	-0.5000	0.8660	0.0000
CBAR	53	10	37	38	-0.8660	0.5000	0.0000
CBAR	54	10	38	39	-0.8660	0.5000	0.0000
CBAR	55	10	39	40	-0.8660	0.5000	0.0000
CBAR	56	10	40	41	-0.8660	0.5000	0.0000
CBAR	57	10	41	42	-0.8660 -0.8660	0.5000	0.0000
CBAR	58	10	42	43 44	-0.8660	0.5000	0.0000
CBAR	59	10	43	4.4 4.5	-0.8660	0.5000	0.0000
CBAR	60	10	44 45	37	-0.8660	0.5000	0.0000
CBAR	61 62	10 10	44	41	-0.8660	0.5000	0.0000
CBAR	63	10	45	40	-0.8660	0.5000	0.0000
CBAR CBAR	64	10	46	47	-0.8660	0.5000	0.0000
CBAR	65	10	<b>4</b> 7	48	-0.8660	0.5000	0.0000
CBAR	66	10	48	49	-0.8660	0.5000	0.0000
CBAR	67	10	49	50	-0.8660	0.5000	0.0000
CBAR	68	10	50	51	-0.8660	0.5000	0.0000
CBAR	69	10	51	52	-0.8660	0.5000	0.0000
CBAR	70	10	52	53	-0.8660	0.5000	0.0000
CBAR	71	10	53	54	-0.8660	0.5000	0.0000
CBAR	72	10	54	46	-0.8660	0.5000	0.0000
CBAR	73	10	53	50	-0.8660	0.5000	0.0000
CBAR	74	10	54	49	-0.8660	0.5000	0.0000
CBAR	75	10	37	109	-0.8660	0.5000	0.0000
CBAR	76	10	46	109	-0.8660	0.5000	0.0000
CBAR	77	10	43	110	-0.8660	0.5000	0.0000
CBAR	78	10	52	110	-0.8660	0.5000	0.0000
CBAR	79	10	55	56	-1.0000	0.0000	0.0000
CBAR	80	10	56	57	-1.0000	0.0000	0.0000
CBAR	81	10	57	58	-1.0000	0.0000	0.0000
CBAR	82	10	58	59	-1.0000	0.0000	0.0000
CBAR	83	10	59	60	-1.0000	0.0000	0.0000
CBAR	84	10	60	61	-1.0000	0.0000	0.0000
CBAR	85	10	61	62	-1.0000	0.0000	0.0000
CBAR	86	10	62	63	-1.0000	0.0000	0.0000
CBAR	87	10	63 63	55 59	-1.0000 -1.0000	0.0000	0.0000
CBAR CBAR	88 89	10 10	62 63	58	-1.0000		0.0000
CBAR	90	10	64	65	-1.0000	0.0000	0.0000
CBAR	91	10	65	66	-1.0000	0.0000	0.0000
CBAR	92	10	66	67	-1.0000	0.0000	0.0000
CBAR	93	10	67	68	-1.0000	0.0000	0.0000
CBAR	94	10	68	69	-1.0000		0.0000
CBAR	95	10	69	70	-1.0000	0.0000	0.0000
CBAR	96	10	70	71	-1.0000		0.0000
CBAR	97	10	71	72	-1.0000		0.0000
CBAR	98	10	72	64	-1.0000	0.0000	0.0000
CBAR	99	10	71	68	-1.0000	0.0000	0.0000
CBAR	100	10	72	67	-1.0000	0.0000	0.0000
CBAR	101	10	55	109	-1.0000	0.0000	0.0000
CBAR	102	10	64	109	-1.0000	0.0000	0.0000
CBAR	103	10	61	110	-1.0000	0.0000	0.0000
CBAR	104	10	70	110	-1.0000	0.0000	0.0000
CBAR	105	10	73	74	-0.8660	-0.5000	0.0000

CBAR CBAR	106 107	10 10	7 <b>4</b> 75	75 76	-0.8660 -0.5000 0.0000 -0.8660 -0.5000 0.0000
CBAR	108	10	76	77	-0.8660 -0.5000 0.0000
CBAR CBAR	109 110	10 10	77 78	78 79	-0.8660 -0.5000 0.0000 -0.8660 -0.5000 0.0000
CBAR	111	10	79	80	-0.8660 -0.5000 0.0000
CBAR	112	10	80	81	-0.8660 -0.5000 0.0000
CBAR	113	10	81	73 77	-0.8660 -0.5000 0.0000 -0.8660 -0.5000 0.0000
CBAR CBAR	114 115	10 10	80 81	7 <i>6</i>	-0.8660 -0.5000 0.0000
CBAR	116	10	82	83	-0.8660 -0.5000 0.0000
CBAR	117	10	83	84	-0.8660 -0.5000 0.0000
CBAR CBAR	118 119	10 10	84 85	85 86	-0.8660 -0.5000 0.0000 -0.8660 -0.5000 0.0000
CBAR	120	10	86	87	-0.8660 -0.5000 0.0000
CBAR	121	10	87	88	-0.8660 -0.5000 0.0000
CBAR	122	10	88 89	89 90	-0.8660 -0.5000 0.0000 -0.8660 -0.5000 0.0000
CBAR CBAR	123 124	10 10	90	82	-0.8660 -0.5000 0.0000
CBAR	125	10	89	86	-0.8660 -0.5000 0.0000
CBAR	126	10	90	85	-0.8660 -0.5000 0.0000 -0.8660 -0.5000 0.0000
CBAR CBAR	127 128	10 10	73 82	109 109	-0.8660 -0.5000 0.0000 -0.8660 -0.5000 0.0000
CBAR	129	10	79	110	-0.8660 -0.5000 0.0000
CBAR	130	10	88	110	-0.8660 -0.5000 0.0000
CBAR	131 132	10 10	91 92	92 93	-0.5000 -0.8660 0.0000 -0.5000 -0.8660 0.0000
CBAR CBAR	132	10	93	94	-0.5000 -0.8660 0.0000
CBAR	134	10	94	95	-0.5000 -0.8660 0.0000
CBAR	135	10	95	96	-0.5000 -0.8660 0.0000 -0.5000 -0.8660 0.0000
CBAR CBAR	136 137	10 10	96 97	97 98	-0.5000 -0.8660 0.0000 -0.5000 -0.8660 0.0000
CBAR	138	10	98	99	-0.5000 -0.8660 0.0000
CBAR	139	10	99	91	-0.5000 -0.8660 0.0000
CBAR CBAR	140 141	10 10	98 99	95 94	-0.5000 -0.8660 0.0000 -0.5000 -0.8660 0.0000
CBAR	142	10	100	101	-0.5000 -0.8660 0.0000
CBAR	143	10	101	102	-0.5000 -0.8660 0.0000
CBAR	144	10	102	103	-0.5000 -0.8660 0.0000 -0.5000 -0.8660 0.0000
CBAR CBAR	145 146	10 10	103 104	104 105	-0.5000 -0.8660 0.0000
CBAR	147	10	105	106	-0.5000 -0.8660 0.0000
CBAR	148	10 10	106 107	107 108	-0.5000 -0.8660 0.0000 -0.5000 -0.8660 0.0000
CBAR CBAR	149 150	10	107	100	-0.5000 -0.8660 0.0000
CBAR	151	10	107	104	-0.5000 -0.8660 0.0000
CBAR	152	10	108	103	-0.5000 -0.8660 0.0000 -0.5000 -0.8660 0.0000
CBAR CBAR	153 154	10 10	91 100	109 109	-0.5000 -0.8660 0.0000
CBAR	155	10	97	110	-0.5000 -0.8660 0.0000
CBAR	156	10	106	110	-0.5000 -0.8660 0.0000
\$ \$					
\$					
CBAR	157	20	4	22	0.0000 0.0000 1.0000
CBAR	158 159	20 20	22 40	40 58	$egin{array}{cccccccccccccccccccccccccccccccccccc$
CBAR CBAR	160	20	58	76	0.0000 0.0000 1.0000
CBAR	161	20	76	94	0.0000 0.0000 1.0000
CBAR	162	20	94	13	0.0000 0.0000 1.0000 0.0000 0.0000 1.0000
CBAR CBAR	163 164	20 20	13 31	31 49	0.0000 0.0000 1.0000
CBAR	165	20	49	67	0.0000 0.0000 1.0000
CBAR	166	20	67 85	85	0.0000 0.0000 1.0000
CBAR CBAR	167 168	20 20	85 103	103 4	$egin{array}{cccccccccccccccccccccccccccccccccccc$
CDAR	100	<b>4</b> 0	100	7	0.0000 0.0000 1.0000

CBAR 170 20 23 41 0.0000 0.0000 1.0000 CBAR 171 20 41 59 0.0000 0.0000 1.0000 CBAR 172 20 59 77 0.0000 0.0000 1.0000 CBAR 173 20 77 95 0.0000 0.0000 1.0000 CBAR 173 20 95 14 0.0000 0.0000 1.0000 CBAR 175 20 14 32 0.0000 0.0000 1.0000 CBAR 175 20 14 32 0.0000 0.0000 1.0000 CBAR 176 20 32 50 0.0000 0.0000 1.0000 CBAR 177 20 50 68 0.0000 0.0000 1.0000 CBAR 179 20 86 104 0.0000 0.0000 1.0000 CBAR 179 20 86 104 0.0000 0.0000 1.0000 CBAR 180 20 104 5 0.0000 0.0000 1.0000 CBAR 180 20 104 5 0.0000 0.0000 1.0000 CBAR 181 20 2 20 0.0000 0.0000 1.0000 CBAR 182 20 20 38 0.0000 0.0000 1.0000 CBAR 183 20 38 56 0.0000 0.0000 1.0000 CBAR 184 20 56 74 0.0000 0.0000 1.0000 CBAR 185 20 74 92 0.0000 0.0000 1.0000 CBAR 186 20 92 11 0.0000 0.0000 1.0000 CBAR 187 20 11 29 0.0000 0.0000 1.0000 CBAR 188 20 29 47 0.0000 0.0000 1.0000 CBAR 189 20 47 65 0.0000 0.0000 1.0000 CBAR 199 20 83 101 20 0.0000 0.0000 1.0000 CBAR 199 20 83 101 20 0.0000 0.0000 1.0000 CBAR 199 20 83 101 20 0.0000 0.0000 1.0000 CBAR 199 20 83 101 20 0.0000 0.0000 1.0000 CBAR 199 20 47 65 0.0000 0.0000 1.0000 CBAR 199 20 47 65 0.0000 0.0000 1.0000 CBAR 199 20 83 101 20 0.0000 0.0000 1.0000 CBAR 199 20 83 101 20 0.0000 0.0000 1.0000 CBAR 199 20 83 101 20 0.0000 0.0000 1.0000 CBAR 199 20 83 101 20 0.0000 0.0000 1.0000 CBAR 199 20 83 101 20 0.0000 0.0000 1.0000 CBAR 199 20 83 101 20 0.0000 0.0000 1.0000 CBAR 199 20 83 101 20 0.0000 0.0000 1.0000 CBAR 199 20 83 101 20 0.0000 0.0000 1.0000 CBAR 199 20 100 28 0.0000 0.0000 1.0000 CBAR 209 20 100 28 0.0000 0.0000 1.0000 CBAR 209 20 100 28 0.0000 0.0000 1.0000 CBAR 209 20 20 57 75 93 0.0000 0.0000 1.0000 CBAR 211 20 46 64 0.0000 0.0000 1.0000 CBAR 211 20 48 66 0.0000 0.0000 1.0000 CBAR 212 20 30 48 0.0000 0.0000 1.0000 CBAR 213 20 48 66 0.0000 0.0000 1.	\$							
CBAR 171 20 41 59 0.0000 0.0000 1.0000 CBAR 173 20 59 77 0.0000 0.0000 1.0000 CBAR 173 20 77 95 0.0000 0.0000 1.0000 CBAR 174 20 95 14 0.0000 0.0000 1.0000 1.0000 CBAR 175 20 14 32 0.0000 0.0000 1.0000 CBAR 176 20 32 50 0.0000 0.0000 1.0000 CBAR 177 20 50 68 0.0000 0.0000 1.0000 CBAR 178 20 68 86 0.0000 0.0000 1.0000 CBAR 179 20 86 104 0.0000 0.0000 1.0000 CBAR 179 20 86 104 0.0000 0.0000 1.0000 CBAR 180 20 104 5 0.0000 0.0000 1.0000 CBAR 180 20 104 5 0.0000 0.0000 1.0000 CBAR 180 20 20 38 0.0000 0.0000 1.0000 CBAR 182 20 20 38 0.0000 0.0000 1.0000 CBAR 182 20 20 38 0.0000 0.0000 1.0000 CBAR 183 20 38 56 0.0000 0.0000 1.0000 CBAR 183 20 38 56 0.0000 0.0000 1.0000 CBAR 184 20 56 74 0.0000 0.0000 1.0000 CBAR 185 20 74 92 0.0000 0.0000 1.0000 CBAR 185 20 74 92 0.0000 0.0000 1.0000 CBAR 188 20 29 47 0.0000 0.0000 1.0000 CBAR 188 20 30 47 65 0.0000 0.0000 1.0000 CBAR 189 20 47 65 0.0000 0.0000 1.0000 CBAR 199 20 40 47 65 0.0000 0.0000 1.0000 CBAR 202 20 46 64 82 0.0000 0.0000 1.0000 CBAR 202 20 46 64 82 0.0000 0.0000 1.0000 CBAR 202 20 46 64 82 0.0000 0.0000 1.0000 CBAR 202 20 46 64 82 0.0000 0.0000 1.0000 CBAR 202 20 46 64 82 0.0000 0.0000 1.0000 1.0000 CBAR 212 20 46 68 40 0.0000 0.0000 1.0000 CBAR 212 20 46 68 40 0.0000 0.0000 1.0000 1.0000 CBAR 21								
CBAR 173 20 59 77 0.0000 0.0000 1.0000 CBAR 174 20 95 14 0.0000 0.0000 1.0000 1.0000 CBAR 175 20 14 32 0.0000 0.0000 1.0000 1.0000 CBAR 176 20 32 50 0.0000 0.0000 1.0000 CBAR 176 20 32 50 0.0000 0.0000 1.0000 CBAR 178 20 68 86 0.0000 0.0000 1.0000 CBAR 178 20 68 86 0.0000 0.0000 1.0000 CBAR 178 20 68 86 0.0000 0.0000 1.0000 CBAR 179 20 86 104 5 0.0000 0.0000 1.0000 CBAR 180 20 104 5 0.0000 0.0000 1.0000 CBAR 181 20 2 20 0.0000 0.0000 1.0000 CBAR 182 20 20 38 0.0000 0.0000 1.0000 CBAR 183 20 38 56 0.0000 0.0000 1.0000 CBAR 183 20 56 74 0.0000 0.0000 1.0000 CBAR 184 20 56 74 0.0000 0.0000 1.0000 CBAR 186 20 92 11 0.0000 0.0000 1.0000 CBAR 186 20 92 11 0.0000 0.0000 1.0000 CBAR 186 20 92 11 0.0000 0.0000 1.0000 CBAR 187 20 11 29 0.0000 0.0000 1.0000 CBAR 189 20 47 65 0.0000 0.0000 1.0000 CBAR 189 20 47 65 0.0000 0.0000 1.0000 CBAR 191 20 83 101 0.0000 0.0000 1.0000 CBAR 191 20 83 101 0.0000 0.0000 1.0000 CBAR 192 20 101 2 0.0000 0.0000 1.0000 CBAR 193 20 83 101 0.0000 0.0000 1.0000 CBAR 194 20 83 101 0.0000 0.0000 1.0000 CBAR 194 20 83 101 0.0000 0.0000 1.0000 CBAR 195 20 83 101 0.0000 0.0000 1.0000 CBAR 194 20 83 101 0.0000 0.0000 1.0000 CBAR 194 20 19 37 0.0000 0.0000 1.0000 CBAR 194 20 19 37 0.0000 0.0000 1.0000 CBAR 194 20 19 37 0.0000 0.0000 1.0000 CBAR 195 20 37 55 0.0000 0.0000 1.0000 CBAR 196 20 55 73 0.0000 0.0000 1.0000 CBAR 196 20 55 73 0.0000 0.0000 1.0000 CBAR 198 20 91 10 0.0000 0.0000 1.0000 CBAR 20 20 20 46 82 0.0000 0.0000 1.0000 CBAR 20 20 20 46 82 0.0000 0.0000 1.0000 CBAR 20 20 20 46 64 0.0000 0.0000 1.0000 CBAR 20 20 20 46 64 0.0000 0.0000 1.0000 CBAR 20 20 20 46 64 0.0000 0.0000 1.0000 CBAR 20 20 20 46 64 0.0000 0.0000 1.0000 CBAR 20 20 20 46 64 0.0000 0.0000 1.0000 CBAR 20 20 20 46 64 0.0000 0.0000 1.0000 CBAR 20 20 20 46 64 64 0.0000 0.0000 1.0000 CBAR 20 20 20 46 64 64 0.0000 0.0000 1.0000 CBAR 20 20 20 46 64 64 0.0000 0.0000 1.0000 CBAR 20 20 20 57 75 93 0.0000 0.0000 1.0000 CBAR 20 20 20 57 93 0.0000 0.0000 1.0000 1.0000 CBAR 212 20 66 84 0.0000 0.0000 1.0000 1.0000 CBAR 212 20 66 84 0.0								
CBAR		172	20	59	77	0.0000	0.0000	1.0000
CBAR         175         20         14         32         0.0000         0.0000         1.0000           CBAR         176         20         32         50         0.0000         0.0000         1.0000           CBAR         178         20         68         86         0.0000         0.0000         1.0000           CBAR         179         20         86         104         0.0000         0.0000         1.0000           CBAR         180         20         104         5         0.0000         0.0000         1.0000           CBAR         181         20         22         20         0.0000         0.0000         1.0000           CBAR         182         20         20         38         0.0000         0.0000         1.0000           CBAR         183         20         38         56         0.0000         0.0000         1.0000           CBAR         184         20         56         74         92         0.0000         0.0000         1.0000           CBAR         186         20         74         92         0.0000         0.0000         1.0000           CBAR         186         20 <th< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></th<>								
CBAR         176         20         32         50         0.0000         0.0000         1.0000           CBAR         177         20         50         68         0.0000         0.0000         1.0000           CBAR         179         20         86         104         0.0000         0.0000         1.0000           CBAR         180         20         104         5         0.0000         0.0000         1.0000           S         S         S         S         S         S         S         S         S           CBAR         181         20         2         20         0.0000         0.0000         1.0000           CBAR         182         20         38         56         0.0000         0.0000         1.0000           CBAR         184         20         36         74         0.0000         0.0000         1.0000           CBAR         185         20         74         92         0.0000         0.0000         1.0000           CBAR         186         20         29         47         0.0000         0.0000         1.0000           CBAR         189         20         47         65 </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>								
CBAR         177         20         50         68         86         0.0000         0.0000         1.0000           CBAR         179         20         86         104         0.0000         0.0000         1.0000           CBAR         180         20         104         5         0.0000         0.0000         1.0000           CBAR         181         20         2         20         0.0000         0.0000         1.0000           CBAR         182         20         20         38         0.0000         0.0000         1.0000           CBAR         183         20         38         56         0.0000         0.0000         1.0000           CBAR         184         20         56         74         0.0000         0.0000         1.0000           CBAR         185         20         74         92         0.0000         0.0000         1.0000           CBAR         186         20         92         11         29         0.0000         0.0000         1.0000           CBAR         189         20         47         65         0.0000         0.0000         1.0000           CBAR         190								
CBAR		177	20	50	68	0.0000	0.0000	
CBAR 181 20 2 20 38 0.0000 0.0000 1.0000 CBAR 184 20 56 74 0.0000 0.0000 1.0000 CBAR 185 20 74 92 0.0000 0.0000 1.0000 CBAR 186 20 92 11 0.0000 0.0000 1.0000 CBAR 187 20 11 29 0.0000 0.0000 1.0000 CBAR 188 20 29 47 0.0000 0.0000 1.0000 CBAR 189 20 47 65 0.0000 0.0000 1.0000 CBAR 189 20 47 65 0.0000 0.0000 1.0000 CBAR 189 20 47 0.0000 0.0000 1.0000 CBAR 191 20 83 101 0.0000 0.0000 1.0000 CBAR 191 20 83 101 0.0000 0.0000 1.0000 CBAR 192 20 101 2 0.0000 0.0000 1.0000 CBAR 192 20 101 2 0.0000 0.0000 1.0000 CBAR 193 20 101 2 0.0000 0.0000 1.0000 CBAR 194 20 19 37 0.0000 0.0000 1.0000 CBAR 195 20 37 55 0.0000 0.0000 1.0000 CBAR 196 20 55 73 0.0000 0.0000 1.0000 CBAR 198 20 91 00 0.0000 0.0000 1.0000 CBAR 198 20 91 00 0.0000 0.0000 1.0000 CBAR 198 20 91 0.0000 0.0000 0.0000 1.0000 CBAR 202 20 64 82 0.0000 0.0000 1.0000 CBAR 202 20 64 82 0.0000 0.0000 1.0000 CBAR 202 20 64 82 0.0000 0.0000 1.0000 CBAR 203 20 82 100 0.0000 0.0000 1.0000 CBAR 211 20 48 66 84 0.0000 0.0000 1.0000 CBAR 212 20 84 86 66 0.0000 0.0000 1.0000 CBAR 213 20 84 86 60								
CBAR 183 20 20 0.0000 0.0000 1.0000 CBAR 183 20 38 56 0.0000 0.0000 1.0000 CBAR 183 20 38 56 0.0000 0.0000 1.0000 CBAR 183 20 38 56 0.0000 0.0000 1.0000 CBAR 185 20 74 0.0000 0.0000 1.0000 CBAR 185 20 74 0.0000 0.0000 1.0000 CBAR 185 20 74 0.0000 0.0000 1.0000 CBAR 186 20 92 11 0.0000 0.0000 1.0000 CBAR 187 20 11 29 0.0000 0.0000 1.0000 CBAR 188 20 29 47 0.0000 0.0000 1.0000 CBAR 188 20 29 47 0.0000 0.0000 1.0000 CBAR 189 20 47 65 0.0000 0.0000 1.0000 CBAR 190 20 65 83 0.0000 0.0000 1.0000 CBAR 191 20 83 101 0.0000 0.0000 1.0000 CBAR 192 20 101 2 0.0000 0.0000 1.0000 CBAR 192 20 101 2 0.0000 0.0000 1.0000 CBAR 192 20 101 2 0.0000 0.0000 1.0000 CBAR 194 20 19 37 0.0000 0.0000 1.0000 CBAR 195 20 37 55 0.0000 0.0000 1.0000 CBAR 195 20 37 55 0.0000 0.0000 1.0000 CBAR 196 20 55 73 0.0000 0.0000 1.0000 CBAR 199 20 10 28 0.0000 0.0000 1.0000 CBAR 204 20 19 37 55 0.0000 0.0000 1.0000 CBAR 199 20 10 28 0.0000 0.0000 1.0000 CBAR 204 20 100 1 0.0000 0.0000 0.0000 1.0000 CBAR 204 20 100 1 0.0000 0.0000 0.0000 1.0000 CBAR 204 20 100 1 0.0000 0.0000 0.0000 1.0000 CBAR 204 20 100 1 0.0000 0.0000 0.0000 1.0000 CBAR 205 20 38 2100 0.0000 0.0000 1.0000 CBAR 205 20 38 2100 0.0000 0.0000 1.0000 CBAR 205 20 39 57 0.0000 0.0000 1.0000 CBAR 205 20 30 48 66 44 0.0000 0.0000 1.0000 CBAR 205 20 20 84 66 0.0000 0.0000 0.0000 1.0000 CBAR 205 20 20 84 60 0.0000 0.0000 0.0000 1.0000 CBAR 210 20 20 84 66 84 0.0000 0.0000 1.0000 CBAR 211 20 20 44 82 0.0000 0.0000 0.0000 1.0000 CBAR 212 20 30 48 60 0.0000 0.0000 0.0000 1.0000 CBAR 215 20 30 48 60 0.0000 0.0000 0.0000 1.0000 CBAR 215 20 30 48 60 0.0000 0.0000 0.0000 1.0000 CBAR 215 20 30 48 60 0.0000 0.0000 0.0000 1.0000 CBAR 215 20 20 44 20 0.0000 0								
CBAR         181         20         2         20         0.0000         0.0000         1.0000           CBAR         182         20         20         38         0.0000         0.0000         1.0000           CBAR         184         20         56         74         0.0000         0.0000         1.0000           CBAR         185         20         74         92         0.0000         0.0000         1.0000           CBAR         186         20         92         11         0.0000         0.0000         1.0000           CBAR         186         20         92         11         0.0000         0.0000         1.0000           CBAR         187         20         11         29         0.0000         0.0000         1.0000           CBAR         189         20         47         65         0.0000         0.0000         1.0000           CBAR         191         20         83         101         0.0000         0.0000         1.0000           CBAR         192         20         10         2         0.0000         0.0000         1.0000           CBAR         193         20         1         19		1.00	20	104	J	0.000		
CBAR 184 20 56 74 0.0000 0.0000 1.0000 CBAR 185 20 74 92 0.0000 0.0000 1.0000 CBAR 186 20 92 11 0.0000 0.0000 1.0000 CBAR 186 20 92 11 0.0000 0.0000 1.0000 CBAR 187 20 11 29 0.0000 0.0000 1.0000 CBAR 189 20 47 65 0.0000 0.0000 1.0000 CBAR 189 20 47 65 0.0000 0.0000 1.0000 CBAR 189 20 47 65 0.0000 0.0000 1.0000 CBAR 191 20 83 101 0.0000 0.0000 1.0000 CBAR 191 20 83 101 0.0000 0.0000 1.0000 CBAR 192 20 101 2 0.0000 0.0000 1.0000 CBAR 192 20 101 2 0.0000 0.0000 1.0000 CBAR 193 20 1 1 9 0.0000 0.0000 1.0000 CBAR 194 20 19 37 0.0000 0.0000 1.0000 CBAR 195 20 37 55 0.0000 0.0000 1.0000 CBAR 196 20 55 73 0.0000 0.0000 1.0000 CBAR 197 20 73 91 0.0000 0.0000 1.0000 CBAR 198 20 91 10 0.0000 0.0000 1.0000 CBAR 198 20 91 10 0.0000 0.0000 1.0000 CBAR 198 20 91 10 0.0000 0.0000 1.0000 CBAR 201 28 46 0.0000 0.0000 1.0000 CBAR 201 20 46 64 0.0000 0.0000 1.0000 CBAR 201 20 46 64 82 0.0000 0.0000 1.0000 CBAR 201 20 84 66 84 0.0000 0.0000 1.0000 CBAR 201 20 84 66 84 0.0000 0.0000 1.0000 CBAR 201 20 84 66 84 0.0000 0.0000 1.0000 CBAR 201 20 84 66 84 0.0000 0.0000 1.0000 CBAR 212 20 84 102 0.0000 0.0000 1.0000 CBAR 212 20 86 102 30 0.0000 0.0000 1.0000 CBAR 212 20 86 15 30 0.0000 0.0000 1.0000 CBAR 212 20 86 15 30 0.0000 0.0000	CBAR							
CBAR 184 20 56 74 0.0000 0.0000 1.0000 CBAR 185 20 74 92 0.0000 0.0000 1.0000 CBAR 185 20 74 92 0.0000 0.0000 1.0000 CBAR 186 20 92 11 0.0000 0.0000 1.0000 CBAR 187 20 11 29 0.0000 0.0000 1.0000 CBAR 188 20 29 47 0.0000 0.0000 1.0000 CBAR 189 20 47 65 0.0000 0.0000 1.0000 CBAR 190 20 65 83 0.0000 0.0000 1.0000 CBAR 191 20 83 101 0.0000 0.0000 1.0000 CBAR 192 20 101 2 0.0000 0.0000 1.0000 CBAR 192 20 101 2 0.0000 0.0000 1.0000 CBAR 194 20 19 37 0.0000 0.0000 1.0000 CBAR 195 20 37 55 0.0000 0.0000 1.0000 CBAR 196 20 55 73 0.0000 0.0000 1.0000 CBAR 197 20 73 91 0.0000 0.0000 1.0000 CBAR 198 20 91 00 28 0.0000 0.0000 1.0000 CBAR 199 20 10 28 0.0000 0.0000 1.0000 CBAR 200 20 28 46 0.0000 0.0000 1.0000 CBAR 201 20 46 64 0.0000 0.0000 1.0000 CBAR 201 20 64 82 0.0000 0.0000 1.0000 CBAR 201 20 57 75 0.0000 0.0000 1.0000 CBAR 201 20 64 82 0.0000 0.0000 1.0000 CBAR 201 20 46 64 0.0000 0.0000 1.0000 CBAR 201 20 46 64 0.0000 0.0000 1.0000 CBAR 201 20 46 64 82 0.0000 0.0000 1.0000 CBAR 201 20 46 64 82 0.0000 0.0000 1.0000 CBAR 201 20 46 64 82 0.0000 0.0000 1.0000 CBAR 201 20 46 64 82 0.0000 0.0000 1.0000 CBAR 201 20 46 64 82 0.0000 0.0000 1.0000 CBAR 201 20 20 39 57 0.0000 0.0000 1.0000 CBAR 201 20 30 57 75 0.0000 0.0000 1.0000 CBAR 201 20 20 39 57 0.0000 0.0000 1.0000 CBAR 201 20 20 39 57 0.0000 0.0000 1.0000 CBAR 201 20 20 30 57 75 0.0000 0.0000 1.0000 CBAR 201 20 20 30 57 75 0.0000 0.0000 1.0000 CBAR 214 20 66 84 0.0000 0.0000 1.0000 CBAR 214 20 66								
CBAR 185 20 74 92 0.0000 0.0000 1.0000 CBAR 186 20 92 11 0.0000 0.0000 1.0000 CBAR 186 20 92 11 0.0000 0.0000 1.0000 CBAR 187 20 11 29 0.0000 0.0000 1.0000 CBAR 188 20 29 47 0.0000 0.0000 1.0000 CBAR 189 20 47 65 0.0000 0.0000 1.0000 CBAR 190 20 65 83 0.0000 0.0000 1.0000 CBAR 191 20 83 101 0.0000 0.0000 1.0000 CBAR 191 20 83 101 0.0000 0.0000 1.0000 CBAR 192 20 101 2 0.0000 0.0000 1.0000 CBAR 192 20 101 2 0.0000 0.0000 1.0000 CBAR 193 20 1 1 9 0.0000 0.0000 1.0000 CBAR 194 20 19 37 0.0000 0.0000 1.0000 CBAR 195 20 37 55 0.0000 0.0000 1.0000 CBAR 196 20 55 73 0.0000 0.0000 1.0000 CBAR 196 20 55 73 0.0000 0.0000 1.0000 CBAR 198 20 91 10 0.0000 0.0000 1.0000 CBAR 198 20 91 10 0.0000 0.0000 1.0000 CBAR 199 20 10 28 0.0000 0.0000 1.0000 CBAR 200 20 28 46 0.0000 0.0000 1.0000 CBAR 201 20 46 64 20 0.0000 0.0000 1.0000 CBAR 201 20 46 64 82 0.0000 0.0000 1.0000 CBAR 202 20 64 82 0.0000 0.0000 1.0000 CBAR 203 20 82 100 0.0000 0.0000 1.0000 CBAR 203 20 82 20 83 20 83 20 0.0000 0.0000 1.0000 CBAR 211 20 12 30 0.0000 0.0000 1.0000 CBAR 212 20 30 48 66 0.0000 0.0000 1.0000 CBAR 213 20 42 60 84 0.0000 0.0000 1.0000 CBAR 214 20 66 84 0.0000 0.0000 1.0000 CBAR 212								
CBAR 1887 20 11 29 0.0000 0.0000 1.0000 CBAR 188 20 29 47 0.0000 0.0000 1.0000 CBAR 188 20 29 47 0.0000 0.0000 1.0000 CBAR 190 20 47 65 0.0000 0.0000 1.0000 CBAR 191 20 83 101 0.0000 0.0000 1.0000 CBAR 191 20 83 101 0.0000 0.0000 1.0000 CBAR 191 20 83 101 0.0000 0.0000 1.0000 CBAR 192 20 101 2 0.0000 0.0000 1.0000 CBAR 193 20 1 1 19 0.0000 0.0000 1.0000 CBAR 194 20 19 37 0.0000 0.0000 1.0000 CBAR 195 20 37 55 0.0000 0.0000 1.0000 CBAR 195 20 37 55 0.0000 0.0000 1.0000 CBAR 196 20 55 73 0.0000 0.0000 1.0000 CBAR 197 20 73 91 0.0000 0.0000 1.0000 CBAR 198 20 91 10 0.0000 0.0000 1.0000 CBAR 198 20 91 10 0.0000 0.0000 1.0000 CBAR 198 20 91 10 0.0000 0.0000 1.0000 CBAR 200 20 28 46 0.0000 0.0000 1.0000 CBAR 201 20 46 64 0.0000 0.0000 1.0000 CBAR 202 20 64 82 0.0000 0.0000 1.0000 CBAR 203 20 82 100 0.0000 0.0000 1.0000 CBAR 204 20 100 1 0.0000 0.0000 1.0000 CBAR 205 20 82 100 0.0000 0.0000 1.0000 CBAR 205 20 84 102 0.0000 0.0000 1.0000 CBAR 211 20 12 30 0.0000 0.0000 1.0000 CBAR 212 20 30 48 66 0.0000 0.0000 1.0000 CBAR 212 20 30 48 66 0.0000 0.0000 1.0000 CBAR 213 20 48 66 0.0000 0.0000 1.0000 CBAR 214 20 66 84 0.0000 0.0000 1.0000 CBAR 215 20 84 102 0.000					92	0.0000	0.0000	1.0000
CBAR 188 20 29 47 0.0000 0.0000 1.0000 CBAR 189 20 47 65 0.0000 0.0000 1.0000 CBAR 189 20 47 65 0.0000 0.0000 1.0000 CBAR 191 20 83 101 0.0000 0.0000 1.0000 CBAR 191 20 83 101 0.0000 0.0000 1.0000 CBAR 192 20 101 2 0.0000 0.0000 1.0000 CBAR 193 20 1 1 19 0.0000 0.0000 1.0000 CBAR 194 20 19 37 0.0000 0.0000 1.0000 CBAR 195 20 37 55 0.0000 0.0000 1.0000 CBAR 196 20 55 73 0.0000 0.0000 1.0000 CBAR 197 20 73 91 0.0000 0.0000 1.0000 CBAR 199 20 10 28 0.0000 0.0000 1.0000 CBAR 199 20 10 28 0.0000 0.0000 1.0000 CBAR 199 20 10 28 0.0000 0.0000 1.0000 CBAR 200 20 28 46 0.0000 0.0000 1.0000 CBAR 201 20 46 64 82 0.0000 0.0000 1.0000 CBAR 202 20 64 82 0.0000 0.0000 1.0000 CBAR 203 20 82 100 0.0000 0.0000 1.0000 CBAR 203 20 82 100 0.0000 0.0000 1.0000 CBAR 203 20 82 100 0.0000 0.0000 1.0000 CBAR 204 20 100 1 0.0000 0.0000 1.0000 CBAR 205 20 3 3 21 0.0000 0.0000 1.0000 CBAR 205 20 39 57 0.0000 0.0000 1.0000 CBAR 205 20 39 57 0.0000 0.0000 1.0000 CBAR 205 20 3 21 39 0.0000 0.0000 1.0000 CBAR 206 20 21 39 0.0000 0.0000 1.0000 CBAR 207 20 39 57 0.0000 0.0000 1.0000 CBAR 208 20 57 75 93 0.0000 0.0000 1.0000 CBAR 208 20 57 75 93 0.0000 0.0000 1.0000 CBAR 210 20 93 12 0.0000 0.0000 1.0000 CBAR 211 20 20 30 48 66 0.0000 0.0000 1.0000 CBAR 211 20 20 30 48 66 0.0000 0.0000 1.0000 CBAR 211 20 20 30 48 66 0.0000 0.0000 1.0000 CBAR 213 20 48 66 0.0000 0.0000 1.0000 CBAR 215 20 84 102 0.0000 0.0000 1.0000 0.0000 1.0000 CBAR 225 20 86 15 0.0000 0.0000 1.0000 0.0000 1.0000 CBAR 225 20 66 87								
CBAR         189         20         47         65         0.0000         0.0000         1.0000           CBAR         190         20         65         83         0.0000         0.0000         1.0000           CBAR         192         20         101         2         0.0000         0.0000         1.0000           CBAR         192         20         101         2         0.0000         0.0000         1.0000           CBAR         194         20         19         37         0.0000         0.0000         1.0000           CBAR         194         20         19         37         0.0000         0.0000         1.0000           CBAR         195         20         37         55         0.0000         0.0000         1.0000           CBAR         196         20         25         73         0.0000         0.0000         1.0000           CBAR         197         20         73         91         0.0000         0.0000         1.0000           CBAR         198         20         91         10         0.0000         0.0000         1.0000           CBAR         199         20         10								
CBAR								
CBAR 192 20 101 2 0.0000 0.0000 1.0000 CBAR 194 20 19 37 0.0000 0.0000 1.0000 CBAR 195 20 37 55 0.0000 0.0000 1.0000 CBAR 197 20 73 91 0.0000 0.0000 1.0000 CBAR 198 20 91 10 0.0000 0.0000 1.0000 CBAR 198 20 91 10 0.0000 0.0000 1.0000 CBAR 200 20 28 46 0.0000 0.0000 1.0000 CBAR 201 20 46 64 0.0000 0.0000 1.0000 CBAR 201 20 45 6 6 0.0000 0.0000 1.0000 CBAR 201 20 45 6 6 0.0000 0.0000 1.0000 CBAR 201 20 45 6 6 0.0000 0.0000 1.0000 CBAR 201 20 45 6 6 4 0.0000 0.0000 1.0000 CBAR 201 20 45 6 6 4 0.0000 0.0000 1.0000 CBAR 201 20 45 6 6 4 0.0000 0.0000 1.0000 CBAR 201 20 45 6 6 4 0.0000 0.0000 1.0000 CBAR 201 20 45 6 6 4 0.0000 0.0000 1.0000 CBAR 201 20 45 6 6 4 0.0000 0.0000 1.0000 CBAR 201 20 45 6 6 4 0.0000 0.0000 1.0000 CBAR 201 20 45 6 6 84 0.0000 0.0000 1.0000 CBAR 201 20 20 20 21 39 0.0000 0.0000 1.0000 CBAR 201 20 20 21 39 0.0000 0.0000 1.0000 CBAR 201 20 20 21 39 0.0000 0.0000 1.0000 CBAR 201 20 20 75 93 0.0000 0.0000 1.0000 CBAR 201 20 20 75 93 0.0000 0.0000 1.0000 CBAR 211 20 12 30 0.0000 0.0000 1.0000 CBAR 211 20 12 30 0.0000 0.0000 1.0000 CBAR 211 20 12 30 0.0000 0.0000 1.0000 CBAR 212 20 30 48 66 0.0000 0.0000 1.0000 CBAR 213 20 48 66 0.0000 0.0000 1.0000 CBAR 213 20 48 66 0.0000 0.0000 1.0000 CBAR 215 20 84 102 0.0000 0.0000 1.0000 CBAR 225 20 66 78 0.0000 0.0000 0.0000 1.0000 CBAR 225 20 51 69 0.0000 0.0000 0.0000 1.0000 CBAR 224 20 33 51 0.0000 0.0000 0.0000 1.0000 CBAR 225 20 51 69 0.0000 0.0000 0.0000 1.0000 CBAR 2	CBAR	190	20		83			
\$\begin{array}{cccccccccccccccccccccccccccccccccccc								
CBAR         193         20         1         19         0.0000         0.0000         1.0000           CBAR         194         20         19         37         0.0000         0.0000         1.0000           CBAR         196         20         55         73         0.0000         0.0000         1.0000           CBAR         197         20         73         91         0.0000         0.0000         1.0000           CBAR         197         20         73         91         0.0000         0.0000         1.0000           CBAR         199         20         10         28         0.0000         0.0000         1.0000           CBAR         200         20         28         46         0.0000         0.0000         1.0000           CBAR         201         20         46         64         0.0000         0.0000         1.0000           CBAR         203         20         82         100         0.0000         0.0000         1.0000           CBAR         203         20         82         100         0.0000         0.0000         1.0000           CBAR         205         20         3		192	20	101	2	0.0000	0.0000	1.0000
CBAR 195 20 37 55 0.0000 0.0000 1.0000 CBAR 196 20 55 73 0.0000 0.0000 1.0000 CBAR 197 20 73 91 0.0000 0.0000 1.0000 CBAR 198 20 91 10 0.0000 0.0000 1.0000 CBAR 199 20 10 28 0.0000 0.0000 1.0000 CBAR 200 20 28 46 0.0000 0.0000 1.0000 CBAR 201 20 46 64 0.0000 0.0000 1.0000 CBAR 203 20 82 100 0.0000 0.0000 1.0000 CBAR 205 20 21 3 9 0.0000 0.0000 1.0000 CBAR 205 20 21 39 0.0000 0.0000 1.0000 CBAR 205 20 21 39 0.0000 0.0000 1.0000 CBAR 205 20 21 39 0.0000 0.0000 1.0000 CBAR 206 20 21 39 0.0000 0.0000 1.0000 CBAR 208 20 57 75 0.0000 0.0000 1.0000 CBAR 209 20 75 93 0.0000 0.0000 1.0000 CBAR 210 20 93 12 0.0000 0.0000 1.0000 CBAR 211 20 12 30 0.0000 0.0000 1.0000 CBAR 211 20 12 30 0.0000 0.0000 1.0000 CBAR 211 20 12 30 0.0000 0.0000 1.0000 CBAR 211 20 48 66 0.0000 0.0000 1.0000 CBAR 215 20 84 102 0.0000 0.0000 1.0000 CBAR 225 20 86 15 0.0000 0.0000 1.0000 CBAR 225 20 86 15 0.0000 0.0000 1.0000 CBAR 225 20 85 16 9 0.0000 0.0000 1.0000 CBAR 225 20 87 105 0.0000 0.0000 1.0000 CBAR 225 20 87 105 0.0000 0.0000 1.0000 CBAR 225 20 87 105 0.0000								
CBAR 196 20 55 73 0.0000 0.0000 1.0000 CBAR 197 20 73 91 0.0000 0.0000 1.0000 CBAR 198 20 91 10 0.0000 0.0000 1.0000 CBAR 199 20 10 28 0.0000 0.0000 1.0000 CBAR 200 20 28 46 0.0000 0.0000 1.0000 CBAR 201 20 46 64 82 0.0000 0.0000 1.0000 CBAR 202 20 64 82 0.0000 0.0000 1.0000 CBAR 203 20 82 100 0.0000 0.0000 1.0000 CBAR 203 20 82 100 0.0000 0.0000 1.0000 CBAR 204 20 100 1 0.0000 0.0000 1.0000 CBAR 205 20 33 21 0.0000 0.0000 1.0000 CBAR 205 20 33 21 0.0000 0.0000 1.0000 CBAR 206 20 21 39 0.0000 0.0000 1.0000 CBAR 207 20 39 57 0.0000 0.0000 1.0000 CBAR 208 20 57 75 0.0000 0.0000 1.0000 CBAR 208 20 57 75 93 0.0000 0.0000 1.0000 CBAR 210 20 93 12 0.0000 0.0000 1.0000 CBAR 211 20 12 30 0.0000 0.0000 1.0000 CBAR 211 20 12 30 0.0000 0.0000 1.0000 CBAR 212 20 30 48 66 0.0000 0.0000 1.0000 CBAR 213 20 48 66 0.0000 0.0000 1.0000 CBAR 214 20 66 84 0.0000 0.0000 1.0000 CBAR 215 20 84 102 0.0000 0.0000 1.0000 CBAR 219 20 42 60 0.0000 0.0000 1.0000 CBAR 221 20 78 96 0.0000 0.0000 1.0000 CBAR 221 20 78 96 0.0000 0.0000 1.0000 CBAR 222 20 96 15 0.0000 0.0000 1.0000 CBAR 222 20 20 51 69 87 0.0000								
CBAR 197 20 73 91 0.0000 0.0000 1.0000 CBAR 198 20 91 10 0.0000 0.0000 1.0000 CBAR 199 20 10 28 0.0000 0.0000 1.0000 CBAR 200 20 28 46 0.0000 0.0000 1.0000 CBAR 201 20 46 64 0.0000 0.0000 1.0000 CBAR 202 20 64 82 0.0000 0.0000 1.0000 CBAR 203 20 82 100 0.0000 0.0000 1.0000 CBAR 204 20 100 1 0.0000 0.0000 1.0000 CBAR 204 20 100 1 0.0000 0.0000 1.0000 CBAR 205 20 3 21 0.0000 0.0000 1.0000 CBAR 205 20 3 21 0.0000 0.0000 1.0000 CBAR 206 20 21 39 0.0000 0.0000 1.0000 CBAR 207 20 39 57 0.0000 0.0000 1.0000 CBAR 208 20 57 75 0.0000 0.0000 1.0000 CBAR 208 20 57 75 0.0000 0.0000 1.0000 CBAR 211 20 12 30 0.0000 0.0000 1.0000 CBAR 211 20 12 30 0.0000 0.0000 1.0000 CBAR 211 20 48 66 0.0000 0.0000 1.0000 CBAR 213 20 48 66 0.0000 0.0000 1.0000 CBAR 214 20 66 84 0.0000 0.0000 1.0000 CBAR 215 20 84 102 0.0000 0.0000 1.0000 CBAR 225 20 86 78 0.0000 0.0000 1.0000 CBAR 225 20 86 78 0.0000 0.0000 1.0000 CBAR 225 20 86 15 0.0000 0.0000 1.0000 CBAR 225 20 87 105 0.0000 0.00								
CBAR 200 20 46 64 82 0.0000 0.0000 1.0000 CBAR 201 20 3 21 0.0000 0.0000 1.0000 CBAR 201 20 46 64 82 0.0000 0.0000 1.0000 CBAR 201 20 46 82 0.0000 0.0000 1.0000 CBAR 201 20 100 1 0.0000 0.0000 1.0000 CBAR 204 20 100 1 0.0000 0.0000 1.0000 CBAR 204 20 100 1 0.0000 0.0000 1.0000 CBAR 206 20 21 39 0.0000 0.0000 1.0000 CBAR 207 20 39 57 0.0000 0.0000 1.0000 CBAR 209 20 75 93 0.0000 0.0000 1.0000 CBAR 210 20 93 12 0.0000 0.0000 1.0000 CBAR 211 20 12 30 0.0000 0.0000 1.0000 CBAR 211 20 12 30 0.0000 0.0000 1.0000 CBAR 212 20 30 48 66 0.0000 0.0000 1.0000 CBAR 213 20 48 66 0.0000 0.0000 1.0000 CBAR 214 20 66 84 0.0000 0.0000 1.0000 CBAR 215 20 84 102 0.0000 0.0000 1.0000 CBAR 216 20 102 3 0.0000 0.0000 1.0000 CBAR 216 20 102 3 0.0000 0.0000 1.0000 CBAR 216 20 102 3 0.0000 0.0000 1.0000 CBAR 217 20 66 24 0.0000 0.0000 1.0000 CBAR 218 20 24 42 0.0000 0.0000 1.0000 CBAR 219 20 42 60 0.0000 0.0000 1.0000 CBAR 219 20 42 60 0.0000 0.0000 1.0000 CBAR 221 20 78 96 0.0000 0.0000 1.0000 CBAR 222 20 96 15 0.0000 0.0000 1.0000 CBAR 222 20 96 15 0.0000 0.0000 1.0000 CBAR 222 20 96 15 0.0000 0.0000 1.0000 CBAR 223 20 15 33 0.0000 0.0000 1.0000 CBAR 224 20 33 51 0.0000 0.0000 1.0000 CBAR 224 20 33 51 0.0000 0.0000 1.0000 CBAR 225 20 51 69 0.0000 0.0000 1.0000 CBAR 225 20 51 69 0.0000 0.0000 1.0000 CBAR 225 20 51 69 0.0000 0.0000 0.0000 1.0000 CBAR 225 20 69 87 0.0000 0.0000 0.0000 1.0000 CBAR 225 20 69 87 0.0000 0.0000 0.0000 1.0000 CBAR 225 20 69 87 0.0000 0.0000 0.0000 1.0000 CBAR 225 20 69 87 0.0000 0.0000 0.0000 1.0000 CBAR 225 20 69 87 0.0000 0.0000 0.0000 1.0000 CBAR 225 20 51 69 87 0.0000 0.0000 0.0000 1.0000 CBAR 225 20 69 87 0.0000 0.0000 0.0000 1.0000 CBAR 225 20 69 87 0.0000 0.0000 0.0000 1.0000 CBAR 225 20 69 87 0.00000 0.0000 0.0000 1.0000 CBAR 228 20 1								
CBAR 201 20 46 64 0.0000 0.0000 1.0000 CBAR 201 20 46 64 82 0.0000 0.0000 1.0000 CBAR 203 20 82 100 0.0000 0.0000 1.0000 CBAR 204 20 100 1 0.0000 0.0000 1.0000 CBAR 204 20 100 1 0.0000 0.0000 1.0000 CBAR 205 20 3 21 0.0000 0.0000 1.0000 CBAR 206 20 21 39 0.0000 0.0000 1.0000 CBAR 207 20 39 57 0.0000 0.0000 1.0000 CBAR 208 20 57 75 0.0000 0.0000 1.0000 CBAR 209 20 75 93 0.0000 0.0000 1.0000 CBAR 210 20 93 12 0.0000 0.0000 1.0000 CBAR 211 20 12 30 0.0000 0.0000 1.0000 CBAR 211 20 12 30 0.0000 0.0000 1.0000 CBAR 211 20 12 30 0.0000 0.0000 1.0000 CBAR 213 20 48 66 0.0000 0.0000 1.0000 CBAR 214 20 66 84 0.0000 0.0000 1.0000 CBAR 215 20 84 102 0.0000 0.0000 1.0000 CBAR 215 20 84 102 0.0000 0.0000 1.0000 CBAR 216 20 42 40 0.0000 0.0000 1.0000 CBAR 217 20 66 24 0.0000 0.0000 1.0000 CBAR 218 20 24 42 60 0.0000 0.0000 1.0000 CBAR 218 20 24 42 60 0.0000 0.0000 1.0000 CBAR 219 20 42 60 0.0000 0.0000 1.0000 CBAR 212 20 96 15 0.0000 0.0000 1.0000 CBAR 221 20 96 15 0.0000 0.0000 1.0000 CBAR 222 20 96 15 0.0000 0.0000 1.0000 CBAR 223 20 15 33 0.0000 0.0000 1.0000 CBAR 224 20 33 51 0.0000 0.0000 1.0000 CBAR 225 20 51 69 0.0000 0.0000 1.0000 CBAR 225 20 51 69 0.0000 0.0000 1.0000 CBAR 227 20 87 105 0.0000 0.0000 1.0000 CBAR 228 20 105 60 0.0000 0.0000 1.0000 CBAR 228 20 105 60 0.0000 0.0000 1.0000 CBAR 228 20 105 60 0.0000 0.0000 0.0000 1.0000 CBAR 227 20 87 105 0.0000 0.0000 0.0000 1.0000 CBAR 228 20 105 60 0.0000 0.0000 0.0000 1.0000 CBAR 228 20 105 60 0.0000 0.0000 0.0000 1.0000 CBAR 228 20 105 60 0.0000 0.0000 0.0000								
CBAR 201 20 46 64 0.0000 0.0000 1.0000 CBAR 202 20 64 82 0.0000 0.0000 1.0000 CBAR 203 20 82 100 0.0000 0.0000 1.0000 CBAR 204 20 100 1 0.0000 0.0000 1.0000 CBAR 204 20 100 1 0.0000 0.0000 1.0000 CBAR 206 20 21 39 0.0000 0.0000 1.0000 CBAR 207 20 39 57 0.0000 0.0000 1.0000 CBAR 208 20 57 75 0.0000 0.0000 1.0000 CBAR 209 20 75 93 0.0000 0.0000 1.0000 CBAR 211 20 12 30 0.0000 0.0000 1.0000 CBAR 211 20 12 30 0.0000 0.0000 1.0000 CBAR 212 20 30 48 0.0000 0.0000 1.0000 CBAR 213 20 48 66 0.0000 0.0000 1.0000 CBAR 214 20 66 84 0.0000 0.0000 1.0000 CBAR 215 20 84 102 0.0000 0.0000 1.0000 CBAR 216 20 102 3 0.0000 0.0000 1.0000 CBAR 216 20 42 42 0.0000 0.0000 1.0000 CBAR 218 20 24 42 0.0000 0.0000 1.0000 CBAR 219 20 42 60 0.0000 0.0000 1.0000 CBAR 219 20 42 60 0.0000 0.0000 1.0000 CBAR 222 20 96 15 0.0000 0.0000 1.0000 CBAR 222 20 96 15 0.0000 0.0000 1.0000 CBAR 223 20 15 33 0.0000 0.0000 1.0000 CBAR 222 20 96 15 0.0000 0.0000 1.0000 CBAR 223 20 15 33 0.0000 0.0000 1.0000 CBAR 222 20 96 15 0.0000 0.0000 1.0000 CBAR 222 20 96 15 0.0000 0.0000 1.0000 CBAR 223 20 15 33 0.0000 0.0000 1.0000 CBAR 224 20 33 51 0.0000 0.0000 1.0000 CBAR 225 20 51 69 0.0000 0.0000 1.0000 CBAR 225 20 51 69 0.0000 0.0000 1.0000 CBAR 227 20 87 105 0.0000 0.0000 1.0000 CBAR 228 20 105 6 0.0000 0.0000 1.0000 CBAR 227 20 87 105 0.0000 0.0000 1.0000 CBAR 227 20 87 105 0.0000 0.0000 1.0000 CBAR 228 20 105 6 0.0000 0.0000 1.0000 CBAR 228 20 105 6 0.0000 0.0000 0.0000 1.0000 CBAR 228 20 105 6 0.0000 0.0000 0.0000 1.0000 CBAR 228 20 105 6 0.0000 0.0000 0.0000 1.0000 CBAR 228 20 105 6 0.0000 0.0000 0.0000 1.0000 CBAR 228 20 105 6 0.0000 0.0000 0.0000 1.0000 CBAR 22								
CBAR 202 20 64 82 0.0000 0.0000 1.0000 CBAR 203 20 82 100 0.0000 0.0000 1.0000 CBAR 204 20 100 1 0.0000 0.0000 1.0000 CBAR 205 20 3 21 0.0000 0.0000 1.0000 CBAR 207 20 39 57 0.0000 0.0000 1.0000 CBAR 209 20 75 93 0.0000 0.0000 1.0000 CBAR 211 20 12 30 0.0000 0.0000 1.0000 CBAR 211 20 12 30 0.0000 0.0000 1.0000 CBAR 211 20 12 30 0.0000 0.0000 1.0000 CBAR 213 20 48 66 0.0000 0.0000 1.0000 CBAR 214 20 66 84 0.0000 0.0000 1.0000 CBAR 215 20 84 102 0.0000 0.0000 1.0000 CBAR 216 20 102 3 0.0000 0.0000 1.0000 CBAR 218 20 24 42 0.0000 0.0000 1.0000 CBAR 218 20 24 42 0.0000 0.0000 1.0000 CBAR 218 20 24 42 0.0000 0.0000 1.0000 CBAR 219 20 42 60 0.0000 0.0000 1.0000 CBAR 219 20 42 60 0.0000 0.0000 1.0000 CBAR 221 20 78 96 0.0000 0.0000 1.0000 CBAR 221 20 78 96 0.0000 0.0000 1.0000 CBAR 222 20 96 15 0.0000 0.0000 1.0000 CBAR 222 20 20 66 87 0.0000 0.0000 1.0000 CBAR 222 20 20								
CBAR 204 20 100 1 0.0000 0.0000 1.0000 \$  CBAR 206 20 21 39 0.0000 0.0000 1.0000 CBAR 207 20 39 57 0.0000 0.0000 1.0000 CBAR 209 20 75 93 0.0000 0.0000 1.0000 CBAR 211 20 12 30 0.0000 0.0000 1.0000 CBAR 211 20 12 30 0.0000 0.0000 1.0000 CBAR 211 20 30 0.0000 0.0000 1.0000 CBAR 213 20 48 66 0.0000 0.0000 1.0000 CBAR 214 20 66 84 0.0000 0.0000 1.0000 CBAR 215 20 84 102 0.0000 0.0000 1.0000 CBAR 216 20 102 3 0.0000 0.0000 1.0000 CBAR 217 20 66 24 0.0000 0.0000 1.0000 CBAR 218 20 24 42 0.0000 0.0000 1.0000 CBAR 219 20 42 60 0.0000 0.0000 1.0000 CBAR 219 20 42 60 0.0000 0.0000 1.0000 CBAR 221 20 78 96 0.0000 0.0000 1.0000 CBAR 221 20 78 96 0.0000 0.0000 1.0000 CBAR 221 20 30 42 60 0.0000 0.0000 1.0000 CBAR 221 20 30 42 60 0.0000 0.0000 1.0000 CBAR 221 20 30 42 60 0.0000 0.0000 1.0000 CBAR 221 20 78 96 0.0000 0.0000 1.0000 CBAR 221 20 78 96 0.0000 0.0000 1.0000 CBAR 222 20 96 15 0.0000 0.0000 1.0000 CBAR 222 20 96 15 0.0000 0.0000 1.0000 CBAR 223 20 15 33 0.0000 0.0000 1.0000 CBAR 225 20 51 69 0.0000 0.0000 1.0000 CBAR 225 20 51 69 0.0000 0.0000 1.0000 CBAR 225 20 51 69 0.0000 0.0000 1.0000 CBAR 226 20 69 87 0.0000 0.0000 1.0000 CBAR 227 20 87 105 0.0000 0.0000 1.0000 CBAR 228 20 105 6	CBAR	202	20	64	82	0.0000		
\$\ CBAR \ 205 \ 20 \ 3 \ 21 \ 0.0000 \ 0.0000 \ 1.0000 \ CBAR \ 206 \ 20 \ 21 \ 39 \ 0.0000 \ 0.0000 \ 1.0000 \ CBAR \ 207 \ 20 \ 39 \ 57 \ 0.0000 \ 0.0000 \ 1.0000 \ CBAR \ 208 \ 20 \ 57 \ 75 \ 0.0000 \ 0.0000 \ 1.0000 \ CBAR \ 209 \ 20 \ 75 \ 93 \ 0.0000 \ 0.0000 \ 1.0000 \ CBAR \ 210 \ 20 \ 93 \ 12 \ 0.0000 \ 0.0000 \ 1.0000 \ CBAR \ 211 \ 20 \ 12 \ 30 \ 0.0000 \ 0.0000 \ 1.0000 \ CBAR \ 211 \ 20 \ 12 \ 30 \ 0.0000 \ 0.0000 \ 1.0000 \ CBAR \ 212 \ 20 \ 30 \ 48 \ 66 \ 0.0000 \ 0.0000 \ 1.0000 \ CBAR \ 214 \ 20 \ 66 \ 84 \ 0.0000 \ 0.0000 \ 1.0000 \ CBAR \ 215 \ 20 \ 84 \ 102 \ 0.0000 \ 0.0000 \ 1.0000 \ CBAR \ 216 \ 20 \ 102 \ 3 \ 0.0000 \ 0.0000 \ 1.0000 \ CBAR \ 216 \ 20 \ 102 \ 3 \ 0.0000 \ 0.0000 \ 0.0000 \ 1.0000 \ CBAR \ 217 \ 20 \ 6 \ 24 \ 0.0000 \ 0.0000 \ 1.0000 \ CBAR \ 219 \ 20 \ 42 \ 60 \ 0.0000 \ 0.0000 \ 1.0000 \ CBAR \ 221 \ 20 \ 78 \ 96 \ 0.0000 \ 0.0000 \ 1.0000 \ CBAR \ 221 \ 20 \ 78 \ 96 \ 0.0000 \ 0.0000 \ 1.0000 \ CBAR \ 221 \ 20 \ 78 \ 96 \ 0.0000 \ 0.0000 \ 1.0000 \ CBAR \ 221 \ 20 \ 78 \ 96 \ 0.0000 \ 0.0000 \ 1.0000 \ CBAR \ 221 \ 20 \ 78 \ 96 \ 0.0000 \ 0.0000 \ 1.0000 \ CBAR \ 221 \ 20 \ 78 \ 96 \ 0.0000 \ 0.0000 \ 1.0000 \ CBAR \ 222 \ 20 \ 96 \ 15 \ 0.0000 \ 0.0000 \ 1.0000 \ CBAR \ 223 \ 20 \ 15 \ 33 \ 0.0000 \ 0.0000 \ 0.0000 \ 1.0000 \ CBAR \ 224 \ 20 \ 33 \ 51 \ 0.0000 \ 0.0000 \ 0.0000 \ 1.0000 \ CBAR \ 225 \ 20 \ 51 \ 69 \ 0.0000 \ 0.0000 \ 0.0000 \ 1.0000 \ CBAR \ 225 \ 20 \ 69 \ 87 \ 0.0000 \ 0.0000 \ 0.0000 \ 1.0000 \ CBAR \ 227 \ 20 \ 87 \ 105 \ 0.0000 \ 0.0000 \ 0.0000 \ 1.0000 \ CBAR \ 227 \ 20 \ 87 \ 105 \ 0.0000 \ 0.0000 \ 0.0000 \ 1.0000 \ CBAR \ 228 \ 20 \ 105 \ 60 \ 0.0000 \ 0.0000 \ 0.0000 \ 1.0000 \ CBAR \ 227 \ 20 \ 87 \ 105 \ 0.0000 \ 0.0000 \ 0.0000 \ 1.0000 \ CBAR \ 228 \ 20 \ 105 \ 60 \ 105 \ 0.0000 \ 0.0000 \ 0.0000 \ 1.0000 \ 0.0000 \ 0.0000 \ 0.0000 \ 0.0000 \ 0.0000 \ 0.0000 \ 0.0000 \ 0.0000 \ 0.0000 \ 0.0000 \ 0.0000 \ 0.0000 \ 0.0000 \ 0.0000 \ 0.0000 \ 0.0000 \ 0.0000 \ 0.0000 \ 0.00000 \ 0.0000 \ 0.0000 \ 0.0000 \ 0.0000 \ 0.0000 \ 0.0000 \ 0.00000								
CBAR 205 20 3 21 0.0000 0.0000 1.0000 CBAR 209 20 75 93 0.0000 0.0000 1.0000 CBAR 211 20 12 30 0.0000 0.0000 1.0000 CBAR 211 20 12 30 0.0000 0.0000 1.0000 CBAR 211 20 30 0.0000 0.0000 1.0000 CBAR 213 20 48 66 0.0000 0.0000 1.0000 CBAR 214 20 66 84 0.0000 0.0000 1.0000 CBAR 215 20 84 102 0.0000 0.0000 1.0000 CBAR 216 20 102 3 0.0000 0.0000 1.0000 CBAR 217 20 66 84 0.0000 0.0000 1.0000 CBAR 218 20 42 42 0.0000 0.0000 1.0000 CBAR 218 20 42 42 0.0000 0.0000 1.0000 CBAR 218 20 42 44 20 0.0000 0.0000 1.0000 CBAR 218 20 24 42 0.0000 0.0000 1.0000 CBAR 219 20 42 60 0.0000 0.0000 1.0000 CBAR 219 20 42 60 0.0000 0.0000 1.0000 CBAR 221 20 78 96 0.0000 0.0000 1.0000 CBAR 222 20 96 15 0.0000 0.0000 1.0000 CBAR 223 20 15 33 0.0000 0.0000 1.0000 CBAR 224 20 33 51 0.0000 0.0000 1.0000 CBAR 225 20 51 69 0.0000 0.0000 1.0000 CBAR 225 20 51 69 0.0000 0.0000 1.0000 CBAR 225 20 69 87 0.0000 0.0000 1.0000 CBAR 227 20 87 105 0.0000 0.0000 1.0000 CBAR 228 20 105 6		204	20	100	Τ.	0.0000	0.0000	1.0000
CBAR 207 20 39 57 0.0000 0.0000 1.0000 CBAR 209 20 75 93 0.0000 0.0000 1.0000 CBAR 211 20 12 30 0.0000 0.0000 1.0000 CBAR 213 20 48 66 0.0000 0.0000 1.0000 CBAR 214 20 66 84 0.0000 0.0000 1.0000 CBAR 215 20 84 102 0.0000 0.0000 1.0000 CBAR 216 20 102 3 0.0000 0.0000 1.0000 CBAR 217 20 66 24 0.0000 0.0000 1.0000 CBAR 218 20 24 42 0.0000 0.0000 1.0000 CBAR 218 20 24 42 0.0000 0.0000 1.0000 CBAR 218 20 24 42 0.0000 0.0000 1.0000 CBAR 219 20 42 60 0.0000 0.0000 1.0000 CBAR 221 20 78 96 0.0000 0.0000 1.0000 CBAR 221 20 78 96 0.0000 0.0000 1.0000 CBAR 222 20 96 15 0.0000 0.0000 1.0000 CBAR 223 20 15 33 0.0000 0.0000 1.0000 CBAR 224 20 33 51 0.0000 0.0000 1.0000 CBAR 225 20 51 69 0.0000 0.0000 1.0000 CBAR 226 20 69 87 0.0000 0.0000 1.0000 CBAR 227 20 87 105 0.0000 0.0000 1.0000 CBAR 227 20 87 105 0.0000 0.0000 1.0000 CBAR 227 20 87 105 0.0000 0.0000 1.0000 CBAR 228 20 105 6	CBAR							
CBAR         208         20         57         75         0.0000         0.0000         1.0000           CBAR         209         20         75         93         0.0000         0.0000         1.0000           CBAR         210         20         93         12         0.0000         0.0000         1.0000           CBAR         211         20         12         30         0.0000         0.0000         1.0000           CBAR         212         20         30         48         0.0000         0.0000         1.0000           CBAR         213         20         48         66         0.0000         0.0000         1.0000           CBAR         214         20         66         84         0.0000         0.0000         1.0000           CBAR         215         20         84         102         0.0000         0.0000         1.0000           CBAR         217         20         6         24         0.0000         0.0000         1.0000           CBAR         219         20         42         60         0.0000         0.0000         1.0000           CBAR         219         20         42								
CBAR 210 20 93 12 0.0000 0.0000 1.0000 CBAR 211 20 12 30 0.0000 0.0000 1.0000 CBAR 211 20 30 0.0000 0.0000 1.0000 CBAR 212 20 30 48 0.0000 0.0000 1.0000 CBAR 213 20 48 66 0.0000 0.0000 1.0000 CBAR 214 20 66 84 0.0000 0.0000 1.0000 CBAR 215 20 84 102 0.0000 0.0000 1.0000 CBAR 216 20 102 3 0.0000 0.0000 1.0000 CBAR 217 20 6 24 0.0000 0.0000 1.0000 CBAR 218 20 24 42 0.0000 0.0000 1.0000 CBAR 219 20 42 60 0.0000 0.0000 1.0000 CBAR 220 20 60 78 0.0000 0.0000 1.0000 CBAR 221 20 78 96 0.0000 0.0000 1.0000 CBAR 221 20 78 96 0.0000 0.0000 1.0000 CBAR 222 20 96 15 0.0000 0.0000 1.0000 CBAR 223 20 15 33 0.0000 0.0000 1.0000 CBAR 224 20 33 51 0.0000 0.0000 1.0000 CBAR 225 20 51 69 0.0000 0.0000 1.0000 CBAR 226 20 69 87 0.0000 0.0000 1.0000 CBAR 226 20 69 87 0.0000 0.0000 1.0000 CBAR 227 20 87 105 0.0000 0.0000 1.0000 CBAR 228 20 105 6 0.0000 0.0000 1.0000 CDO00 CBAR 228 20 105 6 0.0000 0.0000 1.0000								
CBAR 211 20 12 30 0.0000 0.0000 1.0000 CBAR 213 20 48 66 0.0000 0.0000 1.0000 CBAR 213 20 48 66 0.0000 0.0000 1.0000 CBAR 214 20 66 84 0.0000 0.0000 1.0000 CBAR 215 20 84 102 0.0000 0.0000 1.0000 CBAR 216 20 102 3 0.0000 0.0000 1.0000 S							0.0000	1.0000
CBAR 212 20 30 48 0.0000 0.0000 1.0000 CBAR 213 20 48 66 0.0000 0.0000 1.0000 CBAR 214 20 66 84 0.0000 0.0000 1.0000 CBAR 215 20 84 102 0.0000 0.0000 1.0000 S S CBAR 217 20 6 24 0.0000 0.0000 1.0000 CBAR 218 20 24 42 0.0000 0.0000 1.0000 CBAR 219 20 42 60 0.0000 0.0000 1.0000 CBAR 220 20 60 78 0.0000 0.0000 1.0000 CBAR 221 20 78 96 0.0000 0.0000 1.0000 CBAR 222 20 96 15 0.0000 0.0000 1.0000 CBAR 223 20 15 33 0.0000 0.0000 1.0000 CBAR 224 20 33 51 0.0000 0.0000 1.0000 CBAR 225 20 51 69 0.0000 0.0000 1.0000 CBAR 225 20 51 69 0.0000 0.0000 1.0000 CBAR 226 20 69 87 0.0000 0.0000 1.0000 CBAR 227 20 87 105 0.0000 0.0000 1.0000 CBAR 228 20 105 6 0.0000 0.0000 0.0000 1.00000 CBAR 228 20 105 6 0.0000 0.0000 0.0000 1.0000 CBAR 228 20 105 6 0.0000 0.0000 0.0000 1.0000 CBAR 228 20 105 6 0.00000 0.0000 0.0000 1.0000 CBAR 228 20 105 6 0.00000 0.0000 0.0000 1.0000 CBAR 228 20 105 6 0.00000 0.0000 0.0000 1.0000 CBAR 228 20 105 6 0.00000 0.0000 0.0000 1.0000 CBAR 228 20 105 6 0.00000 0.0000 0.0000 1.0000 CBAR 228 20 105 6 0.00000 0.0000 0.0000 1.0000 CBAR 228 20 105 6 0.00000 0.0000 0.0000 1.0000 CBAR 228 20 105 6 0.00000 0.0000 0.0000 1.0000 CBAR 228 20 105 6 0.00000 0.0000 0.0000 1.0000 CBAR 228 20 105 6 0.00000 0.0000 0.0000 1.0000 CBAR 228 20 105 6 0.00000 0.0000 0.0000 1.0000 CBAR 228 20 105 6 0.00000 0.0000 0.0000 1.00000 CBAR 228 20 105 6 0.00000 0.00000 0.0000 0.0								
CBAR 213 20 48 66 0.0000 0.0000 1.0000 CBAR 214 20 66 84 0.0000 0.0000 1.0000 CBAR 215 20 84 102 0.0000 0.0000 1.0000 CBAR 216 20 102 3 0.0000 0.0000 1.0000 S\$  CBAR 217 20 6 24 0.0000 0.0000 1.0000 CBAR 218 20 24 42 0.0000 0.0000 1.0000 CBAR 219 20 42 60 0.0000 0.0000 1.0000 CBAR 221 20 78 96 0.0000 0.0000 1.0000 CBAR 221 20 78 96 0.0000 0.0000 1.0000 CBAR 222 20 96 15 0.0000 0.0000 1.0000 CBAR 223 20 15 33 0.0000 0.0000 1.0000 CBAR 224 20 33 51 0.0000 0.0000 1.0000 CBAR 225 20 51 69 0.0000 0.0000 1.0000 CBAR 225 20 51 69 0.0000 0.0000 1.0000 CBAR 226 20 69 87 0.0000 0.0000 1.0000 CBAR 227 20 87 105 0.0000 0.0000 1.0000 CBAR 228 20 105 6 0.0000 0.0000 1.0000 CBAR 228 20 105 6 0.0000 0.0000 1.0000								
CBAR 215 20 84 102 0.0000 0.0000 1.0000 CBAR 216 20 102 3 0.0000 0.0000 1.0000 \$  CBAR 217 20 6 24 0.0000 0.0000 1.0000 CBAR 218 20 24 42 0.0000 0.0000 1.0000 CBAR 219 20 42 60 0.0000 0.0000 1.0000 CBAR 220 20 60 78 0.0000 0.0000 1.0000 CBAR 221 20 78 96 0.0000 0.0000 1.0000 CBAR 221 20 78 96 0.0000 0.0000 1.0000 CBAR 222 20 96 15 0.0000 0.0000 1.0000 CBAR 223 20 15 33 0.0000 0.0000 1.0000 CBAR 224 20 33 51 0.0000 0.0000 1.0000 CBAR 225 20 51 69 0.0000 0.0000 1.0000 CBAR 226 20 69 87 0.0000 0.0000 1.0000 CBAR 227 20 87 105 0.0000 0.0000 1.0000 CBAR 227 20 87 105 0.0000 0.0000 1.0000 CBAR 227 20 87 105 0.0000 0.0000 1.0000 CBAR 228 20 105 6 0.0000 0.0000 1.0000							0.0000	
CBAR 216 20 102 3 0.0000 0.0000 1.0000 \$  CBAR 217 20 6 24 0.0000 0.0000 1.0000 CBAR 218 20 24 42 0.0000 0.0000 1.0000 CBAR 220 20 60 78 0.0000 0.0000 1.0000 CBAR 221 20 78 96 0.0000 0.0000 1.0000 CBAR 222 20 96 15 0.0000 0.0000 1.0000 CBAR 223 20 15 33 0.0000 0.0000 1.0000 CBAR 224 20 33 51 0.0000 0.0000 1.0000 CBAR 224 20 33 51 0.0000 0.0000 1.0000 CBAR 225 20 51 69 0.0000 0.0000 1.0000 CBAR 226 20 69 87 0.0000 0.0000 1.0000 CBAR 227 20 87 105 0.0000 0.0000 1.0000 CBAR 227 20 87 105 0.0000 0.0000 1.0000 CBAR 228 20 105 6 0.0000 0.0000 1.0000								
\$ CBAR 217 20 6 24 0.0000 0.0000 1.0000 CBAR 218 20 24 42 0.0000 0.0000 1.0000 CBAR 219 20 42 60 0.0000 0.0000 1.0000 CBAR 220 20 60 78 0.0000 0.0000 1.0000 CBAR 221 20 78 96 0.0000 0.0000 1.0000 CBAR 222 20 96 15 0.0000 0.0000 1.0000 CBAR 223 20 15 33 0.0000 0.0000 1.0000 CBAR 224 20 33 51 0.0000 0.0000 1.0000 CBAR 225 20 51 69 0.0000 0.0000 1.0000 CBAR 226 20 69 87 0.0000 0.0000 1.0000 CBAR 227 20 87 105 0.0000 0.0000 1.0000 CBAR 228 20 105 6 0.0000 0.0000 1.0000								
CBAR         217         20         6         24         0.0000         0.0000         1.0000           CBAR         218         20         24         42         0.0000         0.0000         1.0000           CBAR         219         20         42         60         0.0000         0.0000         1.0000           CBAR         220         20         60         78         0.0000         0.0000         1.0000           CBAR         221         20         78         96         0.0000         0.0000         1.0000           CBAR         222         20         96         15         0.0000         0.0000         1.0000           CBAR         223         20         15         33         0.0000         0.0000         1.0000           CBAR         224         20         33         51         0.0000         0.0000         1.0000           CBAR         225         20         51         69         0.0000         0.0000         1.0000           CBAR         226         20         69         87         0.0000         0.0000         1.0000           CBAR         227         20         87         1		210	20	102	3	0.0000	0.0000	
CBAR         219         20         42         60         0.0000         0.0000         1.0000           CBAR         220         20         60         78         0.0000         0.0000         1.0000           CBAR         221         20         78         96         0.0000         0.0000         1.0000           CBAR         222         20         96         15         0.0000         0.0000         1.0000           CBAR         223         20         15         33         0.0000         0.0000         1.0000           CBAR         224         20         33         51         0.0000         0.0000         1.0000           CBAR         225         20         51         69         0.0000         0.0000         1.0000           CBAR         226         20         69         87         0.0000         0.0000         1.0000           CBAR         227         20         87         105         0.0000         0.0000         1.0000           CBAR         228         20         105         6         0.0000         0.0000         1.0000	CBAR							
CBAR         220         20         60         78         0.0000         0.0000         1.0000           CBAR         221         20         78         96         0.0000         0.0000         1.0000           CBAR         222         20         96         15         0.0000         0.0000         1.0000           CBAR         223         20         15         33         0.0000         0.0000         1.0000           CBAR         224         20         33         51         0.0000         0.0000         1.0000           CBAR         225         20         51         69         0.0000         0.0000         1.0000           CBAR         226         20         69         87         0.0000         0.0000         1.0000           CBAR         227         20         87         105         0.0000         0.0000         1.0000           CBAR         228         20         105         6         0.0000         0.0000         1.0000								
CBAR         221         20         78         96         0.0000         0.0000         1.0000           CBAR         222         20         96         15         0.0000         0.0000         1.0000           CBAR         223         20         15         33         0.0000         0.0000         1.0000           CBAR         224         20         33         51         0.0000         0.0000         1.0000           CBAR         225         20         51         69         0.0000         0.0000         1.0000           CBAR         226         20         69         87         0.0000         0.0000         1.0000           CBAR         227         20         87         105         0.0000         0.0000         1.0000           CBAR         228         20         105         6         0.0000         0.0000         1.0000								
CBAR       223       20       15       33       0.0000       0.0000       1.0000         CBAR       224       20       33       51       0.0000       0.0000       1.0000         CBAR       225       20       51       69       0.0000       0.0000       1.0000         CBAR       226       20       69       87       0.0000       0.0000       1.0000         CBAR       227       20       87       105       0.0000       0.0000       1.0000         CBAR       228       20       105       6       0.0000       0.0000       1.0000	CBAR	221	20	78	96	0.0000	0.0000	1.0000
CBAR       224       20       33       51       0.0000       0.0000       1.0000         CBAR       225       20       51       69       0.0000       0.0000       1.0000         CBAR       226       20       69       87       0.0000       0.0000       1.0000         CBAR       227       20       87       105       0.0000       0.0000       1.0000         CBAR       228       20       105       6       0.0000       0.0000       1.0000								
CBAR       225       20       51       69       0.0000       0.0000       1.0000         CBAR       226       20       69       87       0.0000       0.0000       1.0000         CBAR       227       20       87       105       0.0000       0.0000       1.0000         CBAR       228       20       105       6       0.0000       0.0000       1.0000								
CBAR       226       20       69       87       0.0000       0.0000       1.0000         CBAR       227       20       87       105       0.0000       0.0000       1.0000         CBAR       228       20       105       6       0.0000       0.0000       1.0000			20		69	0.0000	0.0000	1.0000
CBAR 228 20 105 6 0.0000 0.0000 1.0000	CBAR	226	20					
<del></del>								
		220	20	. U J	J	3.0000	0.0000	

CBAR CBAR CBAR CBAR CBAR CBAR CBAR CBAR	229 230 231 232 233 234 235 236 237 238 239 240	20 20 20 20 20 20 20 20 20 20 20 20	7 25 43 61 79 97 16 34 52 70 88 106	25 43 61 79 97 16 34 52 70 88 106 7	0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000	0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000	1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000
CQUAD4 CQUAD4 CQUAD4 CQUAD4 CQUAD4 CQUAD4	241 242 243 244 245 246	30 30 30 30 30 30	1 2 3 4 5 6	19 20 21 22 23 24	20 21 22 23 24 25	2 3 4 5 6 7	
\$ CQUAD4 CQUAD4 CQUAD4 CQUAD4 CQUAD4 CQUAD4	247 248 249 250 251 252	30 30 30 30 30 30	10 11 12 13 14 15	28 29 30 31 32 33	29 30 31 32 33	11 12 13 14 15	
\$ CQUAD4 CQUAD4 CQUAD4 CQUAD4 CQUAD4 CQUAD4	253 254 255 256 257 258	30 30 30 30 30 30	19 20 21 22 23 24	37 38 39 40 41 42	38 39 40 41 42 43	20 21 22 23 24 25	
\$ CQUAD4 CQUAD4 CQUAD4 CQUAD4 CQUAD4 CQUAD4	259 260 261 262 263 264	30 30 30 30 30 30	28 29 30 31 32 33	46 47 48 49 50	47 48 49 50 51 52	29 30 31 32 33 34	
\$ CQUAD4 CQUAD4 CQUAD4 CQUAD4 CQUAD4 CQUAD4	265 266 267 268 269 270	30 30 30 30 30 30	37 38 39 40 41 42	55 56 57 58 59 60	56 57 58 59 60	38 39 40 41 42 43	
\$ CQUAD4 CQUAD4 CQUAD4 CQUAD4 CQUAD4 CQUAD4	271 272 273 274 275 276	30 30 30 30 30 30	46 47 48 49 50	64 65 66 67 68 69	65 66 67 68 69	47 48 49 50 51 52	
\$ CQUAD4 CQUAD4 CQUAD4 CQUAD4 CQUAD4 CQUAD4	277 278 279 280 281 282	30 30 30 30 30 30	55 56 57 58 59 60	73 74 75 76 77 78	74 75 76 77 78 79	56 57 58 59 60	
\$ CQUAD4	283	30	64	82	83	65	

CQUAD4 CQUAD4 CQUAD4	284 285 286	30 30 30	65 66 67	83 84 85	84 85 86	66 67 68
CQUAD4 CQUAD4 \$	287 288	30 30	68 69	86 87	87 88	69 70
CQUAD4	289	30	73	91	92	74
CQUAD4	290	30	74	92	93	75 76
CQUAD4 CQUAD4	291 292	30 30	75 76	93 94	94 95	76 77
CQUAD4	292	30	77	95	96	78
CQUAD4	294	30	78	96	97	79
\$						
CQUAD4	295	30	82	100	101	83
CQUAD4	296	30	83	101	102	84
CQUAD4	297	30	84	102	103	85
CQUAD4	298	30	85	103	104	86
CQUAD4	299	30	86	104	105	87
CQUAD4	300	30	87	105	106	88
\$ CQUAD4	301	30	91	10	11	92
CQUAD4	302	30	92	11	12	93
CQUAD4	303	30	93	12	13	94
CQUAD4	304	30	94	13	14	95
CQUAD4	305	30	95	14	15	96
CQUAD4	306	30	96	15	16	97
\$						
CQUAD4	307	30	100	1	2	101
CQUAD4	308	30	101	2	3	102
CQUAD4	309	30	102	3	<b>4</b> 5	103 104
CQUAD4 CQUAD4	310 311	30 30	103 104	<b>4</b> 5	6	105
CQUAD4	312	30	104	6	7	106
\$	312	30	103	Ü	•	100
\$						
CTRIA3	313	40	109	1	19	
CTRIA3	314	40	109	19	37	
CTRIA3	315	40	109	37	55	
CTRIA3	316	40	109	55	73	
CTRIA3				73	91	
CTRIA3 CTRIA3	318 319	40 40	109 109	91 10	10 28	
CTRIA3		40	109	28	46	
CTRIA3	321	40	109	46	64	
CTRIA3	322	40	109	64	82	
	323	40	109	82	100	
CTRIA3	324	40	109	100	1	
\$	205	4.0	110	-	25	
CTRIA3	325	40	110	7	25	
CTRIA3	326	40	110	25 43	43 61	
CTRIA3	327 328	40 40	110 110	43 61	79	
CTRIA3	329	40	110	79	97	
CTRIA3		40	110	97	16	
	331	40	110	16	34	
	332	40	110	34	52	
CTRIA3		40	110	52	70	
CTRIA3		40	110	70	88	
CTRIA3		40	110	88	106	
	336	40	110	106	7	
\$ \$						
\$ GRAV	100		107.91	0.0	0.0	-1.0
GRAV	200		34.3	1.0	0.0	0.0
Ś						
Ċ1	2	.3	.4	.5	. <b>.</b> 6 <b></b> .	78910
24						

GRID GRID GRID GRID GRID GRID GRID GRID	1 2 3 4 5 6 7 8 9	0.0843 0.0000 0.0000 0.1574 0.0000 0.0422 0.2304 0.0000 0.0844 0.3148 0.0000 0.2304 0.3148 0.0000 0.3991 0.2304 0.0000 0.5452 0.0843 0.0000 0.6296 0.2648 0.0000 0.4448 0.2648 0.0000 0.1848 -0.0843 0.0000 0.0000	123
GRID	11	-0.1574 0.0000 0.0422	123
GRID	12	-0.2304 0.0000 0.0844	
GRID	13	-0.3148 0.0000 0.2304	
GRID	14	-0.3148 0.0000 0.3991	
GRID	15	-0.2304 0.0000 0.5452	
GRID	16	-0.0843 0.0000 0.6296	
GRID	17	-0.2648 0.0000 0.4448	
GRID	18	-0.2648 0.0000 0.1848	
GRID	19	0.0730 -0.0422 0.0000	123
GRID	20	0.1363 -0.0787 0.0422	
GRID	21	0.1996 -0.1152 0.0844	
GRID	22	0.2726 -0.1574 0.2304	
GRID	23	0.2726 -0.1574 0.3991	
GRID	24	0.1996 -0.1152 0.5452	
GRID	25	0.0730 -0.0422 0.6296	
GRID	26	0.2293 -0.1324 0.4448	
	27	0.2293 -0.1324 0.1848	
GRID	28	-0.0730 0.0422 0.0000	123
GRID	29	-0.1363 0.0787 0.0422	
GRID	30	-0.1996 0.1152 0.0844	
GRID	31	-0.2726 0.1574 0.2304	
GRID	32	-0.2726 0.1574 0.3991	
GRID	33	-0.1996 0.1152 0.5452	
GRID	34	-0.0730 0.0422 0.6296	
GRID	35	-0.2293 0.1324 0.4448	
	36	-0.2293 0.1324 0.1848	
GRID	37	0.0422 -0.0730 0.0000	123
GRID	38	0.0787 -0.1363 0.0422	
GRID	39	0.1152 -0.1996 0.0844	
GRID	40	0.1574 -0.2726 0.2304	
GRID	41	0.1574 -0.2726 0.3991	
GRID	42	0.1152 -0.1996 0.5452	
GRID	43	0.0422 -0.0730 0.6296	
GRID	44	0.1324 -0.2293 0.4448	
GRID GRID GRID GRID GRID GRID GRID GRID	45 46 47 48 49 50 51 52 53	0.1324 -0.2293	123
GRID	54	-0.1324 0.2293 0.1848	123
GRID	55	0.0000 -0.0843 0.0000	
GRID	56	0.0000 -0.1574 0.0422	
GRID	57	0.0000 -0.2304 0.0844	
GRID	58	0.0000 -0.3148 0.2304	
GRID	59	0.0000 -0.3148 0.3991	
GRID	60	0.0000 -0.2304 0.5452	
GRID	61	0.0000 -0.0843 0.6296	
	62	0.0000 -0.2648 0.4448	
GRID GRID GRID GRID	63 64 65 66	0.0000 -0.2648	123

```
GRID
               67
                                          0.0000 0.3148 0.2304
               68
GRID
                                         0.0000 0.3148 0.3991
               69
GRID
                                         0.0000 0.2304 0.5452
               70
GRID
                                        0.0000 0.0843 0.6296
               71
                                        0.0000 0.2648 0.4448
GRID
                                       0.0000 0.2648 0.1848

-0.0422 -0.0730 0.0000

-0.0787 -0.1363 0.0422

-0.1152 -0.1996 0.0844
               72
GRID
               73
GRID
               74
GRID
                                                                                              123
               75
GRID
                                       -0.1574 -0.2726 0.2304
GRID
               76
                                       -0.1574 -0.2726 0.3991
GRID
               77
                                      -0.1152 -0.1996 0.5452
               78
GRID
             79
80
81
82
83
                                      -0.0422 -0.0730 0.6296
GRID
                                     GRID
GRID
GRID
                                                                                               123
GRID
                                        0.1152 0.1996 0.0844
             84
GRID
                                       0.1574 0.2726 0.2304
GRID
             85
                                       0.1574 0.2726 0.3991
GRID
             86
                                    0.1574 0.2726 0.3991

0.1152 0.1996 0.5452

0.0422 0.0730 0.6296

0.1324 0.2293 0.4448

0.1324 0.2293 0.1848

-0.0730 -0.0422 0.0000

-0.1363 -0.0787 0.0422
GRID
             87
            88
89
GRID
GRID
             90
GRID
GRID
             91
GRID
             92
                                                                                               123
                                      -0.1996 -0.1152 0.0844
GRID
             93
           93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
                                     -0.2726 -0.1574 0.2304
GRID
GRID
                                      -0.2726 -0.1574 0.3991
                                     -0.2726 -0.1574 0.3991

-0.1996 -0.1152 0.5452

-0.0730 -0.0422 0.6296

-0.2293 -0.1324 0.4448

-0.2293 -0.1324 0.1848

0.0730 0.0422 0.0000

0.1363 0.0787 0.0422
GRID
GRID
GRID
GRID
GRID
                                                                                               123
GRID
                                       0.1996 0.1152 0.0844
GRID
                                       0.2726 0.1574 0.2304
GRID

      0.2726
      0.1574
      0.3991

      0.1996
      0.1152
      0.5452

      0.0730
      0.0422
      0.6296

      0.2293
      0.1324
      0.4448

      0.2293
      0.1324
      0.1848

      0.0000
      0.0000
      0.0000

      0.0000
      0.0000
      0.0000

                                       0.2726 0.1574 0.3991
GRID
GRID
GRID
GRID
             108
GRID
GRID
             109
                                        0.0000 0.0000 0.6296
GRID
             110
$1.....2.....3.....4......5......6......7......8......9......10
LOAD 500 1.0 1.0 100 1.0 200
MAT1 25 70.0+9 26.316+90.33 2700.0 23.0-6
PBAR 10 25 4.0323-51.355-101.355-108.130-10
PBAR 20 25 1.613-4 8.671-9 5.420-106.121-9
PSHELL 30 25 .003 25 1.0 25 .833333
PSHELL 40 25 .003 25 1.0 25 .833333
             COUPMASS1
PARAM
             GRDPNT 0
PARAM
             USETPRT 1
PARAM
SPC1
              102
ENDDATA
```

## Appendix A, cont.

NASTRAN Selected Static Output

#### PLOTTER DATA

THE FOLLOWING PLOTS ARE FOR A NASTPLT PLOTTER

PAPER SIZE = 20.0 X 20.0, PAPER TYPE = VELLUM

PEN 1 - SIZE 1, BLACK PEN 2 - SIZE 1, BLACK PEN 3 - SIZE 1, BLACK PEN 4 - SIZE 1, BLACK

ENGINEERING DATA

ORTHOGRAPHIC PROJECTION

ROTATIONS (DEGREES) - GAMMA = 0.00, BETA = 0.00, ALPHA = 0.00, AXES = -Y,+X,+Z, SYMMETRIC SCALE (OBJECT-TO-PLOT SIZE) = 2.947904E+01

```
1 - X0 = -9.280000E+00, Y0 = -9.600000E-01
                                                                           (INCHES)
 LIST OF PLOTS
                        UNDEFORMED SHAPE
                                                                                    MAY 5, 1993 MSC/NASTRAN 9/ 4/91 PAGE 15
    BATSAT STRUCTURE
     SIDE VIEW PANEL STRESSES (MOD14)
                            OUTPUT FROM GRID POINT WEIGHT GENERATOR REPERENCE POINT = 0
0
                                                                   M O
                       S
                                             * 1.000000E+00 0.000000E+00 0.000000E+00 *
* 0.000000E+00 1.00000E+00 0.00000E+00 *
* 0.000000E+00 0.00000E+00 1.00000E+00 *
                                 DIRECTION
                                                 MASS
1.655534E+01
                                                                                        Y-C.G.
                           MASS AXIS SYSTEM (S)
                                                                         X-C.G.
                                                                 -1.54794E-20 -1.516289E-18 3.077791E-01 2.326518E-18 9.917600E-21 3.077791E-01 2.522986E-18 -1.003219E-18 -6.586943E-21
                                   Х
                                                 1.655534E+01
                                                 1.655534E+01
                                                                    I (S)
                                             * 1.117610E+00 -9.622294E-19 -2.159623E-17 *
* -9.622294E-19 1.117610E+00 7.020921E-18 *
* -2.159623E-17 7.020921E-18 1.028373E+00 *
                                                                   I (Q)
                                             * 1.117610E+00
                                                               1.117610E+00
                                                                             1.028373E+00 *
                                                                     0
                                                1.000000E+00 0.000000E+00 0.000000E+00 *
                                             * 0.000000E+00 1.000000E+00 0.000000E+00 * 0.000000E+00 0.000000E+00 1.000000E+00 *
                                                                                     MAY 5, 1993 MSC/NASTRAN 9/ 4/91 PAGE
                                                                                                                                      16
1 BATSAT STRUCTURE
     SIDE VIEW PANEL STRESSES (MOD14)
                                                                                     MAY 5, 1993 MSC/NASTRAN 9/ 4/91 PAGE
    BATSAT STRUCTURE
     SIDE VIEW PANEL STRESSES (MOD14)
                                                     OLOAD RESULTANT
         1 5.6784802E+02 1.8697655E-17 -1.7864865E+03 0.0000000E+00 1.7477174E+02 0.0000000B+00
                                                                                           5, 1993 MSC/NASTRAN 9/ 4/91 PAGE
                                                                                                                                      18
    BATSAT STRUCTURE
                                                                                     MAY
      SIDE VIEW PANEL STRESSES (MOD14)
٥
          USET DEFINITION TABLE (INTERNAL SEQUENCE, COLUMN SORT)
                                              SB SG
                                                                                        G
                                                               L
                                                                           F
              INT DOF INT GP. EXT GP. DOF
                                                                     λ
                  1 -
                           1 G
                                      8 - 1
                                                               1
                                                                     1
                                                                            1
                                                                                  1
                                                                                        1
                                         - 3
                                                                                  6
7
                   7 -
                            2 G
                                       9 - 1
                   8 -
                                                                                  8
                  9-
                                         - 3
                                                                                                                                 10
                  10-
                                                                     10
                                                              11
                                                                     11
                                                                           11
                                                                                 11
                                                                                        11
                                                                                                                                 11
                                                                                 12
                  12-
                                                              12
                                                                     12
                                                                           12
                                                                                        12
                                                                                 13
                                                                                        13
                                                                                                                                 13
                                         - 2
- 3
                                                              14
15
                                                                    14
15
                                                                           14
15
                                                                                 14
15
                                                                                        14
                                                                                                                                 15
                  15-
                  16-
                                                                                 16
                                                                                        16
                                                                                                                                 16
```

- 5

17

17

17

17

17

18

SUBCASE 1

		FORCES	IN BAR ELEMENT			
0	ELEMENT	BEND-MOMENT END-A	BEND-MOMENT END-B	- SHEAR -	AXIAL	mon or in
	ID.	PLANE 1 PLANE 2	PLANE 1 PLANE 2	PLANE 1 PLANE 2	FORCE 1.084783E+01	TORQUE 2.971920E-13
	1	-3.590761E-13 2.144488E-02	1.106471E-13 -3.499864E-02	-5.565014E-12 6.687108E-01	-4.457223E+01	2.931055E-14
	2	9.351339E-14 -7.868370E-02	-5.512026E-14 6.357207E-02	1.762736E-12 -1.687097E+00 9.097656E-15 4.154160E-02	-2.166726E+01	4.877645E-15
	3	1.595531E-15 1.171102E-02	6.130488E-17 4.705452E-03		-9.374801E+00	5.545486E-15
	4	-1.228829E-15 -1.854249E-02	1.752490E-15 1.526943E-02	-1.767231E-14 -2.004263E-01	-4.976630E+00	1.440544E-14
	5	1.426244E-14 -9.070121E-03	-2.129563E-14 6.221632E-03	2.107441E-13 -9.063052E-02	-3.507457E+00	1.006417E-13
	6	-6.618376E-14 -1.165417E-03	1.811587E-13 -6.451873E-04	-1.465939E-12 -3.083276E-03	4.985665E-01	4.359654E-14
	7	1.328638E-13 -2.028330E-02	-3.653876E-14 3.386560E-02	6.557756E-13 -2.096162E-01 -1.337118E-14 -1.898441E-01	-1.100659E+00	4.275405E-14
	8	-2.132455E-15 -2.535553E-02	1.344051E-15 2.400393E-02	7.468870E-13 -2.999895E-01	-4.480549E+01	7.227024E-14
	9	4.161772E-14 -4.294580E-02	-1.513211E-13 3.454868E-02	6.691468E-13 8.810045E-01	-1.761725E+00	1.418675E-14
	10	-5.952623E-15 9.743042E-03	-5.127953E-14 -4.993476E-02		-4.260091E+01	4.193039E-14
	11	1.322520E-14 3.175361E-02	6.467260E-14 -5.863283E-02	-7.602582E-13 1.335675E+00 5.577639E-12 1.226258E-01	6.335533E+00	2.048117E-13
	12	3.634989E-13 2.221957E-03	-1.072898E-13 -8.128450E-03	-2.034882E-12 -4.617968E-01	9.981408E-01	3.063550E-14
	13	-1.081138E-13 -2.412591E-02	6.346715E-14 1.481274E-02	-1.105501E-14 1.008280E-01	-4.439110E+00	5.438592E-15
	14	-1.728371E-15 6.843613E-03	1.359432E-16 -1.015999E-02	9.542967E-15 1.736289E-01	-3.945104E+00	6.197978E-15
	15	7.309290E-16 1.425886E-02	-8.789696E-16 -1.503234E-02	-1.876154E-13 1.141268E-01	-2.755921E+00	1.234841E-14
	16	-1.308880E-14 1.208695E-02	1.856686E-14 -7.169246E-03	1.574510E-12 -2.539071E-02	-2.956770E+00	1.633147E-13
	17	7.212072E-14 -8.711179E-04	-1.935405E-13 3.412962E-03 3.941676E-14 -4.402583E-02	-7.505758E-13 2.725927E-01	3.750731E+00	7.348701E-14
	18	-1.544750E-13 2.639141E-02		1.100310E-14 2.652175E-01	-1.362224E+00	4.491782E-14
	19	-1.642413E-17 3.349094E-02	-2.877231E-15 -3.546562E-02 1.422348E-13 -2.475102E-02	-7.117421E-13 2.783004E-01	-1.513659E+01	4.993161E-14
	20	-4.162522E-14 4.714065E-02		-7.615908E-13 -1.968208E+00	3.329189E+00	4.081806E-14
	21	1.037460E-14 -4.232702E-02	6.196352E-14 9.099621E-02 -5.821990E-14 9.136084E-02	7.227440E-13 -1.839619E+00	-1.124533E+01	1.930331E-14
	22	-9.311121E-15 -3.312795E-02	8.036280E-13 -2.901038E-02	-1.841379E-11 6.735834E-01	2.196456E+00	-7.129661E-14
	23	-7.486548E-13 2.777270E-02	8.033114E-13 2.961048E-02	-2.019745E-11 -7.252854E-01	2.873801E+00	-6.588983E-13
	24	-8.993340E-13 -3.153107E-02	4.291914E-13 -2.834926E-02	-1.130107E-11 6.872713E-01	-2.271778E+00	2.509357E-14
	25 26	-5.234889E-13 2.958771E-02 -3.726431E-13 -3.133868E-02	4.259350E-13 2.865491E-02	-9.473051E-12 -7.116678E-01	-1.733441E+00	-7.542984E-13
	26 27	1,216083E-02 1.574923E-02	-2.040341E-02 -2.481064E-02	3.859239E-01 4.806812E-01	1.055563E+01	7.077573E-04
	28	-3.754690E-02 -6.229705E-02	3.001979E-02 5.104756E-02	-8.007433E-01 -1.343264E+00	-4.148076E+01	-5.417068E-03
	29	9.989605E-03 3.814772E-03	2.994690E-03 4.665184E-03	4.148832E-02 -5.043976E-03	-2.052173E+01	-2.990394E-04
	30	-1.550547E-02 -9.609520E-03	1.294831E-02 8.068538E-03	-1.686650E-01 -1.047899E-01	-9.010637E+00	-3.567546E-05
	31	-7.973676E-03 -4.767393E-03	5.301461E-03 3.263598E-03	-7.917146E-02 -4.760905E-02	-4.826252E+00	2.786209E-04
	32	-8.113426E-04 -6.572965E-04	-6.898224E-04 -5.011598E-04	-7.200772E-04 -9.252005E-04	-3.471506E+00	1.017989E-04
	33	2.009037E-02 -8.003619E-03	-3.339978E-02 1.354119E-02	2.070886E-01 -8.341134E-02	7.196137E-01	2.162914E-03
	34	2.302230E-02 -1.185355E-02	-2.066055E-02 1.369357E-02	1.680110E-01 -9.825817E-02	-1.122436E+00	-3.731592E-04
	35	2.654099E-02 -3.586927E-02	-2.085124E-02 2.808128E-02	1.834804E-01 -2.475864E-01	-4.283487E+01	-3.329445E-03
	36	-1.493154E-02 7.809504E-04	5.515825E-02 -1.633347E-02	-1.034726E+00 2.526578E-01	-1.414710E+00	-6.275317E-03
	37	1.788837E-02 2.797319E-02	-3.137875E-02 -5.672431E-02	7.280481E-01 1.251623E+00	-4.051399E+01	5.876750E-03
	38	-4.189087E-04 1.205415E-03	-2.824195E-03 -4.489919E-03	2.850542E-02 6.749628E-02	6.643507E+00	-6.995315E-04
	39	-1.930806E-03 -2.111342E-02	-1.813357E-03 1.420500E-02	-1.391904E-03 -4.185641E-01	-2.095360E+00	5.384411E-03
	40	5.976103E-03 1.138874E-03	-9.383663E-03 -3.587015E-03	9.110200E-02 2.803025E-02	-5.594239E+00	3.135261E-04
	41	1.288231E-02 6.772039E-03	-1.328888E-02 -7.072475E-03	1.551345E-01 8.206587E-02	-4.310146E+00	4.140049E-05
	42	9.643014E-03 6.968013E-03	-5.767337E-03 -4.167014E-03	9.135512E-02 6.601029E-02	-2.90318 <b>8E</b> +00	-2.746614E-04
	43	-6.202278E-04 -4.336690E-04	1.966204E-03 2.565781E-03	-1.532610E-02 -1.777347E-02	-2.990755E+00	-1.026632E-04
	44	-1.619169E-02 2.128040E-02	2.715116E-02 -3.533000E-02	-1.678031E-01 2.191688E-01	3.535139E+00	-2.160661E-03
	45	-2.788747E-02 1.754001E-02	3.077885E-02 -1.603634E-02	-2.256397E-01 1.291398E-01	-1.346140E+00	4.118293E-04
	46	-4.341981E-02 2.077136E-02	2.520260E-02 -9.200518E-03	-2.656736E-01 1.160370E-01	-1.714005E+01	3.317879E-03
	47	2.453551E-02 -3.301664E-02	-5.172138E-02 7.516263E-02	1.125770E+00 -1.597035E+00	2.991270E+00	6.250551E-03
	48	-3.119554E-02 -1.430750E-02	8.216929E-02 4.102083E-02	-1.675256E+00 -8.176181E-01	-1.336062E+01	-5.886101E-03
	49	4.257632E-04 2.801530E-02	-3.075795E-04 -2.903874E-02	8.697152E-03 6.766381E-01	2.239632E+00	1.665154E-04
	50	4.222245E-04 -3.126584E-02	-3.058539E-04 2.955695E-02	8.634720E-03 -7.213342E-01	2.826720E+00	-1.673221E-04
1	BATSAT STRU			MAY 5, 1993 MSC/NAST	TRAN 9/ 4/91	PAGE 42
_	SIDE VIEW	PANEL STRESSES (MOD14)			amere 1	
0					SUBCASE 1	
		FORCES	IN BAR ELEMENT	rs (CBAR)		
0	ELEMENT	BEND-MOMENT END-A	BEND-MOMENT END-B	- SHEAR -	AXIAL	
•	ID.	PLANE 1 PLANE 2	PLANE 1 PLANE 2	PLANE 1 PLANE 2	FORCE	TORQUE

ELEMENT	BEND-MOMENT END-A	BEND-MOMENT END-R	- SHEAR -	WIND	
ID.	PLANE 1 PLANE 3	PLANE 1 PLANE 2		force <b>Torque</b>	
51	4.815668E-04 2.969050			-2.236255E+00 1.300307E-04	
52	4.816061E-04 -3.120659	E-02 -2.992316E-04 2.862079		-1.770165E+00 -1.320234E-04	
53	1.161587E-02 -1.04928			9.734171E+00 1.198611E-03	
54	-5.079036E-02 2.59819				
55	3.582076E-03 -7.31912	SE-03 7.187615E-03 -1.720148	E-04 -2.138521E-02 -4.239102E-02	-1.735949E+01 -5.475537E-04	
56	-1.561429E-02 7.86345			-8.017959E+00 -7.531007E-05	
57	-7.746551E-03 6.10189	IE-03 5.117561E-03 -3.973575		-4.420108E+00 4.723465E-04	
58	-1.841763E-04 7.08029	E-04 -6.230299E-04 1.228768		-3.367541E+00 1.784743E-04	
59	9.999488E-03 2.22836	7E-02 -1.693849E-02 -3.689345		1.305749E+00 3.738995E-03	
60	2.260979E-02 1.55423	9E-02 -2.453909E-02 -1.116628			
61	4.626993E-02 1.26465	BE-02 -3.437777E-02 -8.465639		-3.742892E+01 -5.748353E-03	
62	-3.257121E-03 -2.35901	2E-02 1.919570E-02 6.991457	E-02 -3.314678E-01 -1.380397E+00	-4.915852E-01 -1.082779E-02	
63	3.493507E-02 -8.45668	7E-03 -7.577238E-02 1.408836		-3.479886E+01 1.019692E-02	
64	-9.638674E-04 4.05100	E-03 6.761833E-04 -2.919202	E-03 -1.943649E-02 8.260497E-02	7.464971E+00 -1.206837E-03	
65	-1.517426E-02 -1.52016	SE-02 1.087325E-02 1.572136		-1.038853E+01 9.350347E-03	
66	-4.314262E-04 -4.64322	7E-03 -5.190738E-03 8.080184		-8.756479E+00 5.330670E-04	
67	1.277350E-02 -8.51810		E-03 1.505281E-01 -9.978780E-02	-5.302825E+00 6.958505E-05	
68	9.870138E-03 -5.63351	2E-03 -6.031237E-03 3.457037	E-03 9.426599E-02 -5.389028E-02	-3.309331E+00 -4.763060E-04	
69	6.938424E-06 4.84401		E-03 -1.200556E-02 1.376259E-02	-3.094721E+00 -1.776100E-04	
70	-2.628257E-02 -7.00034	4E-03 4.361244E-02 1.197774	E-02 -2.706006E-01 -7.347420E-02	2.949004E+00 -3.741247E-03	
71	-2.829999E-02 -1.38511	7E-02 2.690031E-02 1.856363	E-02 -2.123088E-01 -1.246723E-01	-1.297558E+00 6.762836E-04	
72	-2.369087E-02 -4.39941		E-02 -1.369241E-01 -2.818870E-01	-2.254599E+01 5.759919E-03	
73	3.620993E-02 1.02074	7E-02 -8.768392E-02 -2.158153	E-02 1.829027E+00 4.692965E-01	2.068146E+00 1.085255E-02	
74	-1.414884E-02 3.38240	0E-02 3.777566E-02 -8.365679	E-02 -7.673178E-01 1.736080E+00		
75	-7.307676E-04 -2.87034	1E-02 5.292339E-04 2.914896	BE-02 -1.494312E-02 -6.861063E-01	2.363853E+00 2.875661E-04	
76	-7.343062E-04 3.05777	3E-02 5.309596E-04 -2.944672		2.702499E+00 -2.867593E-04	
77	-8.374247E-04 -3.00108	5E-02 5.198264E-04 2.841203			
78	-8.373854E-04 3.08862	3E-02 5.198665E-04 -2.856475			
79	2.218983E-03 -9.61145	9E-03 -1.614133E-03 1.343509		8.591681E+00 1.393502E-03	
80	-2.475919E-02 2.72788	9E-02 2.138408E-02 -2.43796			
81	-4.736858E-03 -2.43370	2E-03 4.441009E-03 -7.43271			
82	-1.147575E-03 1.64006	7E-02 1.033259E-03 -1.51508			
83	9.061480E-04 1.05785	4E-02 -5.384588E-04 -6.69543			
84	3.666873E-04 1.47149	5E-04 3.886380E-04 2.02907	5E-03 -1.300967E-04 -1.115371E-02		
85	-1.277510E-02 2.33373				
86	-2.490008E-03 2.94232				
87	2.229456E-02 4.50432				
88	1.824134E-02 -2.60350	3E-02 -4.692085E-02 7.04654			
89	1.895599E-02 -3.24407	8E-02 -4.482878E-02 7.49968	3E-02 9.425724E-01 -1.587647E+00	-2.692312E+01 1.176799E-02	
	· ·				

```
-4.725084E-02 -6.591293E-02 4.349691E-02
3.790018E-02 1.053804E-01 5.426811E-03
-3.679375E-03 -1.526136E-02 8.543625E-05
                                                                                                                                                -7.667595E+00 -1.758206E+01
                       5.840750E+02 -2.340509E+03 -2.622489E+03
                       1.145086E+03 -7.123824E+02 -7.507527E+02
         267
                                                                                                                                                 4.208248E-01 -2.385860E-01
                                                                                                                                                 -6.687283E-01 -3.425724E+00
                        3.440515E+02 -4.324756E+02 -2.731831E+02
         269
270
                      9.214516E+01 -2.944826E+02 -1.239226E+02 -5.784969E+01 -2.901468E+02 -7.358328E+01
                                                                                   -1.827132E-02 -3.533856E-02 -6.650033E-04 -7.397202E-03 -1.956263E-02 -1.072379E-03
                                                                                                                                                -9 339312E-01 -1 847940E+00
                                                                                                                                                -4.089126E-01 1.513366E-01
-6.372569E+00 3.452614E+00
                       7.384348E+02 -1.235699E+02
4.704423E+02 -1.362935E+03 2.625096E+03
8.230325E+02 -5.186360E+02 7.503003E+02
                                                                                   -1.069292E-02 -1.516873E-02 -6.864618E-03
                                                                                   -9.306367E-03 -3.171459E-04 -4.362293E-02
                                                                                                                                                 7.674496E+00 -6.718120E+00
         272
                                                                                   2.915794E-02 7.622188E-02 -5.410534E-03
-3.661976E-03 -7.138585E-03 -5.767200E-05
                                                                                                                                                -4.284848E-01 -8.672036E-01
          273
                       2.550189E+02 -3.608545E+02 2.731595E+02 3.022311E+01 -2.688803E+02 1.238849E+02
                                                                                                                                                 6.704285E-01 -3.297414E+00
          274
                                                                                                                                                 9.365753E-01 -1.961423E+00
                                                                                   -2.260741E-02 -4.097283E-02 6.670963E-04
          275
                                                             1.238849E+02
                      -9.339983E+01 -2.887101E+02
3.014476E+02 7.384348E+02
                                                                                   -7.707814E-03 -2.123360E-02
-1.069292E-02 -1.516873E-02
                                                                                                                                                 4.093098E-01 2.930611E-01
6.372569E+00 3.452614E+00
                                                              7.364703E+01
                                                                                                                          1.069567E-03
                                                                                                                           6.86461BE-03
                                                                                                                                                 6.372569E+00
          277
                                                             1.235699E+02
                                                                                   -9.306367E-03 -3.171459E-04
2.915794E-02 7.622188E-02
                        4.704423E+02 -1.362935E+03 -2.625096E+03
                                                                                                                           4.362293E-02
                                                                                                                                                -7.674496E+00 -6.71B120E+00
          27B
                                                                                                                                                 4.284848E-01 -8.672036E-01
          279
                       8.230325E+02 -5.186360E+02 -7.503003E+02
2.550189E+02 -3.608545E+02 -2.731595E+02
                                                                                                                           5.410534E-03
                                                                                   -3.661976E-03 -7.138585E-03
                                                                                                                           5.767200E-05
                                                                                                                                                -6.704285E-01 -3.297414E+00
          280
                                                                                                                                                -9.365753E-01 -1.961423E+00
                        3.022311E+01 -2.688803E+02 -1.238849E+02
                                                                                   -2.260741E-02 -4.097283E-02 -6.670963E-04
                                                                                                                                                -4.093098E-01 2.930611E-01
-6.361629E+00 7.393185E+00
                                                                                   -7.707814E-03 -2.123360E-02 -1.069567E-03
                      -9.339983E+01 -2.887101E+02 -7.364703E+01 3.534035E+02 8.471934E+02 -1.234523E+02
          282
                                                                                   -3.777957E-02 -6.372009E-02 -6.865422E-03
          283
                       5.840750E+02 -2.340509E+03 2.622489E+03
1.145086E+03 -7.123824E+02 7.507527E+02
                                                                                   -4.725084E-02 -6.591293E-02 -4.349691E-02 3.790018E-02 1.053804E-01 -5.426811E-03 -3.679375E-03 -1.526136E-02 -8.543625E-05
                                                                                                                                                 7.667595E+00 -1.758206E+01
                                                                                                                                                -4.208248E-01 -2.385860E-01
6.687283E-01 -3.425724E+00
          285
                        3.440515E+02 -4.324756E+02
                                                              2.731831E+02
          286
                                                                                                                                                  9.339312E-01 -1.847940E+00
                                                                                                                          6.650033E-04
                                                                                   -1.827132E-02 -3.533856E-02
          2R7
                        9.214516E+01 -2.944826E+02 1.239226E+02
                                                                                                                          1.072379E-03
                                                                                                                                                  4.089126E-01 1.513366E-01
                                                             7.358328E+01
                                                                                   -7.397202E-03 -1.956263E-02
                      ~5.784969E+01 -2.901468E+02
          288
                                                                                                                                               4.682122E+00 3.221761E-02
-5.636991E+00 2.673728E+00
                                                                                  1.278056E-02 2.691199E-02 5.030826E-03 2.362441E-02 5.660649E-02 3.189762E-02
                       2.565121E+02 6.450062E+02 9.034018E+01
          290
                        3.725855E+02 -5.191925E+02 -1.919869E+03
    BATSAT STRUCTURE
                                                                                                             MAY 5, 1993 MSC/NASTRAN 9/ 4/91 PAGE
      SIDE VIEW PANEL STRESSES (MOD14)
                                                                                                                                                      SUBCASE 1
                                  FORCES IN QUADRILATERAL ELEMENTS (QUAD4)
                                   - MEMBRANE FORCES - FXY
                                                                                                - BENDING MOMENTS -
                                                                                                                                                - TRANSVERSE SHEAR PORCES -
    ELEMENT
                                                                                                             MV
                                                                                                                                MXY
                                                                                                                                                      OX
                                                                                                                                                                           OY
       ID
                                                                                          MX
                                                                                  MX MY MAY 2.155004E-02 5.090450E-02 3.964988E-03 -3.601516E-03 -6.561957E-05 4.963365E-05 -2.639591E-02 -4.586403E-02 -4.875443E-04
                                                                                                                                                3.080928E-01 -1.413865E+00
         291
                        5.440270E+02 -3.508220E+02 -5.494080E+02
                      5.440270E+02 -3.508220E+02 -5.494080E+02
1.779070E+02 -2.988895E+02 -1.999196E+02
-2.333251E+01 -2.465347E+02 -9.074060E+01
-1.241116E+02 -2.873134E+02 -5.388642E+01
3.984750E+02 9.417280E+02 -9.034018E+01
6.808348E+02 -3.188227E+03 1.919869E+03
1.424169E+03 -8.805180E+02 5.494080E+02
4.212050E+02 -4.944595E+02 1.999196E+02
1.456992E+02 -3.165609E+02 9.074060E+01
-2.685900E+01 -2.916120E+02 5.388642E+01
2.305433E+02 5.996006E+02 3.302573E+01
                                                                                                                                                -4.906484E-01 -3.185804E+00
          292
                                                                                                                                                -6.834825E-01 -2.061070E+00
-3.029959E-01 4.160261E-01
-4.682122E+00 1.082029E+01
          293
                                                                                   -8.053681E-03 -2.270973E-02 -7.830276E-04
          294
                                                                                   -6.117753E-02 -1.057644E-01 -5.030826E-03 -8.031138E-02 -1.226618E-01 -3.189762E-02
                                                                                                                                                 5.636991E+00 -2.695327E+01
          296
                                                                                  4.504438E-02 1.303880E-01 -3.964988E-03
-3.886455E-03 -2.231827E-02 -4.963365E-05
                                                                                                                                                -3.080928E-01 3.051223E-01
4.906484E-01 -3.535986E+00
          297
                                                                                   -1.453263E-02 -3.048427E-02 4.875443E-04
-7.097768E-03 -1.809774E-02 7.830276E-04
                                                                                                                                                 6.834825E-01 -1.749176E+00
3.029959E-01 2.856101E-02
1.705994E+00 -1.940346E+00
          299
          300
                                                                                    2.629867E-02 5.117396E-02 1.830485E-03
4.270343E-02 8.946729E-02 1.166887E-02
                       2.305433E+02 5.906006E+02 3.302573E+01
3.164997E+02 -3.004304E+01 -7.029039E+02
          301
                                                                                                                                                -2.052203E+00 8.095702E+00
          302
                                                                                  1.730427E-02 3.3636815E-02 1.457379E-03

-3.537118E-03 4.009573E-03 2.040058E-05

-2.855325E-02 -4.867032E-02 -1.765705E-04

-8.197386E-03 -2.354261E-02 -2.907645E-04
                                                                                                                                                1.138642E-01 -1.728503E+00
                       3.829587E+02 -2.535450E+02 -2.012976E+02
1.333423E+02 -2.630892E+02 -7.316280E+01
                                                                                                                                                -1.791735E-01 -3.121838E+00
          304
                        -5.424064E+01 -2.338188E+02 -3.328263E+01
                                                                                                                                                -2.498072E-01 -2.117826E+00
-1.079436E-01 4.868928E-01
          305
                      -1.420886E+02 -2.864876E+02 -1.961604E+01
          306
                                                                                                                                                -1.716934E+00 1.278614E+01
                       4.243077E+02 9.950275E+02 -3.314326E+01
                                                                                   -7.477117E-02 -1.300628E-01 -1.829681E-03
          307
                                                                                                                                                 2.059104E+00 -3.239589E+01
                        7.380176E+02 -3.673401E+03 7.055115E+02
                                                                                   -9.926064E-02 -1.556974E-01 -1.179488E-02
          308
                                                                                                                                                -1.215242E-01 6.227138E-01
                       1.585160E+03 -9.774734E+02 2.008452E+02
4.657281E+02 -5.302409E+02 7.313913E+01
                                                                                   4.975385E-02 1.452342E-01 -1.441102E-03
          209
                                                                                   -3.804233E-03 -2.640952E-02
                                                                                                                          7.363667E-06
                                                                                                                                                 1.808737E-01 -3.601300E+00
          310
                                                                                                                                                 2.524513E-01 -1.691536E+00
                      1.766089E+02 -3.295441E+02 3.324495E+01 -1.232549E-02 -2.764107E-02 1.786635E-04 -9.160946E+00 -2.923692E+02 1.967980E+01 -6.907630E-03 -1.725362E-02 2.879529E-04
          311
                                                                                                                                                 1.083408E-01 -4.249511E-02
          312
    BATSAT STRUCTURE
                                                                                                             MAY
                                                                                                                     5, 1993 MSC/NASTRAN 9/4/91 PAGE 48
      SIDE VIEW PANEL STRESSES (MOD14)
                                                                                                                                                      SUBCASE 1
                                       FORCES IN TRIANGULAR ELEMENTS (TRIA3)
     ELEMENT
                                   - MEMBRANE FORCES -
                                                                                                - BENDING MOMENTS -
                                                                                                                                                - TRANSVERSE SHEAR FORCES -
                                                                                                                                MXY
                                                                                                                                               QX QY
-1.341242E+01 -3.629241E+00
                             FX
                                                                   PXY
                                                                                          MX
                                                                                                             MY
       ID
                                                                                  -1.389326E-02 -1.096154E-02 6.959004E-04
                        2.828431E+02 3.619044E+02 -2.006487E+01
         313
                                                                                  -1.033262E-02 -5.561737E-03 2.797052E-03

-2.896355E-03 2.433355E-03 4.128995E-03

6.449910E-03 1.095433E-02 4.385742E-03

1.522677E-02 1.768626E-02 3.462604E-03

2.103826E-02 2.075778E-02 1.606153E-03
                                                                                                                                               -1.349378E+01 -3.788272E+00
-1.370117E+01 -3.955634E+00
          314
                        2.797918E+02 3.429239E+02 -1.014448E+01
2.773234E+02 3.074381E+02 2.351855E+00
          315
                        2.759903E+02 2.647839E+02 1.404323E+01
2.758804E+02 2.267170E+02 2.219034E+01
2.774180E+02 2.033702E+02 2.444205E+01
                                                                                                                                                -1.397548E+01 -3.956221E+00
          316
                                                                                                                                                -1.419375E+01 -3.975418E+00
          317
                                                                                                                                                -1.435229E+01 -3.954347E+00
                                                                                                                                                -1.440456E+01 -3.7594B3E+00
                        2.800517E+02 2.007365E+02 1.988613E+01
2.828293E+02 2.197682E+02 1.012404E+01
2.853529E+02 2.554214E+02 -2.152674E+00
                                                                                    2.235985E-02 1.943618E-02 -6.800230E-04
          319
                                                                                     1.883420E-02 1.407883E-02 -2.801517E-03
                                                                                                                                                -1.428386E+01 -3.638389E+00
          320
                                                                                    1.137873E-02 6.025515E-03 -4.140407E-03
2.016685E-03 -2.479685E-03 -4.369865E-03
                                                                                                                                                -1.407927E+01 -3.56927BE+00
                                                                                                                                                -1.384150E+01 -3.432503E+00
          322
                        2.869044E+02 2.978571E+02 -1.422198E+01
          323
                        2.867406E+02 3.359750E+02 -2.221077E+01
                                                                                   -6.725188E-03 -9.169168E-03 -3.467069E-03 -1.255589E-02 -1.229891E-02 -1.617565E-03
                                                                                                                                                -1.358389E+01 -3.451242E+00
                                                                                                                                                -1.342816E+01 -3.570565E+00
          324
                       2.852584E+02 3.594892E+02 -2.424286E+01
                      -2.279715E+02 -1.786455E+02 -1.196417E+01
                                                                                    1.625538E-02 1.810005E-02 1.587912E-04
                                                                                                                                                -1.364186E+01 -3.785041E+00
          325
                      -2.285584E+02 -1.884325E+02 -5.201788E+00

-2.274201E+02 -2.071265E+02 2.876509E+00

-2.249190E+02 -2.300799E+02 1.015638E+01
                                                                                     1.780953E-02 2.039281E-02 1.163792E-03
                                                                                                                                                -1.361117E+01 -4.087207E+00
                                                                                                                                                -1.367714E+01 -4.315587E+00
                                                                                     2.108722E-02 2.367536E-02 1.861753E-03
          127
                                                                                                        2.714378E-02 2.045684E-03
                                                                                                                                                -1.381701E+01 -4.277997E+00
                                                                                     2.523974E-02
          328
                       -2.218711E+02 -2.511057E+02 1.477013E+01
-2.188461E+02 -2.640823E+02 1.544573E+01
                                                                                                                                                -1.394214E+01 -4.175695E+00
                                                                                     2.913949E-02 2.989443E-02 1.690253E-03
           329
                                                                                                                                                 -1.407550E+01 -3.976472E+00
                                                                                     3.172157E-02
                                                                                                        3.106909E-02 8.943732E-04
          330
                       -2.167918E+02 -2.661366E+02
                                                                                                        3.045748E-02 -1.636225E-04
                                                                                                                                                 -1.417600E+01 -3.601804E+00
          331
                                                              1.189208E+01
                                                                                      3.233318E-02
                                                                                                                                                 -1.416577E+01 -3.339266E+00
                       -2.163769E+02 -2.565999E+02 5.229742E+00 -2.174104E+02 -2.375885E+02 -2.832367E+00
           332
                                                                                     3 078945E-02
                                                                                                        2 824447E-02 -1.174821E-03
                                                                                     2.748939E-02
                                                                                                        2.489413E-02 -1.845892E-03
                                                                                                                                                 -1.410312E+01 -3.211393E+00
          333
                        -2.198443E+02 -2.147022E+02 -1.022848E+01
                                                                                     2.334883E-02
                                                                                                        2.141375E-02 -2.050515E-03
                                                                                                                                                -1.400084E+01 -3.108848E+00
                                                                                                        1.874285E-02 -1.701282E-03
                                                                                                                                                 -1.383480E+01 -3.250778E+00
                       -2.230642E+02 -1.939267E+02 -1.474218E+01 -2.259844E+02 -1.806326E+02 -1.540159E+01
           335
                                                                                     1.945949E-02
                                                                                     1.685503E-02 1.750040E-02 -8.785126E-04
                                                                                                                                                -1.370477E+01 -3.550507E+00
          336
     BATSAT STRUCTURE
                                                                                                              MAY 5, 1993 MSC/NASTRAN 9/ 4/91
                                                                                                                                                                  PAGE
                                                                                                                                                                              49
      SIDE VIEW PANEL STRESSES (MOD14)
                                                                                                              MAY 5. 1993 MSC/NASTRAN 9/ 4/91 PAGE
                                                                                                                                                                              50
     BATSAT STRUCTURE
      SIDE VIEW PANEL STRESSES (MOD14)
0
                                                                                                                                                       SUBCASE 1
                                             STRESSES IN BAR ELEMENTS
                                                                                                                            (CBAR)
  ELEMENT
                                                      SA3 SA4 AXIAL
SB3 SB4 STRESS
                                                                                                                                                  SA-MIN
                                                                                                                                                                  M.S.-T
                                            SA2
                                                                                                                              SA-MAX
                                                                                                                                                                 M.S.-C
                                           SB2
                                                                                                                              SB-MAX
                                                                                                                                                   SB-MIN
                                                         0.0
0.0
0.0
0.0
     ID.
                       SB1
                                                                             584

0.0

2.690234E+05

2.690234E+05

2.690234E+05

2.690234E+05

-1.105380E+06

-1.105380E+06

-1.105380E+06

-1.105380E+06

-1.105380E+06

-5.373424E+05

-5.373424E+05
                                                                                                                                              2.690234E+05
                 0.0
                                      0.0
                 0.0
                                      0.0
          2
                 0.0
                                      0.0
0
                  0.0
                                       0.0
          3
                  0.0
                                       0 0
                                                           0.0
```

```
0.0
                             0.0
                                            0.0
                                                            0.0
                                                                                           -5.373424E+05 -5.373424E+05
0
             0.0
                             0.0
                                            0.0
                                                            0.0
                                                                           -2.324926E+05
                                                                                          -2.324926E+05
                                                                                                         -2.324926E+05
             0.0
                             0.0
                                            0,0
                                                            0.0
                                                                                           -2.324926E+05
                                                                                                         -2.324926E+05
0
        5
                                                                           -1.234191E+05
                                                                                                         -1.234191E+05
                             0.0
                                            0.0
                                                            0.0
                                                                                          -1.234191E+05
             0.0
             0.0
                                                                                           -1.234191E+05
                                                                                                          -1.234191E+05
۵
        6
             0.0
                             0.0
                                            0.0
                                                            0.0
                                                                          -8.698404E+04
                                                                                          -8.698404E+04
                                                                                                         -8.698404E+04
                                                                                           -8.698404E+04
                                                                                                          -8.698404E+04
             0.0
                             0.0
                                            0.0
                                                            0.0
0
       7
             0.0
                             0.0
                                            0.0
                                                            0.0
                                                                           1.236432E+04
                                                                                           1.236432E+04
                                                                                                           1.236432E+04
                                                                                                           1.236432E+04
                                                                                           1.236432E+04
             0.0
                             0.0
                                            0.0
                                                            0.0
0
                                                                           -2.729605E+04
                                                                                           -2.729605E+04
                                                                                                          -2.729605E+04
        θ
                                            0.0
                                                                                                          -2.729605E+04
             0.0
                             0.0
                                            0.0
                                                            0.0
                                                                                           -2.729605E+04
0
        9
                                            0.0
                                                            0.0
                                                                           -1.111165E+06
                                                                                           -1.111165E+06
             0.0
                             0.0
                                                                                                         -1.111165R+06
             0.0
                             0.0
                                            0.0
                                                            0.0
                                                                                           -1.111165E+06
                                                                                           -4.369033E+04
                                                                           -4.369033E+04
                                                                                                          -4.369033E+04
0
       10
             0.0
                             0.0
                                            0.0
                                                            0.0
                                            0.0
                                                                                           -4.369033E+04
                                                                                                          -4.369033E+04
             0.0
                                                                                                          -1.056492E+06
                                                                           -1.056492E+06
                                                                                           -1.056492E+06
0
       11
             0.0
                             0.0
                                            0.0
                                                            0.0
                                            0.0
                                                            0.0
                                                                                           -1.056492E+06
                                                                                                          -1.056492E+06
             0.0
                             0.0
0
       12
             0.0
                             0.0
                                            0.0
                                                            0.0
                                                                           1.571196E+05
                                                                                           1.571196E+05
                                                                                                           1.571196E+05
                                                                                                           1.571196E+05
                                                                                           1.571196E+05
             0.0
                             0.0
                                            0.0
                                                            0.0
                                             0.0
                                                                           2.475363E+04
                                                                                           2.475363E+04
                                                                                                           2.475363E+04
0
       13
             0.0
                             0.0
                                                                                                           2.475363E+04
                                                                                           2.475363E+04
             0.0
                             0.0
                                            0.0
                                                            0.0
                                                                                           -1.100888E+05
                                                                                                          -1.100888E+05
                                                                           -1.10088E+05
                                                            0.0
0
       14
             0.0
                             0.0
                                            0.0
                                                                                           -1.1008BBE+05
                                                                                                         -1.1008BBE+05
             0.0
                                                            0.0
                                                                                          -9.783756E+04
                                                                           -9.783756E+04
٥
       15
             0.0
                             0.0
                                            0.0
                                                            0.0
                                                                                           -9 783756E+04
                                                                                                          -9 783756E±04
                                             0.0
                                                            0.0
                             0.0
             0.0
                                                                                                          -6.834614E+04
0
       16
             0.0
                                             0.0
                                                            0.0
                                                                           -6.834614E+04 -6.834614E+04
                                                                                                         -6.834614E+04
             0.0
                             0.0
                                            0.0
                                                            0.0
                                                                                   MAY 5, 1993 MSC/NASTRAN 9/ 4/91
                                                                                                                           PAGE
                                                                                                                                   51
    BATSAT STRUCTURE
     SIDE VIEW PANEL STRESSES (MOD14)
                                                                                                                 SUBCASE 1
0
                                  STRESSES IN
                                                           BAR ELEMENTS
                                                                                              (CBAR)
                                                SA3
                                                                               AXIAL
                                                                SA4
                                                                                               SA-MAX
                                                                                                              SA-MIN
                                                                                                                          M.S.-T
  ELEMENT
                                 SA2
                 SA1
                                                                                                              SB-MIN
                                                                                                                          M.S.-C
                                                                                               SB-MAX
                 SB1
                                 SB2
                                                SB3
                                                                SB4
                                                                               STRESS
    ID.
                                                                                           -7.332713E+04
                                                                                                         -7.332713E+04
                                                            0.0
                                                                           -7.332713E+04
0
       17
             0.0
                             0.0
                                            0.0
                             0.0
                                             0.0
                                                            0.0
                                                                                           -7.332713E+04 -7.332713E+04
             0.0
                                                                            9.301716E+04
                                                                                           9.301716E+04
                                                                                                           9.301716E+04
0
       18
             0.0
                             0.0
                                            0.0
                                                            0.0
                                                            0.0
                                                                                            9.301716E+04
                                                                                                           9.301716E+04
             0.0
                             0.0
                                            0.0
                                                                                                          -3.378280E+04
0
       19
             0.0
                             0.0
                                             0.0
                                                            0.0
                                                                           -3.378280E+04
                                                                                          -3.378280E+04
                                                                                           -3.378280E+04
                                                                                                          -3.378280E+04
             0.0
                             0.0
                                            0.0
                                                            0.0
                                                                                                          -3.753836E+05
0
                                                                           -3.753836E+05
                                                                                          -3.753836E+05
       20
                                                                                           -3.753836E+05
             0.0
                             0.0
                                             0.0
                                                            0.0
0
       21
             0.0
                             0.0
                                             0.0
                                                                           8.256302E+04
                                                                                           8.256302E+04
                                                                                                           8.256302E+04
             0 0
                             0.0
                                             0.0
                                                            0.0
                                                                                           8.256302E+04
                                                                                                           B.256302E+04
                                                                                                          -2.788812E+05
0
       22
                                                            0.0
                                                                           -2.788812E+05
                                                                                           -2.788812E+05
             0.0
                             0.0
                                            0.0
             0.0
                                             0.0
                                                                                           -2 788812E+05
                                                                                                          -2.788812E+05
                                                                           5.447155E+04
                                                                                           5.447155E+04
                                                                                                           5.447155E+04
0
       23
             0.0
                             0.0
                                            0.0
                                                            0.0
                                                                                                           5.447155E+04
             0.0
                             0.0
                                             0.0
                                                            0.0
                                                                                            5.447155E+04
0
       24
             0.0
                             0.0
                                             0.0
                                                            0.0
                                                                           7.126953E+04
                                                                                           7.126953E+04
                                                                                                           7.126953E+04
                                             0.0
                                                                                                           7.126953E+04
             0.0
                             0.0
                                                            0.0
0
       25
             0.0
                                             0.0
                                                                           -5.633950E+04
                                                                                           -5.633950E+04
                                                                                                          -5.633950E+04
                                                                                           -5.633950E+04
                                                                                                          -5.633950E+04
             0.0
                             0.0
                                            0.0
                                                            0.0
                                                                           -4.298890E+04
                                                                                          -4.298890E+04
                                                                                                          -4.298890E+04
0
       26
                                             0.0
             0.0
             0.0
                             0.0
                                             0.0
                                                            0.0
                                                                                           -4.298890E+04
                                                                                                          -4.298890E+04
                                                                                           2.617770E+05
0
       27
                                             0.0
                                                            0.0
                                                                           2.617770E+05
                                                                                                           2.617770E+05
             0.0
                             0.0
             0.0
                                             0.0
                                                            0.0
                                                                                           2.617770E+05
                                                                                                           2.617770E+05
                                                                           -1.028712E+06
                                                                                          -1.028712E+06
                                                                                                          -1.028712E+06
0
       28
                                                            0.0
             0.0
                             0.0
                                             0.0
                                                                                                         -1.028712E+06
-5.089336E+05
             0.0
                                             0.0
                                                            0.0
                                                                                           -1.028712E+06
                                                                           -5.089336E+05 -5.089336E+05
0
       29
             0.0
                             0.0
                                             0.0
                                                            0.0
                             0.0
                                                            0.0
                                                                                           -5.089336E+05
                                                                                                          -5.089336E+05
             0.0
                                             0.0
0
       30
             0.0
                             0.0
                                             0.0
                                                            0.0
                                                                           -2.234615E+05
                                                                                           -2.234615E+05
                                                                                                          -2.234615E+05
             0.0
                             0.0
                                             0.0
                                                            0.0
                                                                                           -2.234615E+05
                                                                                                          -2.234615E+05
                                                                                          -1.196898E+05
0
       31
                                                                           -1.196898E+05
                                                                                                          -1.196898E+05
             0.0
                             0.0
                                             0.0
                                                            0.0
             0.0
                             0.0
                                             0.0
                                                            0.0
                                                                                           -1.196898E+05
                                                                                                          -1.196898E+05
                                                                                                         -8.609246E+04
٥
                                                                           -8.609246E+04 -8.609246E+04
       32
             0.0
                             0.0
                                             0.0
                                                            0.0
                                                                                                          -8.609246E+04
                                             0.0
                                                            0.0
                                                                                           -8.609246E+04
             0.0
                             0.0
    BATSAT STRUCTURE
                                                                                   MAY 5, 1993 MSC/NASTRAN 9/ 4/91
1
                                                                                                                           PAGE
                                                                                                                                    52
     SIDE VIEW PANEL STRESSES (MOD14)
0
                                                                                                                 SUBCASE 1
                                                                                              (CBAR)
                                   STRESSES
                                                   I N
                                                           BAR
                                                                   ELEMENTS
  P.L.PMENT
                 SAI
                                 SA2
                                                 SAR
                                                                SA4
                                                                               AXTAL.
                                                                                               SA-MAX
                                                                                                              SA-MIN
                                                                                                                          M.S.-T
                                                                                                               SB-MIN
    ID.
                 SBI
                                 SB2
                                                 SB3
                                                                SB4
                                                                               STRESS
                                                                                               SB-MAX
                                                                                                                          M.S.-C
0
       33
             0.0
                             0.0
                                             0.0
                                                            0 0
                                                                            1.784623E+04
                                                                                           1.784623E±04
                                                                                                           1.784623E+04
                                                                                                           1.784623E+04
                                                                                            1.784623E+04
             0.0
                             0.0
                                             0.0
                                                            0.0
                                                                                                         -2.783613E+04
                                             0.0
                                                             0.0
                                                                           -2.783613E+04
                                                                                          -2.783613E+04
0
       34
             0.0
                             0.0
                                             0.0
                                                            0.0
                                                                                           -2.783613E+04
                                                                                                          -2.783613E+04
                                                                                           -1.062294E+06
                                                                                                          -1.062294E+06
       35
                                                                           -1.062294E+06
0
                             0.0
                                             0.0
                                                            0.0
             0.0
             0.0
                             0.0
                                             0.0
                                                             0.0
                                                                                           -1.062294E+06
                                                                                                          -1.062294E+06
                                                                           -3.508443E+04
0
       36
             0.0
                             0.0
                                             0.0
                                                             0.0
                                                                                           -3.508443E+04
                                                                                                          -3.508443E+04
                                                                                            3.508443E+04
                                                                                                          -3.508443E+04
                                                                           -1.004737E+06
0
       37
             0.0
                             0.0
                                             0.0
                                                             0.0
                                                                                          -1.004737E+06
                                                                                                          -1.004737E+06
                                                                                           -1.004737E+06
                                                                                                           -1.004737E+06
             0.0
                             0.0
                                             0.0
                                                             0.0
                                                                                                           1.647573E+05
       38
             0.0
                             0.0
                                             0.0
                                                             0.0
                                                                            1.647573E+05
                                                                                           1.647573E+05
0
             0.0
                             0.0
                                             0.0
                                                             0.0
                                                                                            1.647573E+05
                                                                                                           1.647573E+05
                                                                                                           -5.196439E+04
0
       39
                                             0.0
                                                                           -5.196439E+04
                                                                                           -5.196439E+04
              0.0
                             0.0
                                                             0.0
             0.0
                             0.0
                                             0.0
                                                             0.0
                                                                                           -5.196439E+04
                                                                                                           -5.196439E+04
                                                                           -1.387357E+05
                                                                                          -1.387357E+05
                                                                                                           -1.387357E+05
0
       40
                                             0.0
             0.0
                             0.0
                                                             0.0
              0.0
                             0.0
                                             0.0
                                                                                           -1.387357£+05
                                                                                                           -1.387357E+05
0
       41
             0.0
                             0.0
                                             0.0
                                                             0.0
                                                                           -1.068905E+05
                                                                                          -1.068905E+05
                                                                                                           -1.068905E+05
                                                                                           -1.068905E+05
                                                                                                           -1.068905E+05
              0.0
                             0.0
                                             0.0
                                                             0.0
       42
              0.0
                             0.0
                                                                            -7.199831E+04
                                                                                           -7.199831E+04
                                                                                                           -7.199831E+04
              0.0
                             0.0
                                             0.0
                                                             0.0
                                                                                           -7.199831E+04
                                                                                                           -7.199831E+04
                                                                            -7.416995E+04
                                                                                           -7.416995E+04
                                                                                                           -7.416995E+04
0
       43
              0.0
                             0.0
                                             0.0
                                                             0.0
                                                                                           -7.416995E+04
                                                                                                           -7.416995E+04
              0.0
                              0.0
                                                             0.0
                                                                            8.767053E+04
                                                                                           B.767053E+04
                                                                                                            B.767053E+04
۵
       44
              0.0
                             0.0
                                             0.0
                                                             0.0
                                                                                            8.767053E+04
                                                                                                            8.767053E+04
                                             0.0
                                                             0.0
              0.0
                              0.0
       45
              0.0
                              0.0
                                             0.0
                                                             0.0
                                                                            -3.338393E+04
                                                                                           -3.33B393E+04
                                                                                                           -3.338393E+04
0
                                                                                            -3.338393E+04
              0.0
                              0.0
                                             0.0
                                                             0.0
                                                             0.0
                                             0.0
                                                                            -4.250688E+05
                                                                                           -4.250688E+05
                                                                                                           -4.250688E+05
        46
                              0.0
```

-4.250688E+05 7.418273E+04

7.418273E+04

7.418273E+04

-4.250688E+05 7.418273E+04

7.418273E+04

0.0

0.0

47

0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

#### PLOTTER DATA

THE FOLLOWING PLOTS ARE FOR A NASTPLT PLOTTER

PAPER SIZE = 20.0 X 20.0, PAPER TYPE = VELLUM

PEN 1 - SIZE 1, BLACK PEN 2 - SIZE 1, BLACK PEN 3 - SIZE 1, BLACK PEN 4 - SIZE 1, BLACK

#### ENGINEERING DATA

ORTHOGRAPHIC PROJECTION

ROTATIONS (DEGREES) - GAMMA = 0.00, BETA = 0.00, ALPHA = 0.00, AXES = -Y,+X,+Z, SYMMETRIC SCALE (OBJECT-TO-PLOT SIZE) = 2.512692E+01

1 - X0 = -9.2800000E+00, Y0 = -2.330045E+00 (INCHES) ORIGIN

LIST OF PLOTS

1 - SUBCASE 500 - LOAD PLOT 2 STATIC STRESS

CONTOUR PLOTTING DATA

ABOVE PLOT IS A CONTOUR PLOT OF STRESS, MAJOR-PR MIN = -5.361738E+04 MAX = 8.097764E+05 THE CONTOUR VALUES ARE CALCULATED AT FIBER DISTANCE MAX - 21.22

TABLE OF PLOTTING SYMBOLS

SYMBOL VALUE SYMBOL VALUE SYMBOL VALUE SYMBOL VALUE SYMBOL VALUE

1 -5.361738E+04

2 1.190614E+05 3 2.917401E+05 4 4.644189E+05 5 6.370976E+05

5 6.370976E+05 6 8.097764E+05

1

\* \* \* END OF JOB \* \* \*

## Appendix A, cont.

NASTRAN Frequency Analysis

```
NASTRAN
ASSIGN MASTER='MOD14.MASTER'
RESTART, VERSION=1
ID NORMAL MODES
SOL 103
TIME 3
CEND
TITLE=ASE274 - MODEL 1
SUBTITLE=MODEL 1 STATIC
DISP=ALL
LABEL = NORMAL MODES ANALYSIS
METHOD=4
LOAD=500
OLOAD=ALL
SUBCASE 1
SPC=102
OUTPUT (PLOT)
PLOTTER NAST
SET 1=QUAD4, TRIA3
AXES MY, X, Z
VIEW 0.,0.,0.
FIND SCALE, ORIGIN 1, SET 1
PLOT SET 1, ORIGIN 1, LABEL BOTH
PLOT STATIC DEFORMATION 0, SET 1, ORIGIN 1, LABELBOTH
BEGIN BULK
$L= .1687
              r= .26 d= .05 radius = 0.01
$1.....2.....3.....4.....5.....6.....7.....8......9......10
EIGRL 4
             -0.1
                               4
                                       0
ENDDATA
```

ORTHOGRAPHIC PROJECTION

```
0.00, BETA = 0.00, ALPHA = 0.00, AXES = -Y,+X,+Z, SYMMETRIC
            ROTATIONS (DEGREES) - GAMMA =
             SCALE (OBJECT-TO-PLOT SIZE) = 2.947904E+01
                             1 - X0 = -9.280000E+00, Y0 = -9.600000E-01
                                                                                              (INCHES)
 LIST OF PLOTS
                              UNDEFORMED SHAPE
            PLOT
                                                                                                        MAY 4, 1993 MSC/NASTRAN 9/ 4/91 PAGE
                                                                                                                                                                    15
   ASE274 - MODEL 1
MODEL 1 STATIC
       NORMAL MODES ANALYSIS
0 *** USER INFORMATION MESSAGE 5010, STURM SEQUENCE DATA FOR EIGENVALUE EXTRACTION.
TRIAL EIGENVALUE = 1.1944080+04, CYCLES = 1.7393880+01 NUMBER OF EIGENVALUES BELOW THIS VALUE =

0*** USER INFORMATION MESSAGE 4158--STATISTICS FOR SYMMETRIC DECOMPOSITION OF DATA BLOCK SCRATCH FOLLOW
             NUMBER OF NEGATIVE TERMS ON FACTOR DIAGONAL =
0 *** USER INFORMATION MESSAGE 5010, STURM SEQUENCE DATA FOR EIGENVALUE EXTRACTION.
TRIAL EIGENVALUE = 4.702861D+06, CYCLES = 3.451447D+02 NUMBER OF EIGENVALUES BELOW THIS VALUE = 0*** USER INFORMATION MESSAGE 4158---STATISTICS FOR SYMMETRIC DECOMPOSITION OF DATA BLOCK SCRATCH FOLLOW
NUMBER OF NEGATIVE TERMS ON FACTOR DIAGONAL = 41
0*** USER INFORMATION MESSAGE 5010, STURM SEQUENCE DATA FOR EIGENVALUE EXTRACTION.
TRIAL EIGENVALUE = 1.4108580+07, CYCLES = 5.978081D+02 NUMBER OF EIGENVALUES BELOW THIS VALUE = 0*** USER INFORMATION MESSAGE 4158---STATISTICS FOR SYMMETRIC DECOMPOSITION OF DATA BLOCK SCRATCH FOLLOW
              NUMBER OF NEGATIVE TERMS ON FACTOR DIAGONAL =
NUMBER OF NEGATIVE TERMS OF ACTOR DIAGONAL = 0.00 NUMBER OF NEGATIVE TERMS OF ACTOR DIAGONAL = 0.00 NUMBER OF NEGATIVE TERMS OF STURM SEQUENCE DATA FOR EIGENVALUE EXTRACTION.

TRIAL EIGENVALUE = 4.9503800+06, CYCLES = 3.541110D+02 NUMBER OF EIGENVALUES BELOW THIS VALUE =
0*** USER WARNING MESSAGE 3034, ORTHOGONALITY TEST FAILED. LARGEST TERM = 2.93E-10, NUMBER FAILED = PAIR = 4, 2, EPSILON = 1.00E-
                                                                                                      , EPSILON = 1.00E-10
MAY 4, 1993 MSC/NASTRAN 9/ 4/91 PAGE
                                                                                                                           1.00E-10
     ASE274 - MODEL 1
      MODEL 1 STATIC
       NORMAL MODES ANALYSIS
0
                                   EIGENVALUE ANALYSIS SUMMARY (LANCZOS ITERATION)
                                                 BLOCK SIZE USED .....
                                                 NUMBER OF DECOMPOSITIONS .....
                                                 NUMBER OF ROOTS FOUND .....
                                                 TERMINATION MESSAGE : REQUIRED NUMBER OF EIGENVALUES FOUND.
                                                                                                                 4, 1993 MSC/NASTRAN 9/ 4/91 PAGE
                                                                                                                                                                   17
     ASE274 - MODEL 1
        NORMAL MODES ANALYSIS
                                                            REAL EIGENVALUES
                                                                                                                  GENERALIZED
                                                                                                                                            GENERALIZED
                                                                RADIANS
                                                                                           CYCLES
              EXTRACTION
                                   EIGENVALUE
    MODE
                                                                                                                     MASS
                                                                                                                                             STIFFNESS
                  ORDER
                                                                                                                  1.000000E+00
                    1
                                                                                       1.809978E+02
          1
                                   1.293321E+06
                                                             1.137243E+03
                                                                                        1.809978E+02
                                                                                                                  1.000000E+00
                                                                                                                                            1 293321E+06
                                   1.293321E+06
                                                             1.137243E+03
                                                                                                                                            4.638585E+06
                                                                                                                  1.000000E+00
                                   4 638585E+06
                                                             2.153738E+03
                                                                                        3.427780E+02
                                                                                                                                             4.767133E+06
                                                             2.183376E+03
                                                                                        3.474951E+02
                                                                                                                   1.000000E+00
                                   4.767133E+06
                                                                                                                 4. 1993 MSC/NASTRAN 9/ 4/91
                                                                                                                                                           PAGE
                                                                                                                                                                      18
     ASE274 - MODEL 1
      MODEL 1 STATIC
        NORMAL MODES ANALYSIS
                                                                                                         MAY 4, 1993 MSC/NASTRAN 9/ 4/91 PAGE
                                                                                                                                                                      19
     ASE274 - MODEL 1
      MODEL 1 STATIC
     NORMAL MODES ANALYSIS
ASE274 - MODEL 1
                                                                                                         MAY 4, 1993 MSC/NASTRAN 9/ 4/91 PAGE
                                                                                                                                                                     20
       MODEL 1 STATIC
Đ
        NORMAL MODES ANALYSIS
                                                                   MAXIMUM DISPLACEMENTS
                                                               ጥን
                                                                                  R1
                                                                                                       R2

        T1
        T2
        T3
        R1
        R2
        R3

        1.0255939E-01
        3.7702328E-01
        1.8000318E-01
        1.3383291E+00
        4.8583096E-01
        1.3383291E+00
        1.3963877E+00

        3.7702328E-01
        1.0255939E-01
        1.8000318E-01
        4.8583096E-01
        1.3383291E+00
        1.3963877E+00


        1.0437756E+00
        1.0437756E+00
        1.0437756E+00
        7.8765683E+00
        7.8765683E+01
        7.8765683E+01
        1.7531828E+01

        1.2437719E+00
        1.2264830E+00
        7.2158093E-04
        9.9412727E+00
        1.0082914E+01
        2.4128210E+01

٥
                                                                                                         MAY 4, 1993 MSC/NASTRAN 9/ 4/91 PAGE
      ASE274 - MODEL 1
       MODEL 1 STATIC
                                                                                                                                               SUBCASE 1
        NORMAL MODES ANALYSIS
        EIGENVALUE = 1.293321E+06
CYCLES = 1.809978E+02
                                                      REAL EIGENVECTOR NO.
        POINT ID.
                        TYPE
                                   -1.375345E-04 -3.822579E-04 6.983513E-04 4.351418E-02 8.910947E-03 -4.113543E-04 0.0 0.0 -1.857303E-02 -1.139710E-01 -2.540105E-02
                                                                           0.0
2.713132E-02
                           G
                                   -1.347286E-02
                                                      -4.054736E-02
                                                                                             5.123412E-01
                                                                                                                 -2.503318E-01
                                                                                                                                      6.710506E-02
                           G
                                                                                                                 -9.268253E-02
                                   -3.113424E-02 -1.362344E-01
                                                                           3.910747E-02
                                                                                               5.748325E-01
                                                                                                                                      7.251531E-02
                                                                                               5.831530E-01
                                                                                                                 -1.411709E-01
                                   -5.329991E-02 -2.387710E-01
-7.204834E-02 -3.262686E-01
                                                                           3.962892E-02
                           G
                                                                            2.905677E-02
                                                                                               5.74305BE-01
                                                                                                                 -1.228908E-01
                                                                                                                                     5.195493E-02
                                                                                                                                    -2.659249E-02
                                   -8.298090E-02 -3.766795E-01
-6.342372E-02 -3.535394E-01
                                                                                               5.502121E-01
                                                                            1.026438E-02
                                                                                                                 -1.167734E-01
                                                                            2.878754E-02
                                                                                               1.338329E+00
                                   -2.305672E-02 -1.392333E-01
                                                                           2.870909E-02
                                                                                               5.748501E-01
                                                                                                                 -2.470573E-01
                                                                                                                                      5.637153E-01
                                                                                                                  8.910947E-03
                                                                                               4.351418E-02
                 10
                                   -1.375345E-04 -3.822579E-04 -6.983513E-04
                                                                                                                                      2.540105E-02
                                                                                              -1.857303E-02
                                                                                                                 -1.139710E-01
                 11
                                                        0.0
                                                                            0.0
                                    0.0
                                   -1.347286E-02 -4.054736E-02 -2.713132E-02
                                                                                               5.123412E-01 -2.503318E-01 -6.710506E-02
                                   -3.113424E-02 -1.362344E-01 -3.910747E-02
-5.329991E-02 -2.387710E-01 -3.962892E-02
                                                                                               5.748325E-01 -9.268253E-02
                 13
                                                                                                5.831530E-01 -1.411709E-01 -1.009546E-01
                                                                                               5.743058E-01 -1.228908E-01 -5.195493E-02
```


-7.204834E-02 -3.262686E-01 -2.905677E-02

# Appendix B BATSAT Antennae



**Ka Band Antenna** 

## BATSAT Antennae (Cont.)



Appendix C

## **BATSAT** Power Sizing

	Instrument in Use						
	Equpment	Power Req.					
on	Ka Transmitter		1.5	W			
on	X Transmitter		1.5	W			
off	Ku Transmitter		5.1	W			
off	S Transmitter	l	1.5	W			
on	Heaters		2.0	W			
on	Command		2.1	W			
	Total Power=		8.6	W			

	Solar Cell I	nfo
Si	Si	GaAs
Po	190.0 W/m2	244.0 W/r
ld	0.77	0.
LdegFact	3.75%	2.75
Mass/m^2	2.800 kg/m2	1.600 kg/r
Cost/m^2		

Power Design Parameters	
Life= 10.0 yrs	Satellite Lifetime
Theta = 0.0 °	Array incidence angle
Period = 110.51 min	Orbital Period
Pe= 8.6 W/m2	Eclipse Power (from equipment choice)
te= 35.80 min	Eclipse Duration
xe= 0.65	Array-BattLoad efficiency
Pd= 8.6 W/m2	Daylight Power
td= 74.71 min	Day duration
xd= 0.9	Source-Load efficiency
Cd= 0.1	Battery Depth of Discharge
Vd= 27.5	Battery discharge voltage
N= 1	Number of batteries
Po = 190.0  W/m2	From Array Choice
ld = 0.77	From Array Choice
LdegFact= 3.75%	From Array Choice

Computed Solar Paramters	
Psa= 15.8 W/m2	Total daylight collected power
Pbol= 146.3 W/m2	Power beginning of life
Peol= 99.8 W/m2	Power ending of life

Asa= 0.174 m^2	Total Estimated array Area + 10%, unadjusted for sha
Est Mass = 1.952 kg	Adjusted for shape
Est Cost = \$57.99	Total Estimated Cost in thousands, adjusted for shape
Cr = 2.06 A-hrs	Battery Capacity in A-hrs
	the contract of the contract o


Spacecraft	Sizing		
Shape:	Grav-Gradient		
Min Area:	0.547 m^2		
Radius:	0.25 m		
Height:	0.35 m		

Spherical
0.697 m^2
0.24 m
n/a

#### Appendix D

#### Pegasus Mission Timeline With HAPS Booster

[Source: Pegasus User's Guide]




## Pegasus Launch Environment [Source: Pegasus User's Guide]

#### Acceleration Environment

Туре	Line	Linear Acceleration (g's)		
	×	у	Z	
Ground Operations	+/-0.5	+/-0.5	+ 1.5	
Captive Carry Flight/Taxi 1 Case 1	+/-1.0	0	+ 2.2/-1.0	
Case 2	0	+/-0.3	+ 2.2	
Case 3	0	+/-0.4	+ 1.0	
Abort Landing	+/-0.6	+/-0.6	+ 2.7/-0.1	
Launch/Drop	0	0	Payload Dependent	
Aerodynamic Pull-up	-4.0	+/-0.5	+2.85	
First Stage Burnout	-7.5	+/-0.2	+/-0.2	
Second and Third Stage Burnout	Payload	Payload Dependent (See Figure 4.1)		


Note 1: Payload must meet each of these case requirements individually to satisfy NASA-Dryden B-52 utilization constraints

## Payload Vibration Environment




## Pegasus Launch Environment cont.

## Payload Maximum Axial Acceleration




### Payload Shock Environment



## Pegasus Launch Environment cont.

## Payload Acoustic Environment





# Mockingbird Designs

Excellence in Engineering